



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

52 data points collected on unit Serial Number: 30183156 in Job 1 on 06/09/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 51

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.74	-28.0	-1.89	4.98	3.09	N/A	N/A	N/A	N/A	N/A
2	LL	17.00	16.40	-26.0	-4.49	7.39	2.89	N/A	N/A	N/A	N/A	N/A
3	LL	27.00	26.04	-29.0	-7.14	10.51	3.36	N/A	N/A	N/A	N/A	N/A
4	LL	37.00	35.63	-30.0	-9.97	13.91	3.94	N/A	N/A	N/A	N/A	N/A
5	LL	47.00	45.29	-23.5	-12.56	15.86	3.31	N/A	N/A	N/A	N/A	N/A
6	LL	57.00	55.10	-16.0	-14.49	17.22	2.73	N/A	N/A	N/A	N/A	N/A
7	LL	67.00	64.97	-17.0	-16.12	18.80	2.68	N/A	N/A	N/A	N/A	N/A
8	LL	77.00	74.87	-11.0	-17.50	19.62	2.11	N/A	N/A	N/A	N/A	N/A
9	LL	87.00	84.80	-13.0	-18.70	20.91	2.22	N/A	N/A	N/A	N/A	N/A
10	LL	97.00	94.71	-13.5	-20.01	21.54	1.53	N/A	N/A	N/A	N/A	N/A
11	FLP	107.00	104.67	-5.4	-20.95	21.56	0.61	N/A	N/A			
12	FLP	117.00	114.66	-0.6	-21.25	22.69	1.44	N/A	N/A			
13	FLP	127.00	124.66	-1.8	-21.37	23.27	1.90	N/A	N/A			
14	LL	137.00	134.66	-3.2	-21.62	23.50	1.88	N/A	N/A	N/A	N/A	N/A
15	FLP	147.00	144.66	2.3	-21.66	23.25	1.58	N/A	N/A			
16	FLP	157.00	154.66	1.1	-21.49	23.15	1.66	N/A	N/A			
17	FLP	167.00	164.66	-1.6	-21.52	23.03	1.51	N/A	N/A			
18	FLP	177.00	174.66	-1.2	-21.66	22.53	0.87	N/A	N/A			
19	FLP	187.00	184.65	-3.6	-21.90	23.67	1.77	N/A	N/A			
20	FLP	197.00	194.65	-3.4	-22.25	24.16	1.92	N/A	N/A			
21	LL	207.00	204.65	-0.5	-22.44	24.06	1.62	N/A	N/A	N/A	N/A	N/A
22	FLP	217.00	214.65	-3.2	-22.63	24.08	1.45	N/A	N/A			
23	FLP	227.00	224.65	1.8	-22.70	24.03	1.33	N/A	N/A			
24	FLP	237.00	234.64	0.6	-22.58	23.99	1.41	N/A	N/A			
25	FLP	247.00	244.64	1.9	-22.45	22.84	0.39	N/A	N/A			
26	FLP	257.00	254.64	0.0	-22.36	23.11	0.75	N/A	N/A			
27	FLP	267.00	264.64	-0.5	-22.38	23.09	0.70	N/A	N/A			
28	FLP	277.00	274.64	-2.1	-22.51	22.62	0.10	N/A	N/A			
29	LL	287.00	284.64	-0.9	-22.66	25.73	3.06	N/A	N/A	N/A	N/A	N/A
30	FLP	297.00	294.64	-2.5	-22.83	27.98	5.15	N/A	N/A			
31	FLP	307.00	304.63	-3.6	-23.14	28.56	5.42	N/A	N/A			
32	LL	317.00	314.63	1.1	-23.26	26.44	3.18	N/A	N/A	N/A	N/A	N/A
33	LL	327.00	324.63	1.8	-23.12	26.24	3.12	N/A	N/A	N/A	N/A	N/A
34	LL	337.00	334.63	0.5	-23.00	26.11	3.11	N/A	N/A	N/A	N/A	N/A
35	LL	347.00	344.63	-0.3	-22.99	26.08	3.09	N/A	N/A	N/A	N/A	N/A
36	FLP	357.00	354.63	2.7	-22.87	24.03	1.16	N/A	N/A			
37	FLP	367.00	364.63	2.5	-22.61	24.42	1.81	N/A	N/A			
38	FLP	377.00	374.63	1.3	-22.42	24.54	2.11	N/A	N/A			
39	FLP	387.00	384.63	1.1	-22.30	25.10	2.80	N/A	N/A			
40	LL	397.00	394.63	-0.6	-22.28	25.15	2.87	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	404.63	-1.7	-22.39	25.24	2.85	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	414.62	-2.1	-22.58	26.65	4.07	N/A	N/A	N/A	N/A	N/A
43	FLP	427.00	424.62	-2.1	-22.79	23.10	0.31	N/A	N/A			
44	FLP	437.00	434.62	-3.2	-23.06	23.61	0.55	N/A	N/A			
45	FLP	447.00	444.62	0.3	-23.20	21.99	-1.21	N/A	N/A			
46	LL	457.00	454.61	6.2	-22.88	23.40	0.52	N/A	N/A	N/A	N/A	N/A
47	FLP	467.00	464.57	12.0	-21.97	20.69	-1.28	N/A	N/A			
48	LL	477.00	474.43	22.5	-20.28	16.94	-3.34	N/A	N/A	N/A	N/A	N/A
49	FLP	487.00	484.18	22.5	-18.08	16.54	-1.54	N/A	N/A			
50	FLP	497.00	493.90	26.0	-15.73	15.02	-0.71	N/A	N/A			
51	LL	507.00	503.54	29.5	-13.05	12.21	-0.85	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.74	1	3	N/A	3	
2	16.40	39	4	5	6	
3	26.04	40	6	7	8	
4	35.63	30	9	9	10	
5	45.29	103	10	11	12	
6	55.10	56	11	12	13	
7	64.97	42	12	13	14	
8	74.87	64	13	14	15	
9	84.80	30	14	15	15	
10	94.71	39	15	16	17	
11	104.67	64	17	18	18	
12	114.66	53	16	18	18	
13	124.66	42	16	17	18	
14	134.66	47	17	19	19	
15	144.66	47	17	20	20	
16	154.66	261	13	16	38	
17	164.66	36	17	20	20	
18	174.66	38	18	20	20	
19	184.65	49	18	21	22	
20	194.65	23	17	20	21	
21	204.65	62	18	21	21	
22	214.65	25	18	20	20	
23	224.65	61	18	20	21	
24	234.64	46	18	20	21	
25	244.64	46	18	20	25	
26	254.64	41	17	20	23	
27	264.64	40	18	21	22	
28	274.64	45	18	21	23	
29	284.64	65	19	23	25	
30	294.64	75	20	24	26	
31	304.63	265	14	17	29	
32	314.63	89	22	26	30	
33	324.63	92	24	28	28	
34	334.63	86	25	28	30	
35	344.63	80	25	28	30	
36	354.63	137	24	28	30	
37	364.63	243	18	24	28	
38	374.63	45	24	27	25	
39	384.63	66	25	27	34	
40	394.63	468	21	26	30	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.63	56	22	25	27	
42	414.62	230	23	26	30	
43	424.62	3	12	13	13	
44	434.62	319	13	22	29	
45	444.62	76	27	31	32	
46	454.61	76	27	31	34	
47	464.57	66	28	31	33	
48	474.43	137	25	30	33	
49	484.18	3	12	16	17	
50	493.90	62	25	28	31	
51	503.54	82	22	27	29	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 39 on 08/10/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.72	-28.5	-1.97	1.44	-0.52	N/A	N/A			
2	FLP	17.00	16.32	-30.0	-4.77	3.45	-1.33	N/A	N/A			
3	FLP	27.00	26.00	-22.0	-7.29	14.81	7.53	N/A	N/A			
4	FLP	37.00	35.79	-19.5	-9.32	13.65	4.33	N/A	N/A			
5	FLP	47.00	45.68	-10.5	-10.80	13.88	3.08	N/A	N/A			
6	FLP	57.00	55.62	-11.5	-11.89	14.51	2.62	N/A	N/A			
7	FLP	67.00	65.55	-11.0	-13.01	16.08	3.08	N/A	N/A			
8	FLP	77.00	75.50	-9.5	-14.03	16.06	2.03	N/A	N/A			
9	FLP	87.00	85.47	-6.6	-14.83	16.52	1.69	N/A	N/A			
10	FLP	97.00	95.45	-5.6	-15.44	17.51	2.07	N/A	N/A			
11	FLP	107.00	105.43	-6.2	-16.03	18.55	2.52	N/A	N/A			
12	FLP	117.00	115.43	0.0	-16.34	17.65	1.31	N/A	N/A			
13	FLP	127.00	125.43	-1.8	-16.43	17.37	0.94	N/A	N/A			
14	FLP	137.00	135.42	-4.8	-16.76	16.89	0.13	N/A	N/A			
15	FLP	147.00	145.41	-5.6	-17.28	16.86	-0.42	N/A	N/A			
16	FLP	157.00	155.40	-4.6	-17.79	17.88	0.09	N/A	N/A			
17	FLP	167.00	165.39	-4.0	-18.22	18.27	0.06	N/A	N/A			
18	FLP	177.00	175.38	-1.8	-18.51	17.79	-0.72	N/A	N/A			
19	FLP	187.00	185.37	-8.0	-18.99	14.86	-4.13	N/A	N/A			
20	FLP	197.00	195.35	-5.6	-19.67	14.41	-5.26	N/A	N/A			
21	LL	207.00	205.33	-5.2	-20.21	15.18	-5.03	N/A	N/A	N/A	N/A	N/A
22	FLP	217.00	215.33	0.4	-20.45	16.38	-4.08	N/A	N/A			
23	FLP	227.00	225.33	3.6	-20.25	20.02	-0.23	N/A	N/A			
24	LL	237.00	235.32	4.4	-19.85	19.22	-0.63	N/A	N/A	N/A	N/A	N/A
25	FLP	247.00	245.31	5.4	-19.36	19.58	0.22	N/A	N/A			
26	FLP	257.00	255.29	7.0	-18.74	19.31	0.56	N/A	N/A			
27	FLP	267.00	265.27	6.8	-18.06	18.32	0.27	N/A	N/A			
28	FLP	277.00	275.24	8.2	-17.31	17.67	0.36	N/A	N/A			
29	FLP	287.00	285.23	2.0	-16.80	17.27	0.47	N/A	N/A			
30	FLP	297.00	295.22	4.8	-16.46	16.83	0.38	N/A	N/A			
31	FLP	307.00	305.22	1.1	-16.16	16.67	0.51	N/A	N/A			
32	FLP	317.00	315.21	2.1	-16.00	17.03	1.03	N/A	N/A			
33	FLP	327.00	325.21	4.4	-15.68	16.82	1.14	N/A	N/A			
34	FLP	337.00	335.20	4.2	-15.25	16.54	1.29	N/A	N/A			
35	FLP	347.00	345.19	4.6	-14.81	16.02	1.21	N/A	N/A			
36	FLP	357.00	355.19	0.5	-14.56	16.23	1.67	N/A	N/A			
37	FLP	367.00	365.18	-3.8	-14.72	17.68	2.96	N/A	N/A			
38	FLP	377.00	375.18	-2.1	-15.02	18.07	3.06	N/A	N/A			
39	FLP	387.00	385.18	3.4	-14.95	16.22	1.27	N/A	N/A			
40	FLP	397.00	395.18	1.1	-14.73	15.33	0.60	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.18	-3.4	-14.84	15.37	0.53	N/A	N/A			
42	FLP	417.00	415.18	1.7	-14.93	15.85	0.92	N/A	N/A			
43	FLP	427.00	425.18	0.4	-14.82	15.74	0.92	N/A	N/A			
44	FLP	437.00	435.18	0.5	-14.78	14.97	0.20	N/A	N/A			
45	FLP	447.00	445.18	0.7	-14.72	15.36	0.64	N/A	N/A			
46	FLP	457.00	455.18	-1.1	-14.74	14.79	0.05	N/A	N/A			
47	FLP	467.00	465.14	18.5	-13.88	11.60	-2.28	N/A	N/A			
48	FLP	477.00	474.86	29.5	-11.55	8.09	-3.46	N/A	N/A			
49	LL	487.00	484.34	38.0	-8.36	3.73	-4.63	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.72	192	2	3	3	
2	16.32	138	2	3	4	
3	26.00	60	3	4	4	
4	35.79	38	4	5	5	
5	45.68	33	4	4	5	
6	55.62	43	4	5	5	
7	65.55	38	2	3	3	
8	75.50	150	2	3	3	
9	85.47	62	3	3	3	
10	95.45	37	3	3	4	
11	105.43	58	3	3	4	
12	115.43	38	3	4	4	
13	125.43	42	3	4	4	
14	135.42	44	3	4	4	
15	145.41	57	3	4	4	
16	155.40	54	4	4	4	
17	165.39	55	4	4	4	
18	175.38	60	4	4	4	
19	185.37	57	4	4	5	
20	195.35	44	4	5	5	
21	205.33	443	4	5	5	
22	215.33	46	5	5	5	
23	225.33	72	5	5	6	
24	235.32	44	5	5	6	
25	245.31	132	5	6	6	
26	255.29	20	5	6	6	
27	265.27	41	5	6	6	
28	275.24	49	5	6	6	
29	285.23	56	5	6	6	
30	295.22	181	5	6	6	
31	305.22	76	5	6	6	
32	315.21	63	6	6	6	
33	325.21	59	6	6	6	
34	335.20	47	6	6	6	
35	345.19	39	6	6	6	
36	355.19	47	6	6	6	
37	365.18	43	6	6	7	
38	375.18	41	6	7	7	
39	385.18	62	6	7	7	
40	395.18	55	6	7	7	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.18	27	6	7	7	
42	415.18	36	6	7	7	
43	425.18	33	6	7	7	
44	435.18	34	7	7	7	
45	445.18	40	7	7	7	
46	455.18	103	6	7	7	
47	465.14	88	7	8	8	
48	474.86	36	7	8	8	
49	484.34	30	7	7	8	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 38 on 08/09/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 52

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-29.5	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.71	-29.5	-1.98	2.81	0.83	N/A	N/A			
2	FLP	17.00	16.31	-29.5	-4.81	3.80	-1.01	N/A	N/A			
3	FLP	27.00	25.90	-29.0	-7.62	6.84	-0.78	N/A	N/A			
4	FLP	37.00	35.44	-34.0	-10.62	10.48	-0.15	N/A	N/A			
5	FLP	47.00	45.03	-25.5	-13.47	18.95	5.49	N/A	N/A			
6	FLP	57.00	54.81	-17.5	-15.57	18.87	3.30	N/A	N/A			
7	FLP	67.00	64.66	-16.5	-17.24	17.88	0.64	N/A	N/A			
8	FLP	77.00	74.54	-15.0	-18.80	18.11	-0.69	N/A	N/A			
9	FLP	87.00	84.43	-14.5	-20.26	19.95	-0.31	N/A	N/A			
10	FLP	97.00	94.38	-6.4	-21.29	21.18	-0.12	N/A	N/A			
11	FLP	107.00	104.36	-7.4	-21.98	21.94	-0.04	N/A	N/A			
12	FLP	117.00	114.33	-7.0	-22.70	22.64	-0.06	N/A	N/A			
13	FLP	127.00	124.31	-5.8	-23.34	23.49	0.15	N/A	N/A			
14	FLP	137.00	134.30	-4.4	-23.85	22.41	-1.44	N/A	N/A			
15	FLP	147.00	144.29	-4.2	-24.28	23.10	-1.18	N/A	N/A			
16	FLP	157.00	154.28	-3.6	-24.67	23.36	-1.31	N/A	N/A			
17	FLP	167.00	164.27	-3.8	-25.04	22.90	-2.14	N/A	N/A			
18	FLP	177.00	174.27	-3.2	-25.39	22.58	-2.81	N/A	N/A			
19	FLP	187.00	184.27	-0.1	-25.55	23.89	-1.67	N/A	N/A			
20	FLP	197.00	194.27	-2.7	-25.69	23.52	-2.18	N/A	N/A			
21	FLP	207.00	204.26	-4.4	-26.05	23.12	-2.93	N/A	N/A			
22	FLP	217.00	214.25	-5.8	-26.56	20.11	-6.45	N/A	N/A			
23	FLP	227.00	224.23	-4.2	-27.06	20.65	-6.41	N/A	N/A			
24	LL	237.00	234.22	-5.6	-27.55	20.80	-6.75	N/A	N/A	N/A	N/A	N/A
25	FLP	247.00	244.21	-2.2	-27.94	23.18	-4.76	N/A	N/A			
26	FLP	257.00	254.21	1.6	-27.97	26.48	-1.48	N/A	N/A			
27	FLP	267.00	264.21	4.8	-27.65	27.83	0.18	N/A	N/A			
28	FLP	277.00	274.19	6.6	-27.08	25.77	-1.31	N/A	N/A			
29	FLP	287.00	284.17	5.6	-26.47	25.60	-0.86	N/A	N/A			
30	FLP	297.00	294.16	3.6	-26.01	25.23	-0.78	N/A	N/A			
31	FLP	307.00	304.16	4.4	-25.61	24.74	-0.86	N/A	N/A			
32	FLP	317.00	314.14	5.4	-25.12	24.08	-1.04	N/A	N/A			
33	FLP	327.00	324.13	4.6	-24.62	23.77	-0.85	N/A	N/A			
34	FLP	337.00	334.12	6.0	-24.09	23.82	-0.27	N/A	N/A			
35	FLP	347.00	344.11	2.5	-23.67	23.86	0.19	N/A	N/A			
36	FLP	357.00	354.10	2.9	-23.40	24.36	0.96	N/A	N/A			
37	FLP	367.00	364.10	3.2	-23.09	23.49	0.40	N/A	N/A			
38	FLP	377.00	374.10	1.7	-22.85	23.11	0.26	N/A	N/A			
39	FLP	387.00	384.09	4.4	-22.54	23.51	0.97	N/A	N/A			
40	FLP	397.00	394.09	1.5	-22.25	26.75	4.50	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.09	-0.8	-22.21	25.77	3.56	N/A	N/A			
42	FLP	417.00	414.09	0.8	-22.21	22.47	0.26	N/A	N/A			
43	FLP	427.00	424.08	-7.2	-22.53	21.25	-1.28	N/A	N/A			
44	FLP	437.00	434.06	-7.2	-23.25	22.04	-1.21	N/A	N/A			
45	FLP	447.00	444.05	0.0	-23.61	22.66	-0.95	N/A	N/A			
46	LL	457.00	454.05	0.9	-23.56	22.36	-1.20	N/A	N/A	N/A	N/A	N/A
47	FLP	467.00	464.05	1.1	-23.46	22.25	-1.22	N/A	N/A			
48	FLP	477.00	474.05	2.4	-23.29	21.86	-1.43	N/A	N/A			
49	FLP	487.00	484.03	10.5	-22.65	19.96	-2.69	N/A	N/A			
50	FLP	497.00	493.92	19.5	-21.17	17.89	-3.28	N/A	N/A			
51	LL	507.00	503.68	25.0	-19.00	15.50	-3.49	N/A	N/A	N/A	N/A	N/A
52	FLP	517.00	513.17	42.0	-15.84	6.31	-9.53	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.71	3	1	2	2	
2	16.31	5	1	2	2	
3	25.90	45	2	2	3	
4	35.44	39	2	3	3	
5	45.03	40	3	3	3	
6	54.81	46	3	3	3	
7	64.66	38	3	4	4	
8	74.54	42	3	4	4	
9	84.43	46	4	4	4	
10	94.38	45	4	4	5	
11	104.36	32	4	5	5	
12	114.33	61	6	7	7	
13	124.31	95	6	7	7	
14	134.30	75	7	8	8	
15	144.29	54	8	8	8	
16	154.28	51	8	8	9	
17	164.27	154	8	8	9	
18	174.27	37	8	9	9	
19	184.27	71	8	9	9	
20	194.27	56	9	9	9	
21	204.26	45	9	9	9	
22	214.25	56	9	9	10	
23	224.23	65	9	9	10	
24	234.22	60	9	10	10	
25	244.21	73	9	10	10	
26	254.21	84	10	10	11	
27	264.21	51	10	10	10	
28	274.19	415	10	10	11	
29	284.17	27	10	11	11	
30	294.16	70	10	10	11	
31	304.16	61	10	10	11	
32	314.14	60	10	11	11	
33	324.13	59	11	11	12	
34	334.12	65	11	12	12	
35	344.11	94	11	12	12	
36	354.10	64	11	12	12	
37	364.10	227	10	11	12	
38	374.10	267	11	12	13	
39	384.09	82	10	11	11	
40	394.09	44	11	12	12	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.09	90	11	12	12	
42	414.09	100	12	12	13	
43	424.08	464	9	11	13	
44	434.06	61	11	11	12	
45	444.05	44	10	11	12	
46	454.05	35	10	11	12	
47	464.05	33	10	11	11	
48	474.05	38	11	11	12	
49	484.03	36	11	11	12	
50	493.92	42	11	11	12	
51	503.68	45	11	12	12	
52	513.17	72	11	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 37 on 08/08/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 52

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-34.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.65	-32.0	-2.19	1.44	-0.76	N/A	N/A			
2	FLP	17.00	16.17	-32.0	-5.24	4.99	-0.25	N/A	N/A			
3	FLP	27.00	25.67	-34.0	-8.37	7.95	-0.42	N/A	N/A			
4	FLP	37.00	35.14	-34.0	-11.59	11.64	0.04	N/A	N/A			
5	FLP	47.00	44.69	-28.0	-14.55	14.13	-0.43	N/A	N/A			
6	LL	57.00	54.34	-26.0	-17.16	16.92	-0.24	N/A	N/A	N/A	N/A	N/A
7	FLP	67.00	64.07	-21.5	-19.47	25.65	6.18	N/A	N/A			
8	FLP	77.00	73.91	-14.5	-21.24	25.44	4.20	N/A	N/A			
9	FLP	87.00	83.83	-11.5	-22.53	27.27	4.74	N/A	N/A			
10	FLP	97.00	93.78	-7.8	-23.49	28.27	4.78	N/A	N/A			
11	FLP	107.00	103.75	-8.0	-24.27	29.36	5.09	N/A	N/A			
12	FLP	117.00	113.72	-7.2	-25.03	30.14	5.11	N/A	N/A			
13	FLP	127.00	123.69	-10.0	-25.89	30.68	4.79	N/A	N/A			
14	FLP	137.00	133.64	-9.5	-26.86	31.50	4.64	N/A	N/A			
15	FLP	147.00	143.59	-10.5	-27.85	31.80	3.94	N/A	N/A			
16	FLP	157.00	153.57	-3.6	-28.56	31.57	3.02	N/A	N/A			
17	FLP	167.00	163.56	-2.0	-28.84	33.96	5.12	N/A	N/A			
18	FLP	177.00	173.56	-1.2	-29.00	34.59	5.60	N/A	N/A			
19	FLP	187.00	183.56	-3.0	-29.21	34.30	5.10	N/A	N/A			
20	FLP	197.00	193.55	-6.2	-29.67	33.75	4.08	N/A	N/A			
21	FLP	207.00	203.52	-7.8	-30.36	28.96	-1.41	N/A	N/A			
22	FLP	217.00	213.50	-5.8	-31.04	32.52	1.47	N/A	N/A			
23	FLP	227.00	223.50	-0.3	-31.35	34.20	2.86	N/A	N/A			
24	FLP	237.00	233.50	3.6	-31.18	35.31	4.13	N/A	N/A			
25	FLP	247.00	243.49	2.7	-30.87	34.78	3.91	N/A	N/A			
26	FLP	257.00	253.49	3.0	-30.58	35.25	4.66	N/A	N/A			
27	FLP	267.00	263.48	1.6	-30.35	34.30	3.95	N/A	N/A			
28	FLP	277.00	273.48	3.0	-30.12	34.34	4.22	N/A	N/A			
29	FLP	287.00	283.48	2.8	-29.83	34.35	4.52	N/A	N/A			
30	FLP	297.00	293.48	0.0	-29.69	34.04	4.35	N/A	N/A			
31	FLP	307.00	303.48	0.8	-29.65	34.52	4.86	N/A	N/A			
32	FLP	317.00	313.48	-2.0	-29.71	34.90	5.18	N/A	N/A			
33	FLP	327.00	323.48	2.1	-29.71	35.00	5.29	N/A	N/A			
34	FLP	337.00	333.47	0.3	-29.59	34.80	5.21	N/A	N/A			
35	FLP	347.00	343.47	0.1	-29.57	34.99	5.42	N/A	N/A			
36	FLP	357.00	353.47	0.1	-29.56	35.66	6.10	N/A	N/A			
37	FLP	367.00	363.47	3.0	-29.40	36.13	6.73	N/A	N/A			
38	FLP	377.00	373.47	4.2	-29.04	33.72	4.68	N/A	N/A			
39	FLP	387.00	383.46	2.9	-28.69	33.09	4.40	N/A	N/A			
40	FLP	397.00	393.46	1.2	-28.48	33.14	4.65	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.46	-0.9	-28.47	33.35	4.88	N/A	N/A			
42	LL	417.00	413.46	6.2	-28.20	32.45	4.25	N/A	N/A	N/A	N/A	N/A
43	FLP	427.00	423.42	10.5	-27.37	31.24	3.86	N/A	N/A			
44	FLP	437.00	433.36	12.0	-26.25	29.99	3.73	N/A	N/A			
45	LL	447.00	443.28	13.0	-25.01	30.57	5.55	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.15	20.0	-23.39	28.73	5.34	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	462.91	24.0	-21.24	26.04	4.80	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	472.59	28.0	-18.72	22.71	3.99	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	482.17	32.0	-15.85	18.94	3.08	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	491.67	34.0	-12.72	14.94	2.22	N/A	N/A	N/A	N/A	N/A
51	FLP	507.00	500.99	44.0	-9.09	8.63	-0.47	N/A	N/A			
52	FLP	517.00	510.04	50.0	-4.84	3.96	-0.88	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.65	5	0	1	1	
2	16.17	50	0	1	2	
3	25.67	44	3	4	4	
4	35.14	34	5	6	6	
5	44.69	44	6	7	7	
6	54.34	59	6	7	8	
7	64.07	89	7	8	10	
8	73.91	71	10	11	13	
9	83.83	31	12	13	14	
10	93.78	45	13	14	16	
11	103.75	39	14	14	15	
12	113.72	59	15	16	17	
13	123.69	47	15	16	16	
14	133.64	43	19	22	24	
15	143.59	42	17	17	18	
16	153.57	39	20	23	23	
17	163.56	43	23	26	31	
18	173.56	49	25	29	30	
19	183.56	32	23	26	28	
20	193.55	47	22	25	27	
21	203.52	57	20	21	23	
22	213.50	43	22	23	24	
23	223.50	32	24	26	27	
24	233.50	53	22	24	25	
25	243.49	36	18	20	21	
26	253.49	456	16	18	20	
27	263.48	61	19	20	21	
28	273.48	42	22	23	26	
29	283.48	37	22	23	23	
30	293.48	57	22	23	24	
31	303.48	85	21	21	22	
32	313.48	66	25	30	34	
33	323.48	51	25	27	30	
34	333.47	54	26	28	29	
35	343.47	50	29	30	30	
36	353.47	43	30	31	31	
37	363.47	890	5	7	8	
38	373.47	27	8	8	8	
39	383.46	36	8	8	8	
40	393.46	49	8	8	8	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.46	68	8	8	8	
42	413.46	110	8	8	8	
43	423.42	138	8	8	8	
44	433.36	96	8	8	8	
45	443.28	25	8	8	9	
46	453.15	78	8	9	9	
47	462.91	73	8	9	9	
48	472.59	54	8	9	9	
49	482.17	36	8	9	9	
50	491.67	52	9	9	9	
51	500.99	36	9	9	9	
52	510.04	68	9	10	10	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

45 data points collected on unit Serial Number: 30183156 in Job 36 on 08/05/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 44

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.5	0.00		0.00	N/A	N/A			
1	LL	7.00	6.70	-32.0	-2.03	1.95	-0.08	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.20	-34.0	-5.16	5.45	0.29	N/A	N/A			
3	LL	27.00	25.75	-28.0	-8.12	8.62	0.50	N/A	N/A	N/A	N/A	N/A
4	FLP	37.00	35.48	-19.0	-10.40	13.23	2.83	N/A	N/A			
5	FLP	47.00	45.40	-6.8	-11.68	14.63	2.95	N/A	N/A			
6	FLP	57.00	55.39	-1.6	-12.10	15.45	3.35	N/A	N/A			
7	FLP	67.00	65.39	0.0	-12.18	15.92	3.74	N/A	N/A			
8	FLP	77.00	75.39	1.2	-12.12	16.05	3.93	N/A	N/A			
9	FLP	87.00	85.39	0.6	-12.03	16.22	4.19	N/A	N/A			
10	FLP	97.00	95.39	-1.6	-12.08	14.84	2.76	N/A	N/A			
11	FLP	107.00	105.39	-4.6	-12.39	16.43	4.04	N/A	N/A			
12	LL	117.00	115.38	-4.6	-12.85	17.29	4.44	N/A	N/A	N/A	N/A	N/A
13	FLP	127.00	125.37	-1.1	-13.13	17.53	4.40	N/A	N/A			
14	FLP	137.00	135.37	-1.2	-13.25	17.48	4.24	N/A	N/A			
15	FLP	147.00	145.37	-3.0	-13.46	17.19	3.73	N/A	N/A			
16	FLP	157.00	155.37	-3.2	-13.77	18.18	4.42	N/A	N/A			
17	FLP	167.00	165.36	-5.4	-14.19	14.27	0.07	N/A	N/A			
18	LL	177.00	175.35	-3.6	-14.64	15.01	0.36	N/A	N/A	N/A	N/A	N/A
19	FLP	187.00	185.34	-2.0	-14.92	17.44	2.52	N/A	N/A			
20	FLP	197.00	195.34	4.6	-14.79	18.05	3.26	N/A	N/A			
21	FLP	207.00	205.33	3.8	-14.37	18.69	4.32	N/A	N/A			
22	FLP	217.00	215.32	5.0	-13.94	18.47	4.53	N/A	N/A			
23	FLP	227.00	225.31	6.4	-13.37	17.65	4.28	N/A	N/A			
24	FLP	237.00	235.29	5.2	-12.79	17.05	4.27	N/A	N/A			
25	FLP	247.00	245.29	1.4	-12.46	16.71	4.25	N/A	N/A			
26	FLP	257.00	255.28	3.2	-12.23	16.37	4.14	N/A	N/A			
27	FLP	267.00	265.28	2.9	-11.92	16.67	4.75	N/A	N/A			
28	FLP	277.00	275.27	3.4	-11.61	16.59	4.98	N/A	N/A			
29	FLP	287.00	285.27	4.2	-11.23	16.00	4.77	N/A	N/A			
30	FLP	297.00	295.26	1.8	-10.93	15.75	4.83	N/A	N/A			
31	LL	307.00	305.26	-2.3	-10.95	15.89	4.94	N/A	N/A	N/A	N/A	N/A
32	LL	317.00	315.26	0.3	-11.05	16.21	5.15	N/A	N/A	N/A	N/A	N/A
33	FLP	327.00	325.26	2.0	-10.94	18.76	7.82	N/A	N/A			
34	FLP	337.00	335.26	3.8	-10.65	15.71	5.06	N/A	N/A			
35	FLP	347.00	345.26	-2.5	-10.58	14.83	4.25	N/A	N/A			
36	FLP	357.00	355.25	-0.9	-10.75	15.22	4.47	N/A	N/A			
37	FLP	367.00	365.25	-1.7	-10.88	15.35	4.47	N/A	N/A			
38	FLP	377.00	375.25	-4.2	-11.18	15.52	4.34	N/A	N/A			
39	FLP	387.00	385.25	0.1	-11.38	14.51	3.13	N/A	N/A			
40	FLP	397.00	395.25	-1.6	-11.46	14.38	2.92	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.25	0.6	-11.51	12.75	1.24	N/A	N/A			
42	LL	417.00	415.23	10.5	-10.96	11.71	0.75	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	425.13	18.0	-9.55	9.46	-0.08	N/A	N/A	N/A	N/A	N/A
44	FLP	437.00	434.81	34.0	-7.04	3.18	-3.87	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	129	1	2	3	
2	16.20	32	3	4	4	
3	25.75	40	3	4	4	
4	35.48	63	4	5	7	
5	45.40	74	5	6	8	
6	55.39	37	6	7	8	
7	65.39	132	5	6	9	
8	75.39	33	7	8	10	
9	85.39	35	6	8	10	
10	95.39	36	4	6	9	
11	105.39	72	5	6	6	
12	115.38	48	5	6	6	
13	125.37	37	6	6	7	
14	135.37	57	6	6	7	
15	145.37	175	5	6	6	
16	155.37	35	7	8	9	
17	165.36	34	8	8	9	
18	175.35	52	8	8	9	
19	185.34	43	7	8	9	
20	195.34	42	8	9	9	
21	205.33	151	8	9	10	
22	215.32	47	9	9	9	
23	225.31	44	8	9	9	
24	235.29	51	7	8	8	
25	245.29	53	7	7	8	
26	255.28	41	7	7	8	
27	265.28	238	7	7	8	
28	275.27	72	7	8	8	
29	285.27	51	7	8	8	
30	295.26	62	7	8	8	
31	305.26	53	7	8	8	
32	315.26	58	7	8	8	
33	325.26	137	8	8	9	
34	335.26	38	8	8	8	
35	345.26	52	8	8	9	
36	355.25	36	8	8	9	
37	365.25	197	7	8	9	
38	375.25	50	8	9	9	
39	385.25	28	8	8	9	
40	395.25	31	8	9	9	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.25	37	8	9	9	
42	415.23	44	8	9	9	
43	425.13	43	8	9	9	
44	434.81	139	8	9	9	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

51 data points collected on unit Serial Number: 30183156 in Job 35 on 08/04/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.



First Rod Length is 7.00

Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 50

Drill Data



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.63	-36.0	-2.25	1.42	-0.84	N/A	N/A			
2	FLP	17.00	16.04	-36.0	-5.64	5.51	-0.13	N/A	N/A			
3	FLP	27.00	25.42	-38.0	-9.11	9.50	0.39	N/A	N/A			
4	LL	37.00	34.88	-30.0	-12.32	12.59	0.26	N/A	N/A	N/A	N/A	N/A
5	FLP	47.00	44.51	-26.0	-15.02	18.62	3.60	N/A	N/A			
6	FLP	57.00	54.20	-25.0	-17.49	19.82	2.33	N/A	N/A			
7	FLP	67.00	64.09	-5.8	-19.00	19.67	0.67	N/A	N/A			
8	FLP	77.00	74.07	-6.4	-19.61	21.47	1.86	N/A	N/A			
9	FLP	87.00	84.05	-5.2	-20.19	21.83	1.64	N/A	N/A			
10	FLP	97.00	94.04	-4.2	-20.66	22.57	1.91	N/A	N/A			
11	FLP	107.00	104.04	-2.6	-21.00	23.21	2.21	N/A	N/A			
12	FLP	117.00	114.04	-1.3	-21.19	22.29	1.10	N/A	N/A			
13	FLP	127.00	124.03	-6.2	-21.57	22.25	0.68	N/A	N/A			
14	FLP	137.00	134.02	-2.3	-21.99	22.69	0.70	N/A	N/A			
15	FLP	147.00	144.02	-0.8	-22.15	23.03	0.88	N/A	N/A			
16	FLP	157.00	154.02	-0.5	-22.21	23.20	0.99	N/A	N/A			
17	FLP	167.00	164.02	1.4	-22.17	23.28	1.11	N/A	N/A			
18	FLP	177.00	174.02	-2.9	-22.24	23.40	1.16	N/A	N/A			
19	FLP	187.00	184.01	-4.4	-22.61	23.83	1.22	N/A	N/A			
20	FLP	197.00	194.00	-5.2	-23.08	21.14	-1.94	N/A	N/A			
21	FLP	207.00	203.98	-6.6	-23.67	21.04	-2.63	N/A	N/A			
22	LL	217.00	213.95	-8.8	-24.44	21.90	-2.55	N/A	N/A	N/A	N/A	N/A
23	LL	227.00	223.94	0.0	-24.88	22.71	-2.17	N/A	N/A	N/A	N/A	N/A
24	FLP	237.00	233.94	6.4	-24.56	26.32	1.76	N/A	N/A			
25	FLP	247.00	243.93	1.2	-24.18	24.97	0.79	N/A	N/A			
26	FLP	257.00	253.93	4.4	-23.90	24.57	0.66	N/A	N/A			
27	FLP	267.00	263.92	2.8	-23.54	24.10	0.56	N/A	N/A			
28	FLP	277.00	273.92	3.0	-23.25	23.86	0.61	N/A	N/A			
29	FLP	287.00	283.91	4.2	-22.89	23.35	0.46	N/A	N/A			
30	FLP	297.00	293.91	0.8	-22.64	23.64	1.00	N/A	N/A			
31	FLP	307.00	303.91	2.1	-22.50	24.21	1.71	N/A	N/A			
32	FLP	317.00	313.90	1.1	-22.34	23.24	0.90	N/A	N/A			
33	FLP	327.00	323.90	1.4	-22.21	23.17	0.96	N/A	N/A			
34	FLP	337.00	333.90	1.7	-22.06	22.89	0.83	N/A	N/A			
35	LL	347.00	343.90	-0.9	-22.02	22.86	0.84	N/A	N/A	N/A	N/A	N/A
36	FLP	357.00	353.90	-0.7	-22.10	30.76	8.66	N/A	N/A			
37	FLP	367.00	363.90	-0.7	-22.17	30.87	8.70	N/A	N/A			
38	FLP	377.00	373.90	-0.4	-22.22	29.03	6.81	N/A	N/A			
39	FLP	387.00	383.90	-2.2	-22.35	23.94	1.58	N/A	N/A			
40	FLP	397.00	393.90	2.1	-22.36	21.82	-0.54	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.90	0.2	-22.24	22.01	-0.23	N/A	N/A			
42	FLP	417.00	413.90	0.5	-22.21	22.35	0.14	N/A	N/A			
43	FLP	427.00	423.90	-0.1	-22.19	22.08	-0.11	N/A	N/A			
44	LL	437.00	433.90	0.3	-22.18	22.46	0.28	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	443.90	-1.0	-22.21	22.01	-0.20	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.90	4.8	-22.02	21.23	-0.79	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	463.86	13.0	-21.14	19.55	-1.59	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	473.64	30.0	-19.05	12.78	-6.27	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	483.08	40.0	-15.75	8.31	-7.44	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	492.23	48.0	-11.73	3.48	-8.25	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.63	240	1	2	3	
2	16.04	29	3	3	3	
3	25.42	31	4	4	5	
4	34.88	37	5	5	7	
5	44.51	31	6	8	13	
6	54.20	37	7	8	9	
7	64.09	105	8	9	11	
8	74.07	12	8	8	8	
9	84.05	60	8	9	9	
10	94.04	36	9	9	9	
11	104.04	43	9	9	9	
12	114.04	57	9	9	9	
13	124.03	54	9	9	10	
14	134.02	187	9	9	10	
15	144.02	50	9	10	10	
16	154.02	38	9	10	10	
17	164.02	38	9	10	10	
18	174.02	39	13	14	14	
19	184.01	46	13	13	14	
20	194.00	27	13	13	13	
21	203.98	46	13	13	13	
22	213.95	45	13	14	14	
23	223.94	66	14	14	15	
24	233.94	147	13	14	15	
25	243.93	304	13	14	15	
26	253.93	59	14	15	15	
27	263.92	50	15	15	15	
28	273.92	64	15	15	16	
29	283.91	87	15	15	16	
30	293.91	75	15	15	16	
31	303.91	101	15	15	16	
32	313.90	60	15	16	16	
33	323.90	213	12	13	15	
34	333.90	60	13	13	14	
35	343.90	64	13	14	14	
36	353.90	45	13	14	14	
37	363.90	47	13	14	14	
38	373.90	45	13	14	14	
39	383.90	61	14	14	14	
40	393.90	48	14	14	14	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.90	25	14	14	14	
42	413.90	41	13	14	14	
43	423.90	43	15	16	16	
44	433.90	46	14	15	15	
45	443.90	32	15	15	15	
46	453.90	34	15	15	16	
47	463.86	41	15	15	16	
48	473.64	197	12	13	15	
49	483.08	49	11	12	12	
50	492.23	30	12	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 34 on 08/03/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 52


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.67	-32.0	-2.13	1.32	-0.81	N/A	N/A			
2	FLP	17.00	16.16	-34.0	-5.27	4.81	-0.46	N/A	N/A			
3	FLP	27.00	25.60	-36.0	-8.57	8.20	-0.37	N/A	N/A			
4	FLP	37.00	35.04	-34.0	-11.87	11.56	-0.31	N/A	N/A			
5	FLP	47.00	44.45	-38.0	-15.26	16.07	0.81	N/A	N/A			
6	LL	57.00	53.89	-32.0	-18.56	18.89	0.33	N/A	N/A	N/A	N/A	N/A
7	FLP	67.00	63.58	-19.5	-21.05	24.95	3.90	N/A	N/A			
8	FLP	77.00	73.48	-8.6	-22.43	29.07	6.64	N/A	N/A			
9	FLP	87.00	83.45	-5.6	-23.14	28.62	5.48	N/A	N/A			
10	FLP	97.00	93.44	-5.4	-23.69	29.70	6.01	N/A	N/A			
11	FLP	107.00	103.43	-0.3	-23.98	30.09	6.11	N/A	N/A			
12	LL	117.00	113.43	-2.1	-24.10	30.00	5.90	N/A	N/A	N/A	N/A	N/A
13	FLP	127.00	123.43	-4.0	-24.40	29.31	4.91	N/A	N/A			
14	FLP	137.00	133.43	-0.5	-24.62	29.87	5.25	N/A	N/A			
15	FLP	147.00	143.43	-3.0	-24.80	30.18	5.39	N/A	N/A			
16	FLP	157.00	153.41	-9.0	-25.40	31.36	5.96	N/A	N/A			
17	FLP	167.00	163.39	-2.3	-25.96	31.58	5.62	N/A	N/A			
18	FLP	177.00	173.39	-1.0	-26.13	31.39	5.26	N/A	N/A			
19	FLP	187.00	183.38	-5.8	-26.47	31.57	5.10	N/A	N/A			
20	FLP	197.00	193.37	-6.6	-27.08	28.57	1.49	N/A	N/A			
21	FLP	207.00	203.35	-5.4	-27.68	29.48	1.79	N/A	N/A			
22	LL	217.00	213.33	-5.8	-28.24	29.95	1.71	N/A	N/A	N/A	N/A	N/A
23	FLP	227.00	223.33	0.2	-28.52	34.27	5.74	N/A	N/A			
24	FLP	237.00	233.33	-2.4	-28.63	33.09	4.46	N/A	N/A			
25	FLP	247.00	243.33	-1.5	-28.83	33.99	5.16	N/A	N/A			
26	FLP	257.00	253.32	-2.2	-29.01	34.91	5.89	N/A	N/A			
27	FLP	267.00	263.32	0.5	-29.10	34.85	5.75	N/A	N/A			
28	FLP	277.00	273.32	3.8	-28.88	34.34	5.46	N/A	N/A			
29	FLP	287.00	283.31	3.4	-28.52	33.85	5.33	N/A	N/A			
30	FLP	297.00	293.31	1.1	-28.30	33.65	5.36	N/A	N/A			
31	FLP	307.00	303.31	2.1	-28.14	34.29	6.15	N/A	N/A			
32	FLP	317.00	313.31	2.3	-27.92	34.62	6.70	N/A	N/A			
33	FLP	327.00	323.31	2.6	-27.67	33.72	6.05	N/A	N/A			
34	FLP	337.00	333.30	-0.7	-27.58	33.91	6.33	N/A	N/A			
35	LL	347.00	343.30	-2.0	-27.71	34.49	6.77	N/A	N/A	N/A	N/A	N/A
36	LL	357.00	353.30	2.0	-27.71	36.04	8.33	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	363.30	4.0	-27.41	39.64	12.22	N/A	N/A			
38	FLP	377.00	373.29	2.9	-27.07	34.37	7.30	N/A	N/A			
39	FLP	387.00	383.29	2.5	-26.80	32.76	5.96	N/A	N/A			
40	FLP	397.00	393.29	-2.9	-26.82	32.75	5.93	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.29	5.4	-26.69	32.87	6.17	N/A	N/A			
42	FLP	417.00	413.28	3.4	-26.25	32.64	6.39	N/A	N/A			
43	FLP	427.00	423.27	4.6	-25.85	32.05	6.20	N/A	N/A			
44	LL	437.00	433.25	8.4	-25.21	31.21	6.01	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	443.21	10.0	-24.29	30.82	6.53	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.12	17.5	-22.93	26.85	3.92	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	462.91	23.5	-20.92	24.14	3.22	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	472.55	32.0	-18.25	20.25	2.00	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	481.90	44.0	-14.71	15.25	0.54	N/A	N/A	N/A	N/A	N/A
50	FLP	497.00	490.87	55.0	-10.28	9.03	-1.26	N/A	N/A			
51	LL	507.00	499.63	55.0	-5.46	9.92	4.46	N/A	N/A	N/A	N/A	N/A
52	LL	517.00	508.48	50.0	-0.82	4.71	3.90	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.67	9	1	1	1	
2	16.16	31	2	3	3	
3	25.60	35	4	4	5	
4	35.04	28	5	6	6	
5	44.45	36	7	7	8	
6	53.89	40	8	9	9	
7	63.58	69	9	10	11	
8	73.48	103	11	11	12	
9	83.45	34	11	11	12	
10	93.44	39	11	12	12	
11	103.43	47	11	12	12	
12	113.43	53	12	12	12	
13	123.43	61	12	12	12	
14	133.43	157	12	12	12	
15	143.43	45	12	12	12	
16	153.41	47	12	12	13	
17	163.39	38	14	15	16	
18	173.39	25	16	16	16	
19	183.38	65	17	17	17	
20	193.37	28	17	18	18	
21	203.35	38	18	18	18	
22	213.33	24	18	18	18	
23	223.33	29	18	19	19	
24	233.33	34	19	19	20	
25	243.33	67	19	20	20	
26	253.32	20	20	20	20	
27	263.32	33	20	20	21	
28	273.32	61	20	21	21	
29	283.31	31	21	21	21	
30	293.31	181	21	22	22	
31	303.31	63	22	23	23	
32	313.31	58	23	23	24	
33	323.31	62	23	24	24	
34	333.30	46	24	25	25	
35	343.30	54	25	25	25	
36	353.30	139	26	26	27	
37	363.30	65	27	28	28	
38	373.29	144	28	29	29	
39	383.29	33	29	29	29	
40	393.29	60	29	30	30	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.29	72	29	29	30	
42	413.28	25	26	27	28	
43	423.27	37	26	28	28	
44	433.25	37	23	24	24	
45	443.21	62	22	23	23	
46	453.12	103	19	20	21	
47	462.91	51	17	18	19	
48	472.55	40	14	15	16	
49	481.90	45	13	13	14	
50	490.87	145	11	12	14	
51	499.63	3	11	12	12	
52	508.48	32	11	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

46 data points collected on unit Serial Number: 30183156 in Job 33 on 08/02/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 45

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-34.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.65	-32.0	-2.19	1.41	-0.78	N/A	N/A			
2	FLP	17.00	16.17	-32.0	-5.24	5.40	0.16	N/A	N/A			
3	LL	27.00	25.72	-30.0	-8.20	8.54	0.34	N/A	N/A	N/A	N/A	N/A
4	FLP	37.00	35.52	-11.5	-10.22	12.08	1.86	N/A	N/A			
5	FLP	47.00	45.48	-5.4	-11.06	14.42	3.36	N/A	N/A			
6	FLP	57.00	55.48	-1.1	-11.38	15.28	3.90	N/A	N/A			
7	FLP	67.00	65.47	-3.8	-11.63	15.40	3.77	N/A	N/A			
8	FLP	77.00	75.47	-2.7	-11.95	15.78	3.83	N/A	N/A			
9	FLP	87.00	85.47	-0.5	-12.11	15.71	3.59	N/A	N/A			
10	FLP	97.00	95.47	-4.2	-12.35	15.35	3.00	N/A	N/A			
11	FLP	107.00	105.46	-2.8	-12.70	15.53	2.83	N/A	N/A			
12	LL	117.00	115.46	-2.1	-12.94	16.12	3.18	N/A	N/A	N/A	N/A	N/A
13	LL	127.00	125.45	-4.8	-13.29	16.91	3.62	N/A	N/A	N/A	N/A	N/A
14	FLP	137.00	135.45	1.7	-13.44	16.53	3.09	N/A	N/A			
15	FLP	147.00	145.45	0.7	-13.32	16.63	3.31	N/A	N/A			
16	FLP	157.00	155.45	-2.2	-13.40	17.07	3.67	N/A	N/A			
17	FLP	167.00	165.44	-3.8	-13.70	14.60	0.90	N/A	N/A			
18	FLP	177.00	175.44	-3.6	-14.07	15.02	0.95	N/A	N/A			
19	LL	187.00	185.43	-5.6	-14.53	15.48	0.95	N/A	N/A	N/A	N/A	N/A
20	FLP	197.00	195.43	5.0	-14.56	18.48	3.92	N/A	N/A			
21	FLP	207.00	205.41	5.2	-14.05	17.86	3.81	N/A	N/A			
22	FLP	217.00	215.39	6.8	-13.45	17.19	3.74	N/A	N/A			
23	FLP	227.00	225.38	3.8	-12.92	16.61	3.69	N/A	N/A			
24	FLP	237.00	235.38	2.2	-12.62	16.16	3.54	N/A	N/A			
25	FLP	247.00	245.38	0.9	-12.46	15.84	3.37	N/A	N/A			
26	FLP	257.00	255.37	0.7	-12.38	15.40	3.01	N/A	N/A			
27	FLP	267.00	265.37	3.4	-12.18	15.36	3.18	N/A	N/A			
28	FLP	277.00	275.37	0.0	-12.01	16.15	4.14	N/A	N/A			
29	FLP	287.00	285.37	-0.5	-12.03	16.19	4.16	N/A	N/A			
30	FLP	297.00	295.37	1.4	-11.99	15.57	3.58	N/A	N/A			
31	LL	307.00	305.37	-1.5	-11.99	15.85	3.85	N/A	N/A	N/A	N/A	N/A
32	FLP	317.00	315.37	-0.4	-12.09	20.15	8.06	N/A	N/A			
33	FLP	327.00	325.37	1.5	-12.03	15.81	3.77	N/A	N/A			
34	FLP	337.00	335.37	3.0	-11.81	15.45	3.64	N/A	N/A			
35	FLP	347.00	345.37	-4.8	-11.90	15.71	3.81	N/A	N/A			
36	FLP	357.00	355.36	-2.7	-12.27	15.80	3.52	N/A	N/A			
37	FLP	367.00	365.36	-0.4	-12.43	15.09	2.66	N/A	N/A			
38	FLP	377.00	375.36	-2.2	-12.56	15.12	2.57	N/A	N/A			
39	LL	387.00	385.36	-0.8	-12.71	15.29	2.58	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	395.36	-0.8	-12.79	14.70	1.91	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.36	4.2	-12.62	13.12	0.51	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	415.32	13.0	-11.76	10.20	-1.57	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	425.17	22.0	-10.04	8.07	-1.98	N/A	N/A	N/A	N/A	N/A
44	FLP	437.00	434.83	32.0	-7.44	4.70	-2.74	N/A	N/A			
45	FLP	447.00	444.35	32.0	-4.39	1.78	-2.61	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.65	66	0	1	1	
2	16.17	45	1	1	2	
3	25.72	55	2	3	4	
4	35.52	60	3	4	5	
5	45.48	77	5	5	5	
6	55.48	160	5	5	6	
7	65.47	44	4	5	5	
8	75.47	44	5	5	5	
9	85.47	37	5	6	6	
10	95.47	87	6	6	6	
11	105.46	38	6	6	7	
12	115.46	40	6	6	7	
13	125.45	55	6	7	7	
14	135.45	37	7	7	7	
15	145.45	36	7	7	7	
16	155.45	38	7	7	7	
17	165.44	36	7	7	7	
18	175.44	32	7	7	8	
19	185.43	45	7	7	8	
20	195.43	52	7	7	8	
21	205.41	86	7	8	8	
22	215.39	144	7	7	8	
23	225.38	41	7	8	8	
24	235.38	39	7	8	8	
25	245.38	51	7	8	8	
26	255.37	45	7	8	8	
27	265.37	45	7	8	8	
28	275.37	57	8	8	8	
29	285.37	41	8	8	8	
30	295.37	72	8	8	8	
31	305.37	45	8	8	9	
32	315.37	164	8	9	9	
33	325.37	41	8	9	9	
34	335.37	38	8	9	9	
35	345.37	39	8	9	9	
36	355.36	130	8	9	9	
37	365.36	33	8	9	9	
38	375.36	17	8	9	9	
39	385.36	21	9	9	9	
40	395.36	23	8	9	9	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.36	31	8	9	9	
42	415.32	31	8	9	9	
43	425.17	30	8	9	9	
44	434.83	30	8	9	9	
45	444.35	29	8	9	9	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

51 data points collected on unit Serial Number: 30183156 in Job 32 on 08/02/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 50

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-28.5	-2.03	1.36	-0.67	N/A	N/A			
2	LL	17.00	16.30	-29.5	-4.81	4.85	0.04	N/A	N/A	N/A	N/A	N/A
3	FLP	27.00	25.84	-34.0	-7.84	8.43	0.60	N/A	N/A			
4	FLP	37.00	35.30	-34.0	-11.06	12.41	1.35	N/A	N/A			
5	LL	47.00	44.90	-24.5	-13.86	14.70	0.84	N/A	N/A	N/A	N/A	N/A
6	FLP	57.00	54.65	-21.5	-16.10	16.94	0.84	N/A	N/A			
7	LL	67.00	64.50	-13.0	-17.80	19.26	1.46	N/A	N/A	N/A	N/A	N/A
8	FLP	77.00	74.44	-10.5	-18.96	18.39	-0.57	N/A	N/A			
9	FLP	87.00	84.38	-11.0	-20.03	22.01	1.98	N/A	N/A			
10	LL	97.00	94.32	-11.0	-21.12	23.07	1.95	N/A	N/A	N/A	N/A	N/A
11	FLP	107.00	104.30	-2.2	-21.78	22.28	0.50	N/A	N/A			
12	FLP	117.00	114.30	-0.8	-21.93	22.47	0.53	N/A	N/A			
13	FLP	127.00	124.29	-2.1	-22.08	22.01	-0.07	N/A	N/A			
14	FLP	137.00	134.29	-1.0	-22.23	22.04	-0.19	N/A	N/A			
15	FLP	147.00	144.29	-0.7	-22.32	22.19	-0.13	N/A	N/A			
16	FLP	157.00	154.29	-1.5	-22.43	23.09	0.66	N/A	N/A			
17	FLP	167.00	164.29	-1.3	-22.57	23.25	0.69	N/A	N/A			
18	FLP	177.00	174.29	-3.8	-22.82	23.66	0.83	N/A	N/A			
19	FLP	187.00	184.28	-2.8	-23.15	23.72	0.57	N/A	N/A			
20	FLP	197.00	194.28	-4.4	-23.51	21.22	-2.29	N/A	N/A			
21	FLP	207.00	204.27	-0.2	-23.74	21.62	-2.12	N/A	N/A			
22	FLP	217.00	214.27	-0.9	-23.80	23.27	-0.53	N/A	N/A			
23	LL	227.00	224.27	2.8	-23.70	22.58	-1.12	N/A	N/A	N/A	N/A	N/A
24	FLP	237.00	234.27	3.4	-23.39	25.13	1.74	N/A	N/A			
25	FLP	247.00	244.26	3.2	-23.06	25.17	2.11	N/A	N/A			
26	FLP	257.00	254.26	4.6	-22.67	24.73	2.06	N/A	N/A			
27	FLP	267.00	264.24	5.4	-22.17	24.33	2.16	N/A	N/A			
28	FLP	277.00	274.23	3.2	-21.74	23.67	1.93	N/A	N/A			
29	FLP	287.00	284.23	2.1	-21.48	23.14	1.66	N/A	N/A			
30	FLP	297.00	294.23	-0.7	-21.41	23.34	1.93	N/A	N/A			
31	LL	307.00	304.23	-2.2	-21.55	23.97	2.42	N/A	N/A	N/A	N/A	N/A
32	FLP	317.00	314.23	2.2	-21.55	24.31	2.76	N/A	N/A			
33	FLP	327.00	324.23	1.9	-21.35	23.87	2.52	N/A	N/A			
34	FLP	337.00	334.22	3.0	-21.10	23.94	2.84	N/A	N/A			
35	LL	347.00	344.22	1.3	-20.89	23.40	2.52	N/A	N/A	N/A	N/A	N/A
36	LL	357.00	354.22	2.7	-20.69	23.91	3.23	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	364.22	-2.5	-20.68	27.26	6.59	N/A	N/A			
38	FLP	377.00	374.22	1.7	-20.72	22.45	1.74	N/A	N/A			
39	FLP	387.00	384.22	-1.2	-20.69	21.71	1.02	N/A	N/A			
40	FLP	397.00	394.22	-0.4	-20.77	22.18	1.40	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.22	-4.4	-21.01	22.33	1.31	N/A	N/A			
42	FLP	417.00	414.21	-3.2	-21.39	21.77	0.38	N/A	N/A			
43	LL	427.00	424.21	-1.9	-21.65	22.75	1.10	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	434.21	2.1	-21.64	21.88	0.24	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	444.19	10.5	-21.01	20.30	-0.71	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	454.06	21.5	-19.43	16.71	-2.73	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	463.85	20.5	-17.38	13.60	-3.78	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	473.55	29.5	-14.96	10.30	-4.66	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	483.03	38.0	-11.77	7.07	-4.70	N/A	N/A	N/A	N/A	N/A
50	FLP	497.00	492.22	48.0	-7.82	4.03	-3.80	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	13	1	1	1	
2	16.30	39	1	2	3	
3	25.84	42	3	3	4	
4	35.30	33	5	6	6	
5	44.90	42	5	6	7	
6	54.65	43	4	5	5	
7	64.50	38	5	5	6	
8	74.44	43	7	8	8	
9	84.38	43	8	8	9	
10	94.32	54	8	9	9	
11	104.30	53	8	9	9	
12	114.30	256	10	11	11	
13	124.29	229	10	11	11	
14	134.29	58	11	11	11	
15	144.29	50	11	11	11	
16	154.29	51	11	11	11	
17	164.29	55	11	12	12	
18	174.29	61	11	12	12	
19	184.28	47	11	12	12	
20	194.28	75	12	12	12	
21	204.27	78	12	12	12	
22	214.27	223	12	12	12	
23	224.27	264	12	12	13	
24	234.27	127	12	12	13	
25	244.26	70	12	13	13	
26	254.26	66	13	13	14	
27	264.24	56	13	14	14	
28	274.23	44	14	14	14	
29	284.23	45	13	14	14	
30	294.23	51	13	14	14	
31	304.23	60	14	14	14	
32	314.23	266	11	12	14	
33	324.23	63	12	12	12	
34	334.22	44	11	12	12	
35	344.22	66	12	12	12	
36	354.22	51	12	12	13	
37	364.22	147	12	12	13	
38	374.22	53	12	12	13	
39	384.22	64	12	12	13	
40	394.22	49	12	13	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.22	48	12	12	12	
42	414.21	49	12	12	12	
43	424.21	165	10	10	12	
44	434.21	42	11	11	11	
45	444.19	39	10	11	11	
46	454.06	37	10	11	11	
47	463.85	49	10	11	11	
48	473.55	43	10	11	11	
49	483.03	36	10	10	11	
50	492.22	35	9	9	10	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 31 on 08/01/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 52


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.72	-28.5	-1.97	1.22	-0.74	N/A	N/A			
2	FLP	17.00	16.33	-29.0	-4.73	4.04	-0.69	N/A	N/A			
3	FLP	27.00	25.94	-28.5	-7.49	6.96	-0.54	N/A	N/A			
4	FLP	37.00	35.51	-32.0	-10.39	10.29	-0.10	N/A	N/A			
5	FLP	47.00	45.06	-30.0	-13.35	13.36	0.01	N/A	N/A			
6	FLP	57.00	54.68	-27.0	-16.09	16.81	0.73	N/A	N/A			
7	LL	67.00	64.36	-25.0	-18.60	19.53	0.93	N/A	N/A	N/A	N/A	N/A
8	FLP	77.00	74.06	-25.0	-21.03	22.66	1.63	N/A	N/A			
9	LL	87.00	83.83	-18.5	-23.15	27.33	4.18	N/A	N/A	N/A	N/A	N/A
10	FLP	97.00	93.72	-12.0	-24.66	27.95	3.29	N/A	N/A			
11	FLP	107.00	103.67	-7.6	-25.63	29.00	3.36	N/A	N/A			
12	FLP	117.00	113.63	-9.5	-26.48	30.32	3.84	N/A	N/A			
13	FLP	127.00	123.62	-2.3	-27.07	30.81	3.74	N/A	N/A			
14	FLP	137.00	133.61	-5.8	-27.48	30.00	2.52	N/A	N/A			
15	FLP	147.00	143.59	-6.2	-28.08	30.42	2.34	N/A	N/A			
16	LL	157.00	153.58	-3.0	-28.54	32.21	3.67	N/A	N/A	N/A	N/A	N/A
17	FLP	167.00	163.58	-0.5	-28.71	31.87	3.16	N/A	N/A			
18	FLP	177.00	173.58	-2.0	-28.84	32.24	3.41	N/A	N/A			
19	FLP	187.00	183.58	-2.2	-29.05	32.53	3.49	N/A	N/A			
20	FLP	197.00	193.57	-0.9	-29.20	32.60	3.40	N/A	N/A			
21	FLP	207.00	203.57	-0.6	-29.28	32.68	3.40	N/A	N/A			
22	FLP	217.00	213.57	-0.7	-29.34	32.50	3.16	N/A	N/A			
23	FLP	227.00	223.57	-1.3	-29.44	29.86	0.42	N/A	N/A			
24	FLP	237.00	233.57	-1.7	-29.59	31.25	1.66	N/A	N/A			
25	FLP	247.00	243.57	0.5	-29.65	31.62	1.97	N/A	N/A			
26	LL	257.00	253.57	2.3	-29.51	30.26	0.75	N/A	N/A	N/A	N/A	N/A
27	FLP	267.00	263.57	-3.2	-29.56	33.17	3.62	N/A	N/A			
28	FLP	277.00	273.57	-0.6	-29.75	33.85	4.10	N/A	N/A			
29	FLP	287.00	283.57	2.5	-29.65	33.21	3.56	N/A	N/A			
30	FLP	297.00	293.56	3.2	-29.37	33.06	3.69	N/A	N/A			
31	FLP	307.00	303.56	2.1	-29.10	32.59	3.49	N/A	N/A			
32	FLP	317.00	313.56	0.8	-28.96	32.26	3.30	N/A	N/A			
33	FLP	327.00	323.56	-0.7	-28.95	32.08	3.13	N/A	N/A			
34	FLP	337.00	333.56	2.7	-28.85	33.76	4.91	N/A	N/A			
35	FLP	347.00	343.56	1.0	-28.67	32.78	4.11	N/A	N/A			
36	FLP	357.00	353.56	3.2	-28.46	32.53	4.07	N/A	N/A			
37	FLP	367.00	363.55	1.5	-28.22	34.14	5.92	N/A	N/A			
38	LL	377.00	373.55	-1.8	-28.24	32.36	4.12	N/A	N/A	N/A	N/A	N/A
39	FLP	387.00	383.55	1.0	-28.28	34.44	6.17	N/A	N/A			
40	FLP	397.00	393.55	3.4	-28.06	32.44	4.39	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.55	-4.2	-28.10	32.42	4.33	N/A	N/A			
42	FLP	417.00	413.55	-0.7	-28.34	32.97	4.63	N/A	N/A			
43	FLP	427.00	423.55	2.1	-28.27	32.33	4.06	N/A	N/A			
44	FLP	437.00	433.55	1.5	-28.09	31.60	3.51	N/A	N/A			
45	LL	447.00	443.54	5.4	-27.75	31.70	3.95	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.51	11.0	-26.93	31.33	4.40	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	463.36	23.5	-25.24	28.39	3.16	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	472.97	34.0	-22.48	25.29	2.81	N/A	N/A	N/A	N/A	N/A
49	FLP	487.00	482.26	46.0	-18.78	17.36	-1.42	N/A	N/A			
50	LL	497.00	491.19	55.0	-14.27	13.04	-1.23	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	499.86	60.0	-9.29	8.21	-1.08	N/A	N/A	N/A	N/A	N/A
52	FLP	517.00	508.44	60.0	-4.15	2.66	-1.48	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.72	22	2	2	3	
2	16.33	32	3	4	5	
3	25.94	32	4	5	5	
4	35.51	41	5	5	6	
5	45.06	37	7	8	9	
6	54.68	39	8	9	10	
7	64.36	48	8	8	8	
8	74.06	30	7	8	8	
9	83.83	83	9	10	12	
10	93.72	58	10	11	13	
11	103.67	187	12	12	14	
12	113.63	46	14	15	15	
13	123.62	48	15	16	17	
14	133.61	36	15	16	16	
15	143.59	23	17	17	18	
16	153.58	38	17	18	18	
17	163.58	39	18	19	19	
18	173.58	32	19	19	19	
19	183.58	35	19	20	20	
20	193.57	27	20	21	22	
21	203.57	25	25	26	26	
22	213.57	24	25	26	26	
23	223.57	43	26	26	27	
24	233.57	26	28	28	29	
25	243.57	49	30	32	32	
26	253.57	40	34	36	37	
27	263.57	54	37	38	39	
28	273.57	28	37	37	38	
29	283.57	196	33	35	36	
30	293.56	82	32	33	33	
31	303.56	59	32	32	33	
32	313.56	63	32	32	33	
33	323.56	78	32	33	33	
34	333.56	150	32	32	33	
35	343.56	70	32	33	33	
36	353.56	196	31	32	33	
37	363.55	70	32	32	33	
38	373.55	63	32	32	32	
39	383.55	315	32	35	63	
40	393.55	41	25	27	31	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.55	49	29	32	33	
42	413.55	135	31	35	75	
43	423.55	50	30	31	32	
44	433.55	56	30	31	31	
45	443.54	492	31	32	33	
46	453.51	145	30	31	32	
47	463.36	692	30	32	33	
48	472.97	251	28	31	30	
49	482.26	247	20	21	22	
50	491.19	52	21	21	22	
51	499.86	50	21	22	22	
52	508.44	34	20	21	21	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

49 data points collected on unit Serial Number: 30183156 in Job 30 on 07/28/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 48

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	1.47	-0.54	N/A	N/A			
2	FLP	17.00	16.28	-30.0	-4.88	5.30	0.41	N/A	N/A			
3	FLP	27.00	25.94	-24.0	-7.49	8.00	0.51	N/A	N/A			
4	FLP	37.00	35.59	-30.0	-10.09	12.12	2.03	N/A	N/A			
5	FLP	47.00	45.28	-21.5	-12.58	13.92	1.33	N/A	N/A			
6	FLP	57.00	55.15	-11.0	-14.18	14.87	0.68	N/A	N/A			
7	FLP	67.00	65.13	-1.7	-14.82	15.38	0.57	N/A	N/A			
8	FLP	77.00	75.13	-1.6	-14.98	15.41	0.42	N/A	N/A			
9	FLP	87.00	85.13	-1.1	-15.12	15.55	0.43	N/A	N/A			
10	FLP	97.00	95.13	-1.4	-15.24	15.94	0.70	N/A	N/A			
11	FLP	107.00	105.13	-1.3	-15.38	15.88	0.51	N/A	N/A			
12	FLP	117.00	115.12	-2.7	-15.58	15.28	-0.29	N/A	N/A			
13	FLP	127.00	125.12	-0.7	-15.75	16.57	0.82	N/A	N/A			
14	FLP	137.00	135.12	-4.2	-15.99	17.23	1.24	N/A	N/A			
15	LL	147.00	145.12	-0.1	-16.21	16.99	0.78	N/A	N/A	N/A	N/A	N/A
16	FLP	157.00	155.12	1.8	-16.12	16.79	0.67	N/A	N/A			
17	FLP	167.00	165.11	1.1	-15.98	17.12	1.14	N/A	N/A			
18	FLP	177.00	175.11	2.0	-15.82	17.04	1.22	N/A	N/A			
19	FLP	187.00	185.11	-1.5	-15.80	14.86	-0.94	N/A	N/A			
20	FLP	197.00	195.11	-0.5	-15.90	15.04	-0.85	N/A	N/A			
21	LL	207.00	205.11	-3.2	-16.08	15.47	-0.62	N/A	N/A	N/A	N/A	N/A
22	FLP	217.00	215.11	3.4	-16.07	17.31	1.24	N/A	N/A			
23	FLP	227.00	225.11	3.2	-15.74	16.92	1.18	N/A	N/A			
24	FLP	237.00	235.10	2.9	-15.44	16.63	1.20	N/A	N/A			
25	FLP	247.00	245.10	-0.9	-15.34	18.52	3.18	N/A	N/A			
26	FLP	257.00	255.10	4.0	-15.18	16.08	0.90	N/A	N/A			
27	FLP	267.00	265.10	1.3	-14.92	15.41	0.49	N/A	N/A			
28	FLP	277.00	275.10	-0.5	-14.88	15.30	0.42	N/A	N/A			
29	LL	287.00	285.10	-1.2	-14.96	15.27	0.31	N/A	N/A	N/A	N/A	N/A
30	FLP	297.00	295.10	1.9	-14.93	17.10	2.17	N/A	N/A			
31	FLP	307.00	305.10	-0.8	-14.87	15.06	0.18	N/A	N/A			
32	FLP	317.00	315.09	-1.6	-14.99	15.32	0.33	N/A	N/A			
33	FLP	327.00	325.09	1.6	-14.99	23.18	8.19	N/A	N/A			
34	FLP	337.00	335.09	0.8	-14.87	19.00	4.13	N/A	N/A			
35	FLP	347.00	345.09	1.0	-14.78	15.31	0.52	N/A	N/A			
36	FLP	357.00	355.09	-0.5	-14.76	15.05	0.30	N/A	N/A			
37	FLP	367.00	365.09	-1.1	-14.84	15.43	0.60	N/A	N/A			
38	FLP	377.00	375.09	0.0	-14.89	15.39	0.50	N/A	N/A			
39	FLP	387.00	385.09	-1.1	-14.95	15.28	0.33	N/A	N/A			
40	FLP	397.00	395.09	-0.9	-15.05	15.03	-0.02	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.09	-0.5	-15.12	15.37	0.26	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	415.09	-1.8	-15.23	14.61	-0.63	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	425.09	-1.8	-15.41	13.65	-1.76	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	435.09	1.7	-15.42	11.64	-3.78	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	445.06	13.0	-14.69	9.80	-4.89	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	454.88	25.5	-12.80	7.05	-5.75	N/A	N/A	N/A	N/A	N/A
47	FLP	467.00	464.44	36.0	-9.87	3.88	-5.99	N/A	N/A			
48	FLP	477.00	473.85	36.0	-6.48	1.23	-5.25	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	24	2	2	2	
2	16.28	24	2	2	2	
3	25.94	31	2	3	3	
4	35.59	26	2	3	3	
5	45.28	37	2	3	3	
6	55.15	31	2	3	3	
7	65.13	29	2	3	3	
8	75.13	43	3	3	3	
9	85.13	24	3	3	3	
10	95.13	30	3	3	3	
11	105.13	35	3	3	3	
12	115.12	130	3	3	4	
13	125.12	16	3	3	4	
14	135.12	34	3	3	4	
15	145.12	38	3	3	4	
16	155.12	41	3	4	4	
17	165.11	36	3	4	4	
18	175.11	79	3	4	7	
19	185.11	41	8	9	10	
20	195.11	41	9	9	9	
21	205.11	41	9	9	9	
22	215.11	33	9	10	10	
23	225.11	59	9	10	10	
24	235.10	39	9	10	10	
25	245.10	58	6	7	7	
26	255.10	42	6	7	7	
27	265.10	47	6	7	7	
28	275.10	35	7	7	7	
29	285.10	41	7	7	8	
30	295.10	40	7	7	8	
31	305.10	57	7	8	8	
32	315.09	41	7	8	8	
33	325.09	399	8	8	9	
34	335.09	30	8	9	9	
35	345.09	48	8	9	9	
36	355.09	41	8	9	9	
37	365.09	24	9	9	9	
38	375.09	27	9	9	9	
39	385.09	16	9	9	9	
40	395.09	15	8	9	9	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.09	20	9	9	9	
42	415.09	29	9	9	9	
43	425.09	40	9	9	9	
44	435.09	47	9	9	9	
45	445.06	22	9	9	9	
46	454.88	26	9	9	9	
47	464.44	29	9	9	9	
48	473.85	54	8	9	9	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 29 on 07/27/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.70	-30.0	-2.01	2.08	0.06	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.26	-32.0	-4.97	8.67	3.70	N/A	N/A			
3	FLP	27.00	25.81	-29.5	-7.91	12.05	4.14	N/A	N/A			
4	FLP	37.00	35.47	-24.5	-10.52	15.85	5.34	N/A	N/A			
5	FLP	47.00	45.23	-20.5	-12.71	17.03	4.32	N/A	N/A			
6	FLP	57.00	55.10	-12.0	-14.31	18.32	4.01	N/A	N/A			
7	FLP	67.00	65.03	-11.5	-15.48	18.97	3.49	N/A	N/A			
8	FLP	77.00	74.96	-11.5	-16.62	20.88	4.26	N/A	N/A			
9	FLP	87.00	84.93	-5.4	-17.46	21.49	4.03	N/A	N/A			
10	FLP	97.00	94.92	-4.2	-17.94	22.45	4.51	N/A	N/A			
11	FLP	107.00	104.91	-1.3	-18.22	22.57	4.35	N/A	N/A			
12	FLP	117.00	114.91	-4.0	-18.48	21.67	3.18	N/A	N/A			
13	FLP	127.00	124.90	-4.6	-18.91	22.83	3.92	N/A	N/A			
14	FLP	137.00	134.90	2.0	-19.04	23.72	4.68	N/A	N/A			
15	FLP	147.00	144.90	1.4	-18.87	24.09	5.22	N/A	N/A			
16	FLP	157.00	154.90	-0.5	-18.83	23.88	5.05	N/A	N/A			
17	FLP	167.00	164.90	-0.1	-18.86	23.69	4.83	N/A	N/A			
18	FLP	177.00	174.90	-1.5	-18.94	23.81	4.87	N/A	N/A			
19	FLP	187.00	184.89	-3.2	-19.17	22.42	3.25	N/A	N/A			
20	FLP	197.00	194.89	0.9	-19.29	22.18	2.89	N/A	N/A			
21	FLP	207.00	204.89	0.3	-19.23	22.62	3.40	N/A	N/A			
22	FLP	217.00	214.89	2.3	-19.10	24.06	4.97	N/A	N/A			
23	FLP	227.00	224.89	2.5	-18.86	24.91	6.06	N/A	N/A			
24	FLP	237.00	234.88	3.8	-18.54	24.32	5.78	N/A	N/A			
25	FLP	247.00	244.88	2.2	-18.24	24.51	6.27	N/A	N/A			
26	FLP	257.00	254.88	2.2	-18.02	24.19	6.17	N/A	N/A			
27	FLP	267.00	264.87	4.8	-17.67	23.92	6.25	N/A	N/A			
28	FLP	277.00	274.86	3.2	-17.27	23.18	5.91	N/A	N/A			
29	FLP	287.00	284.86	1.8	-17.02	22.89	5.87	N/A	N/A			
30	FLP	297.00	294.86	-0.9	-16.98	22.69	5.71	N/A	N/A			
31	FLP	307.00	304.86	-1.0	-17.07	26.31	9.24	N/A	N/A			
32	FLP	317.00	314.86	-1.9	-17.22	23.30	6.08	N/A	N/A			
33	FLP	327.00	324.86	1.7	-17.23	23.04	5.81	N/A	N/A			
34	FLP	337.00	334.86	2.4	-17.02	23.15	6.13	N/A	N/A			
35	FLP	347.00	344.85	2.2	-16.79	29.81	13.01	N/A	N/A			
36	FLP	357.00	354.85	-3.6	-16.86	30.19	13.33	N/A	N/A			
37	FLP	367.00	364.85	-1.8	-17.13	26.06	8.92	N/A	N/A			
38	FLP	377.00	374.85	-1.9	-17.32	22.52	5.20	N/A	N/A			
39	FLP	387.00	384.84	-3.6	-17.59	22.47	4.87	N/A	N/A			
40	FLP	397.00	394.84	-1.2	-17.83	22.61	4.78	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.84	1.3	-17.83	22.56	4.73	N/A	N/A			
42	LL	417.00	414.84	2.1	-17.66	22.63	4.97	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	424.84	0.3	-17.54	22.35	4.81	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	434.84	4.2	-17.31	20.87	3.56	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	444.82	9.0	-16.65	18.66	2.01	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	454.75	13.5	-15.54	15.67	0.13	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	464.61	20.5	-13.86	13.03	-0.83	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	474.34	27.5	-11.53	10.07	-1.46	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	483.90	34.0	-8.59	7.03	-1.57	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	55	0	0	1	
2	16.26	59	3	4	6	
3	25.81	32	6	7	8	
4	35.47	42	7	8	9	
5	45.23	43	8	8	9	
6	55.10	33	8	8	9	
7	65.03	61	8	9	9	
8	74.96	36	8	9	9	
9	84.93	46	9	9	9	
10	94.92	183	9	9	10	
11	104.91	31	9	9	10	
12	114.91	84	10	11	11	
13	124.90	44	11	11	12	
14	134.90	47	11	12	12	
15	144.90	44	11	11	12	
16	154.90	38	11	12	12	
17	164.90	83	12	17	55	
18	174.90	52	11	12	12	
19	184.89	49	12	12	12	
20	194.89	50	12	12	12	
21	204.89	43	12	12	13	
22	214.89	41	12	13	13	
23	224.89	56	12	13	13	
24	234.88	45	12	13	13	
25	244.88	48	13	13	13	
26	254.88	286	12	13	13	
27	264.87	51	13	13	14	
28	274.86	41	13	13	14	
29	284.86	57	13	13	14	
30	294.86	38	13	14	14	
31	304.86	52	13	13	14	
32	314.86	45	13	13	13	
33	324.86	47	13	13	13	
34	334.86	32	12	13	13	
35	344.85	123	12	12	13	
36	354.85	29	12	12	13	
37	364.85	86	12	12	13	
38	374.85	37	12	12	13	
39	384.84	42	12	12	13	
40	394.84	235	11	11	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.84	34	11	12	12	
42	414.84	29	10	11	12	
43	424.84	32	9	9	9	
44	434.84	41	9	9	9	
45	444.82	37	9	9	9	
46	454.75	32	9	9	9	
47	464.61	31	8	9	9	
48	474.34	41	7	8	8	
49	483.90	49	7	8	8	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

54 data points collected on unit Serial Number: 30183156 in Job 28 on 07/26/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 53


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.65	-34.0	-2.19	1.38	-0.81	N/A	N/A			
2	LL	17.00	16.12	-34.0	-5.41	5.26	-0.15	N/A	N/A	N/A	N/A	N/A
3	FLP	27.00	25.52	-38.0	-8.80	9.30	0.50	N/A	N/A			
4	FLP	37.00	34.81	-42.0	-12.51	13.42	0.91	N/A	N/A			
5	FLP	47.00	44.16	-34.0	-16.06	16.81	0.75	N/A	N/A			
6	FLP	57.00	53.73	-27.0	-18.97	19.78	0.80	N/A	N/A			
7	FLP	67.00	63.42	-23.5	-21.42	22.39	0.97	N/A	N/A			
8	FLP	77.00	73.18	-21.5	-23.62	24.35	0.73	N/A	N/A			
9	FLP	87.00	83.01	-15.0	-25.41	26.45	1.04	N/A	N/A			
10	FLP	97.00	92.91	-14.5	-26.87	28.45	1.59	N/A	N/A			
11	FLP	107.00	102.83	-10.5	-28.11	28.60	0.49	N/A	N/A			
12	FLP	117.00	112.79	-8.0	-29.03	30.16	1.13	N/A	N/A			
13	FLP	127.00	122.77	-2.6	-29.56	30.94	1.38	N/A	N/A			
14	FLP	137.00	132.77	-1.6	-29.77	30.76	0.99	N/A	N/A			
15	FLP	147.00	142.77	-1.8	-29.94	30.70	0.77	N/A	N/A			
16	FLP	157.00	152.77	-1.1	-30.08	29.98	-0.11	N/A	N/A			
17	FLP	167.00	162.77	-2.2	-30.25	30.97	0.72	N/A	N/A			
18	FLP	177.00	172.77	-2.0	-30.46	31.30	0.85	N/A	N/A			
19	FLP	187.00	182.76	-1.1	-30.61	31.89	1.28	N/A	N/A			
20	FLP	197.00	192.76	-0.5	-30.69	31.68	0.99	N/A	N/A			
21	FLP	207.00	202.76	0.2	-30.71	31.80	1.09	N/A	N/A			
22	FLP	217.00	212.76	0.1	-30.69	31.77	1.07	N/A	N/A			
23	FLP	227.00	222.76	-1.4	-30.76	32.40	1.64	N/A	N/A			
24	FLP	237.00	232.76	-1.7	-30.91	29.93	-0.99	N/A	N/A			
25	FLP	247.00	242.76	-2.0	-31.10	30.40	-0.69	N/A	N/A			
26	FLP	257.00	252.76	-0.2	-31.21	31.56	0.35	N/A	N/A			
27	FLP	267.00	262.76	-2.4	-31.34	32.96	1.62	N/A	N/A			
28	FLP	277.00	272.76	0.4	-31.44	33.20	1.76	N/A	N/A			
29	FLP	287.00	282.76	-3.0	-31.57	33.65	2.08	N/A	N/A			
30	FLP	297.00	292.76	2.4	-31.60	33.63	2.03	N/A	N/A			
31	FLP	307.00	302.75	3.2	-31.32	33.16	1.84	N/A	N/A			
32	FLP	317.00	312.75	1.9	-31.06	32.58	1.51	N/A	N/A			
33	FLP	327.00	322.75	0.5	-30.94	32.84	1.90	N/A	N/A			
34	FLP	337.00	332.75	-4.4	-31.14	32.33	1.19	N/A	N/A			
35	LL	347.00	342.74	-1.4	-31.43	33.08	1.66	N/A	N/A	N/A	N/A	N/A
36	FLP	357.00	352.74	-1.3	-31.56	33.74	2.18	N/A	N/A			
37	FLP	367.00	362.74	2.8	-31.49	33.31	1.83	N/A	N/A			
38	FLP	377.00	372.74	-2.2	-31.46	33.69	2.23	N/A	N/A			
39	LL	387.00	382.74	0.1	-31.56	33.17	1.61	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	392.74	-1.3	-31.62	33.64	2.01	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	402.74	-0.9	-31.73	38.69	6.95	N/A	N/A			
42	FLP	417.00	412.74	-1.6	-31.86	33.17	1.31	N/A	N/A			
43	FLP	427.00	422.74	-2.7	-32.07	33.02	0.95	N/A	N/A			
44	FLP	437.00	432.74	0.3	-32.19	32.49	0.30	N/A	N/A			
45	FLP	447.00	442.74	0.5	-32.15	32.95	0.80	N/A	N/A			
46	FLP	457.00	452.74	0.1	-32.12	32.06	-0.06	N/A	N/A			
47	LL	467.00	462.72	12.5	-31.50	30.97	-0.53	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	472.59	20.0	-29.89	28.36	-1.54	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	482.35	24.5	-27.72	24.77	-2.95	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	492.06	24.5	-25.34	20.69	-4.65	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	501.69	32.0	-22.63	16.84	-5.78	N/A	N/A	N/A	N/A	N/A
52	LL	517.00	511.16	36.0	-19.41	13.30	-6.11	N/A	N/A	N/A	N/A	N/A
53	LL	527.00	520.47	42.0	-15.78	9.50	-6.28	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.65	25	2	2	2	
2	16.12	34	2	2	3	
3	25.52	40	2	2	2	
4	34.81	67	2	3	3	
5	44.16	35	3	3	3	
6	53.73	35	3	3	3	
7	63.42	36	3	3	4	
8	73.18	35	3	4	4	
9	83.01	259	4	4	5	
10	92.91	89	10	14	14	
11	102.83	54	8	9	9	
12	112.79	65	8	9	9	
13	122.77	34	9	10	10	
14	132.77	29	10	10	10	
15	142.77	64	10	10	11	
16	152.77	80	11	11	12	
17	162.77	33	11	12	12	
18	172.77	18	12	12	12	
19	182.76	33	12	12	12	
20	192.76	29	12	12	12	
21	202.76	35	12	12	13	
22	212.76	45	12	13	13	
23	222.76	39	12	13	13	
24	232.76	38	13	14	14	
25	242.76	373	15	16	17	
26	252.76	30	17	18	18	
27	262.76	41	18	18	18	
28	272.76	31	18	18	19	
29	282.76	75	19	19	20	
30	292.76	57	19	20	20	
31	302.75	89	20	21	21	
32	312.75	75	21	22	22	
33	322.75	93	22	22	23	
34	332.75	28	24	25	25	
35	342.74	60	27	29	29	
36	352.74	46	30	30	31	
37	362.74	43	31	32	33	
38	372.74	43	33	34	34	
39	382.74	37	34	35	35	
40	392.74	75	32	33	34	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	402.74	145	35	37	38	
42	412.74	58	35	36	37	
43	422.74	56	37	38	39	
44	432.74	31	39	40	40	
45	442.74	44	40	41	41	
46	452.74	37	41	42	43	
47	462.72	268	37	39	42	
48	472.59	65	28	30	30	
49	482.35	47	24	25	26	
50	492.06	39	20	22	22	
51	501.69	40	15	17	18	
52	511.16	49	14	14	15	
53	520.47	47	13	13	14	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

46 data points collected on unit Serial Number: 30183156 in Job 27 on 07/26/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 45

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	1.52	-0.49	N/A	N/A			
2	FLP	17.00	16.23	-34.0	-5.06	3.88	-1.18	N/A	N/A			
3	LL	27.00	25.70	-34.0	-8.28	9.15	0.87	N/A	N/A	N/A	N/A	N/A
4	FLP	37.00	35.28	-26.0	-11.15	12.06	0.91	N/A	N/A			
5	LL	47.00	45.00	-22.0	-13.48	14.77	1.29	N/A	N/A	N/A	N/A	N/A
6	LL	57.00	54.88	-10.0	-15.05	16.07	1.01	N/A	N/A	N/A	N/A	N/A
7	FLP	67.00	64.87	0.7	-15.52	16.66	1.14	N/A	N/A			
8	FLP	77.00	74.86	0.9	-15.44	16.63	1.19	N/A	N/A			
9	FLP	87.00	84.86	5.6	-15.11	16.26	1.15	N/A	N/A			
10	FLP	97.00	94.86	-0.8	-14.87	15.82	0.94	N/A	N/A			
11	LL	107.00	104.86	1.0	-14.86	15.58	0.72	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	114.86	-2.6	-14.94	15.67	0.73	N/A	N/A			
13	FLP	127.00	124.86	2.7	-14.94	15.77	0.83	N/A	N/A			
14	FLP	137.00	134.86	-0.6	-14.83	16.14	1.30	N/A	N/A			
15	FLP	147.00	144.86	-0.9	-14.91	16.54	1.63	N/A	N/A			
16	FLP	157.00	154.85	3.0	-14.80	15.97	1.16	N/A	N/A			
17	FLP	167.00	164.85	-0.3	-14.67	16.10	1.43	N/A	N/A			
18	FLP	177.00	174.85	-0.9	-14.73	16.40	1.67	N/A	N/A			
19	FLP	187.00	184.85	1.3	-14.71	15.18	0.48	N/A	N/A			
20	FLP	197.00	194.85	-3.4	-14.81	15.61	0.80	N/A	N/A			
21	FLP	207.00	204.85	1.3	-14.92	15.62	0.71	N/A	N/A			
22	FLP	217.00	214.85	1.0	-14.80	16.74	1.93	N/A	N/A			
23	FLP	227.00	224.85	5.4	-14.48	16.07	1.58	N/A	N/A			
24	FLP	237.00	234.85	-1.6	-14.29	16.51	2.22	N/A	N/A			
25	FLP	247.00	244.85	1.8	-14.28	16.06	1.77	N/A	N/A			
26	FLP	257.00	254.85	-2.2	-14.30	16.13	1.82	N/A	N/A			
27	FLP	267.00	264.84	0.6	-14.38	15.93	1.55	N/A	N/A			
28	FLP	277.00	274.84	-1.4	-14.42	16.09	1.66	N/A	N/A			
29	FLP	287.00	284.84	0.2	-14.48	16.61	2.12	N/A	N/A			
30	FLP	297.00	294.84	1.0	-14.42	16.30	1.88	N/A	N/A			
31	FLP	307.00	304.84	3.2	-14.21	16.19	1.98	N/A	N/A			
32	FLP	317.00	314.84	-2.5	-14.18	19.88	5.70	N/A	N/A			
33	FLP	327.00	324.84	2.9	-14.16	18.70	4.54	N/A	N/A			
34	FLP	337.00	334.84	1.9	-13.92	16.47	2.55	N/A	N/A			
35	FLP	347.00	344.84	1.2	-13.76	15.68	1.92	N/A	N/A			
36	FLP	357.00	354.84	1.7	-13.62	15.31	1.70	N/A	N/A			
37	FLP	367.00	364.84	-3.0	-13.68	15.70	2.02	N/A	N/A			
38	FLP	377.00	374.83	-1.6	-13.91	15.48	1.56	N/A	N/A			
39	LL	387.00	384.83	0.1	-13.99	15.59	1.60	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	394.83	0.8	-13.94	14.57	0.62	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	404.83	-4.8	-14.14	13.41	-0.74	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	414.83	5.8	-14.09	11.82	-2.28	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	424.78	14.0	-13.11	9.75	-3.36	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	434.63	21.5	-11.36	7.71	-3.65	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	444.29	32.0	-8.79	4.50	-4.29	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	2	2	2	2	
2	16.23	32	3	4	5	
3	25.70	41	6	7	7	
4	35.28	45	9	10	11	
5	45.00	167	9	10	12	
6	54.88	45	8	9	9	
7	64.87	118	8	9	9	
8	74.86	39	8	9	9	
9	84.86	41	8	9	9	
10	94.86	41	8	9	9	
11	104.86	48	8	9	9	
12	114.86	41	8	9	9	
13	124.86	40	8	9	9	
14	134.86	48	7	8	8	
15	144.86	48	8	8	8	
16	154.85	40	8	8	9	
17	164.85	37	8	8	9	
18	174.85	45	8	9	9	
19	184.85	42	8	9	9	
20	194.85	35	9	9	9	
21	204.85	186	8	9	9	
22	214.85	171	8	9	10	
23	224.85	47	9	10	10	
24	234.85	43	9	10	10	
25	244.85	43	9	10	10	
26	254.85	37	9	10	10	
27	264.84	87	10	10	11	
28	274.84	50	10	10	11	
29	284.84	54	10	10	11	
30	294.84	73	7	7	8	
31	304.84	67	8	8	8	
32	314.84	236	9	9	9	
33	324.84	44	9	10	10	
34	334.84	266	8	9	9	
35	344.84	53	9	9	10	
36	354.84	61	9	10	10	
37	364.84	46	9	10	10	
38	374.83	51	9	10	10	
39	384.83	55	9	10	10	
40	394.83	41	9	10	10	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.83	63	10	10	10	
42	414.83	43	9	10	10	
43	424.78	40	9	10	10	
44	434.63	43	9	10	10	
45	444.29	35	9	10	10	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

44 data points collected on unit Serial Number: 30183156 in Job 26 on 07/25/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 43

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	1.54	-0.47	N/A	N/A			
2	FLP	17.00	16.26	-32.0	-4.97	5.02	0.05	N/A	N/A			
3	FLP	27.00	25.75	-34.0	-8.11	8.66	0.55	N/A	N/A			
4	FLP	37.00	35.16	-38.0	-11.49	12.85	1.36	N/A	N/A			
5	FLP	47.00	44.63	-30.0	-14.71	15.92	1.21	N/A	N/A			
6	FLP	57.00	54.35	-19.0	-17.08	17.73	0.65	N/A	N/A			
7	FLP	67.00	64.24	-10.5	-18.54	18.92	0.38	N/A	N/A			
8	FLP	77.00	74.19	-8.8	-19.50	19.96	0.47	N/A	N/A			
9	FLP	87.00	84.15	-9.5	-20.41	21.56	1.16	N/A	N/A			
10	FLP	97.00	94.13	-2.2	-20.99	21.90	0.91	N/A	N/A			
11	FLP	107.00	104.13	0.3	-21.09	21.25	0.17	N/A	N/A			
12	LL	117.00	114.13	-5.8	-21.36	22.38	1.01	N/A	N/A	N/A	N/A	N/A
13	FLP	127.00	124.11	-5.8	-21.94	22.95	1.01	N/A	N/A			
14	FLP	137.00	134.11	-1.5	-22.30	23.27	0.96	N/A	N/A			
15	FLP	147.00	144.11	2.4	-22.26	23.43	1.17	N/A	N/A			
16	FLP	157.00	154.10	1.7	-22.05	23.34	1.29	N/A	N/A			
17	FLP	167.00	164.10	0.1	-21.96	23.38	1.41	N/A	N/A			
18	FLP	177.00	174.10	-2.0	-22.06	22.88	0.82	N/A	N/A			
19	FLP	187.00	184.10	0.6	-22.13	22.41	0.28	N/A	N/A			
20	FLP	197.00	194.10	0.1	-22.09	22.29	0.19	N/A	N/A			
21	FLP	207.00	204.10	-0.3	-22.10	23.73	1.62	N/A	N/A			
22	FLP	217.00	214.10	3.0	-21.97	24.07	2.10	N/A	N/A			
23	FLP	227.00	224.10	3.8	-21.63	23.64	2.01	N/A	N/A			
24	FLP	237.00	234.10	-0.7	-21.48	23.85	2.38	N/A	N/A			
25	FLP	247.00	244.09	-1.8	-21.60	23.77	2.17	N/A	N/A			
26	FLP	257.00	254.09	2.3	-21.58	23.54	1.96	N/A	N/A			
27	FLP	267.00	264.09	4.0	-21.26	22.90	1.64	N/A	N/A			
28	FLP	277.00	274.09	0.7	-21.03	24.37	3.34	N/A	N/A			
29	FLP	287.00	284.09	-0.3	-21.01	23.29	2.29	N/A	N/A			
30	FLP	297.00	294.09	-1.4	-21.09	22.72	1.63	N/A	N/A			
31	FLP	307.00	304.09	1.6	-21.08	22.97	1.89	N/A	N/A			
32	LL	317.00	314.08	1.7	-20.92	22.57	1.66	N/A	N/A	N/A	N/A	N/A
33	FLP	327.00	324.08	-0.4	-20.85	27.32	6.47	N/A	N/A			
34	FLP	337.00	334.08	-3.0	-21.02	27.42	6.40	N/A	N/A			
35	FLP	347.00	344.08	-0.6	-21.20	25.87	4.67	N/A	N/A			
36	FLP	357.00	354.08	1.9	-21.14	23.29	2.16	N/A	N/A			
37	FLP	367.00	364.08	3.0	-20.89	23.00	2.11	N/A	N/A			
38	FLP	377.00	374.08	0.5	-20.72	22.89	2.18	N/A	N/A			
39	LL	387.00	384.08	0.3	-20.68	22.80	2.13	N/A	N/A	N/A	N/A	N/A
40	FLP	397.00	394.08	-2.7	-20.80	19.77	-1.02	N/A	N/A			



FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	404.07	5.8	-20.64	19.91	-0.73	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	414.03	12.5	-19.73	17.53	-2.20	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	423.69	42.0	-17.15	7.54	-9.61	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	3	2	2	2	
2	16.26	176	2	3	3	
3	25.75	33	3	3	4	
4	35.16	33	4	4	5	
5	44.63	37	6	8	8	
6	54.35	45	7	8	9	
7	64.24	38	7	8	9	
8	74.19	92	9	11	16	
9	84.15	43	12	13	14	
10	94.13	43	10	12	13	
11	104.13	56	9	10	10	
12	114.13	69	10	10	11	
13	124.11	101	10	11	13	
14	134.11	48	11	12	12	
15	144.11	237	10	14	70	
16	154.10	56	12	12	12	
17	164.10	56	11	12	12	
18	174.10	54	12	12	12	
19	184.10	55	12	12	12	
20	194.10	59	12	13	14	
21	204.10	52	14	14	15	
22	214.10	133	14	14	15	
23	224.10	282	13	14	15	
24	234.10	91	13	13	14	
25	244.09	91	12	13	14	
26	254.09	60	12	13	13	
27	264.09	50	12	12	13	
28	274.09	52	12	12	12	
29	284.09	121	12	12	12	
30	294.09	47	11	11	12	
31	304.09	59	11	11	12	
32	314.08	43	11	11	12	
33	324.08	367	9	10	11	
34	334.08	73	11	11	12	
35	344.08	132	11	12	12	
36	354.08	118	12	12	13	
37	364.08	55	12	13	13	
38	374.08	56	12	12	13	
39	384.08	94	12	12	13	
40	394.08	281	7	8	12	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.07	60	7	8	8	
42	414.03	43	8	8	9	
43	423.69	136	8	9	9	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

54 data points collected on unit Serial Number: 30183156 in Job 25 on 07/21/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 53

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	1.71	-0.30	N/A	N/A			
2	FLP	17.00	16.26	-32.0	-4.97	8.39	3.42	N/A	N/A			
3	FLP	27.00	25.72	-36.0	-8.19	12.26	4.07	N/A	N/A			
4	FLP	37.00	35.10	-38.0	-11.66	16.16	4.50	N/A	N/A			
5	FLP	47.00	44.54	-32.0	-14.96	19.73	4.77	N/A	N/A			
6	FLP	57.00	54.17	-24.0	-17.65	22.80	5.15	N/A	N/A			
7	FLP	67.00	63.96	-18.5	-19.73	24.49	4.76	N/A	N/A			
8	FLP	77.00	73.82	-14.5	-21.36	26.00	4.64	N/A	N/A			
9	LL	87.00	83.74	-11.5	-22.65	27.57	4.93	N/A	N/A	N/A	N/A	N/A
10	LL	97.00	93.68	-10.0	-23.72	28.99	5.27	N/A	N/A	N/A	N/A	N/A
11	LL	107.00	103.64	-9.0	-24.66	31.19	6.53	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	113.62	-4.0	-25.31	30.72	5.41	N/A	N/A			
13	FLP	127.00	123.61	-1.1	-25.56	30.64	5.07	N/A	N/A			
14	FLP	137.00	133.61	-1.9	-25.71	30.78	5.06	N/A	N/A			
15	LL	147.00	143.61	-3.0	-25.96	31.15	5.19	N/A	N/A	N/A	N/A	N/A
16	FLP	157.00	153.60	-1.9	-26.20	30.52	4.31	N/A	N/A			
17	FLP	167.00	163.60	-0.9	-26.34	31.45	5.10	N/A	N/A			
18	FLP	177.00	173.60	-0.9	-26.43	31.68	5.24	N/A	N/A			
19	LL	187.00	183.60	0.0	-26.48	31.77	5.29	N/A	N/A	N/A	N/A	N/A
20	LL	197.00	193.60	0.5	-26.45	31.79	5.34	N/A	N/A	N/A	N/A	N/A
21	FLP	207.00	203.60	-0.3	-26.44	31.82	5.38	N/A	N/A			
22	FLP	217.00	213.60	-1.4	-26.53	31.75	5.22	N/A	N/A			
23	FLP	227.00	223.60	-3.6	-26.78	30.77	4.00	N/A	N/A			
24	FLP	237.00	233.60	0.3	-26.94	30.88	3.93	N/A	N/A			
25	FLP	247.00	243.60	2.3	-26.81	30.92	4.10	N/A	N/A			
26	LL	257.00	253.60	-2.5	-26.82	31.14	4.31	N/A	N/A	N/A	N/A	N/A
27	LL	267.00	263.59	-2.8	-27.09	31.57	4.48	N/A	N/A	N/A	N/A	N/A
28	FLP	277.00	273.59	-1.7	-27.31	33.02	5.70	N/A	N/A			
29	FLP	287.00	283.59	4.4	-27.18	32.56	5.38	N/A	N/A			
30	FLP	297.00	293.59	-0.8	-27.00	32.53	5.53	N/A	N/A			
31	FLP	307.00	303.59	-0.7	-27.07	32.97	5.90	N/A	N/A			
32	FLP	317.00	313.59	0.8	-27.07	32.84	5.78	N/A	N/A			
33	FLP	327.00	323.59	0.8	-26.99	33.69	6.70	N/A	N/A			
34	FLP	337.00	333.59	-0.8	-26.99	35.09	8.10	N/A	N/A			
35	FLP	347.00	343.59	-1.8	-27.12	33.10	5.98	N/A	N/A			
36	FLP	357.00	353.59	2.2	-27.10	32.95	5.85	N/A	N/A			
37	FLP	367.00	363.59	1.6	-26.91	36.00	9.09	N/A	N/A			
38	FLP	377.00	373.58	1.9	-26.73	39.69	12.95	N/A	N/A			
39	FLP	387.00	383.58	0.0	-26.64	35.88	9.24	N/A	N/A			
40	FLP	397.00	393.58	-1.2	-26.70	34.09	7.39	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.58	2.4	-26.64	33.34	6.70	N/A	N/A			
42	FLP	417.00	413.58	1.7	-26.43	32.09	5.65	N/A	N/A			
43	FLP	427.00	423.58	-1.1	-26.40	32.01	5.60	N/A	N/A			
44	FLP	437.00	433.58	-1.4	-26.53	32.18	5.65	N/A	N/A			
45	FLP	447.00	443.58	-0.9	-26.64	32.00	5.36	N/A	N/A			
46	LL	457.00	453.58	3.8	-26.50	32.37	5.87	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	463.56	7.0	-25.96	31.23	5.27	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	473.53	9.5	-25.14	29.31	4.17	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	483.44	17.5	-23.80	26.46	2.65	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	493.27	20.0	-21.96	23.44	1.48	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	502.83	42.0	-19.03	16.03	-3.00	N/A	N/A	N/A	N/A	N/A
52	LL	517.00	512.15	36.0	-15.40	13.96	-1.43	N/A	N/A	N/A	N/A	N/A
53	LL	527.00	521.40	46.0	-11.61	9.79	-1.82	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	3	0	0	0	
2	16.26	53	0	0	0	
3	25.72	31	0	0	1	
4	35.10	47	0	1	1	
5	44.54	49	6	8	8	
6	54.17	57	9	11	12	
7	63.96	58	10	11	12	
8	73.82	56	11	11	12	
9	83.74	84	11	11	12	
10	93.68	67	11	12	13	
11	103.64	60	12	13	14	
12	113.62	34	13	14	14	
13	123.61	51	15	16	17	
14	133.61	33	17	17	17	
15	143.61	30	18	18	18	
16	153.60	44	18	19	19	
17	163.60	32	19	20	20	
18	173.60	40	20	20	21	
19	183.60	96	23	24	25	
20	193.60	20	25	25	25	
21	203.60	26	25	26	26	
22	213.60	52	26	27	27	
23	223.60	43	26	27	27	
24	233.60	36	27	27	28	
25	243.60	34	28	28	29	
26	253.60	82	29	30	31	
27	263.59	63	31	32	33	
28	273.59	69	31	33	33	
29	283.59	70	28	29	30	
30	293.59	190	28	29	30	
31	303.59	79	30	31	32	
32	313.59	64	32	33	35	
33	323.59	54	32	33	35	
34	333.59	70	35	37	39	
35	343.59	49	35	37	38	
36	353.59	41	36	38	40	
37	363.59	45	39	40	41	
38	373.58	54	40	42	43	
39	383.58	386	42	45	51	
40	393.58	74	51	55	60	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.58	32	57	60	63	
42	413.58	48	59	62	63	
43	423.58	60	55	59	60	
44	433.58	82	48	50	54	
45	443.58	59	39	47	49	
46	453.58	71	30	30	31	
47	463.56	56	31	32	33	
48	473.53	53	32	33	33	
49	483.44	158	33	34	36	
50	493.27	73	36	37	37	
51	502.83	98	28	33	36	
52	512.15	124	18	21	22	
53	521.40	40	14	15	15	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

47 data points collected on unit Serial Number: 30183156 in Job 24 on 07/20/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 46


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.63	-36.0	-2.25	6.35	4.09	N/A	N/A			
2	FLP	17.00	16.12	-30.0	-5.38	9.49	4.10	N/A	N/A			
3	FLP	27.00	25.81	-21.5	-7.87	11.60	3.73	N/A	N/A			
4	FLP	37.00	35.64	-16.0	-9.72	12.94	3.23	N/A	N/A			
5	LL	47.00	45.54	-12.0	-11.10	15.68	4.58	N/A	N/A	N/A	N/A	N/A
6	FLP	57.00	55.51	-3.4	-11.87	16.27	4.40	N/A	N/A			
7	FLP	67.00	65.51	-0.5	-12.06	16.12	4.06	N/A	N/A			
8	FLP	77.00	75.51	3.0	-11.94	15.86	3.92	N/A	N/A			
9	LL	87.00	85.51	-0.6	-11.82	16.16	4.34	N/A	N/A	N/A	N/A	N/A
10	FLP	97.00	95.51	-1.2	-11.91	15.28	3.37	N/A	N/A			
11	FLP	107.00	105.51	0.4	-11.95	15.66	3.71	N/A	N/A			
12	FLP	117.00	115.51	-4.0	-12.13	16.82	4.69	N/A	N/A			
13	FLP	127.00	125.50	-1.9	-12.42	16.78	4.36	N/A	N/A			
14	FLP	137.00	135.50	1.3	-12.45	16.61	4.16	N/A	N/A			
15	FLP	147.00	145.50	3.2	-12.23	16.66	4.43	N/A	N/A			
16	FLP	157.00	155.50	2.5	-11.94	16.40	4.45	N/A	N/A			
17	FLP	167.00	165.50	-1.8	-11.91	16.78	4.88	N/A	N/A			
18	FLP	177.00	175.50	0.0	-12.00	15.79	3.79	N/A	N/A			
19	FLP	187.00	185.50	0.3	-11.98	15.94	3.96	N/A	N/A			
20	FLP	197.00	195.49	3.0	-11.82	15.86	4.04	N/A	N/A			
21	FLP	207.00	205.49	-1.0	-11.72	16.57	4.85	N/A	N/A			
22	FLP	217.00	215.49	3.4	-11.60	16.23	4.64	N/A	N/A			
23	FLP	227.00	225.49	2.8	-11.29	15.92	4.63	N/A	N/A			
24	FLP	237.00	235.49	1.6	-11.07	15.50	4.43	N/A	N/A			
25	FLP	247.00	245.49	-1.0	-11.04	15.82	4.78	N/A	N/A			
26	FLP	257.00	255.49	-0.9	-11.13	15.71	4.57	N/A	N/A			
27	FLP	267.00	265.49	0.8	-11.14	15.63	4.49	N/A	N/A			
28	FLP	277.00	275.48	1.7	-11.01	15.87	4.85	N/A	N/A			
29	FLP	287.00	285.48	-1.5	-11.00	15.81	4.81	N/A	N/A			
30	FLP	297.00	295.48	-1.5	-11.15	15.62	4.46	N/A	N/A			
31	FLP	307.00	305.48	0.1	-11.22	15.89	4.67	N/A	N/A			
32	LL	317.00	315.48	0.6	-11.19	16.01	4.82	N/A	N/A	N/A	N/A	N/A
33	FLP	327.00	325.48	3.4	-10.99	20.42	9.43	N/A	N/A			
34	FLP	337.00	335.47	4.4	-10.60	18.43	7.84	N/A	N/A			
35	FLP	347.00	345.47	2.0	-10.28	15.53	5.26	N/A	N/A			
36	FLP	357.00	355.47	-0.5	-10.20	15.53	5.33	N/A	N/A			
37	FLP	367.00	365.47	-0.2	-10.24	15.53	5.29	N/A	N/A			
38	FLP	377.00	375.47	0.2	-10.24	15.49	5.26	N/A	N/A			
39	FLP	387.00	385.47	-0.8	-10.27	15.55	5.28	N/A	N/A			
40	FLP	397.00	395.47	0.2	-10.30	15.42	5.12	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.47	-2.2	-10.40	15.80	5.41	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	415.47	0.5	-10.48	14.16	3.68	N/A	N/A	N/A	N/A	N/A
43	FLP	427.00	425.46	4.2	-10.25	11.89	1.64	N/A	N/A			
44	FLP	437.00	435.43	12.5	-9.42	11.03	1.61	N/A	N/A			
45	LL	447.00	445.30	19.5	-7.84	9.22	1.38	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	455.09	22.5	-5.79	5.57	-0.22	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.63	33	1	1	2	
2	16.12	304	1	2	3	
3	25.81	33	3	3	3	
4	35.64	44	3	4	4	
5	45.54	201	9	11	16	
6	55.51	38	10	11	12	
7	65.51	59	10	10	11	
8	75.51	44	10	11	11	
9	85.51	57	8	9	9	
10	95.51	65	8	9	9	
11	105.51	46	9	9	10	
12	115.51	185	9	9	9	
13	125.50	61	8	9	9	
14	135.50	92	7	9	9	
15	145.50	42	7	8	8	
16	155.50	36	8	8	9	
17	165.50	37	9	12	25	
18	175.50	49	9	9	10	
19	185.50	58	9	10	10	
20	195.49	45	10	11	12	
21	205.49	47	10	11	11	
22	215.49	56	10	11	12	
23	225.49	48	10	10	11	
24	235.49	38	10	11	12	
25	245.49	215	9	9	11	
26	255.49	43	10	10	11	
27	265.49	42	10	11	11	
28	275.48	93	10	10	11	
29	285.48	44	10	10	11	
30	295.48	43	10	11	12	
31	305.48	48	11	11	12	
32	315.48	69	11	12	12	
33	325.48	112	12	12	13	
34	335.47	40	12	13	13	
35	345.47	63	12	13	13	
36	355.47	228	8	9	10	
37	365.47	78	11	11	12	
38	375.47	51	11	12	12	
39	385.47	41	12	12	13	
40	395.47	41	12	12	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.47	33	12	13	13	
42	415.47	32	12	12	12	
43	425.46	33	12	13	13	
44	435.43	27	11	12	12	
45	445.30	31	10	10	11	
46	455.09	31	10	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 23 on 07/19/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.70	-30.0	-2.01	4.92	2.91	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.26	-32.0	-4.97	8.90	3.92	N/A	N/A			
3	FLP	27.00	25.75	-34.0	-8.11	12.68	4.58	N/A	N/A			
4	FLP	37.00	35.30	-28.5	-11.09	15.42	4.33	N/A	N/A			
5	FLP	47.00	45.02	-19.5	-13.42	16.65	3.23	N/A	N/A			
6	FLP	57.00	54.88	-14.5	-15.09	18.91	3.82	N/A	N/A			
7	FLP	67.00	64.82	-8.6	-16.24	20.84	4.60	N/A	N/A			
8	LL	77.00	74.78	-8.2	-17.07	22.55	5.48	N/A	N/A	N/A	N/A	N/A
9	FLP	87.00	84.76	-5.0	-17.73	22.03	4.29	N/A	N/A			
10	FLP	97.00	94.75	-2.5	-18.11	22.00	3.89	N/A	N/A			
11	FLP	107.00	104.75	-4.6	-18.46	21.99	3.53	N/A	N/A			
12	LL	117.00	114.73	-6.4	-19.01	23.51	4.50	N/A	N/A	N/A	N/A	N/A
13	LL	127.00	124.72	-0.8	-19.37	23.55	4.18	N/A	N/A	N/A	N/A	N/A
14	FLP	137.00	134.72	3.2	-19.25	23.81	4.56	N/A	N/A			
15	FLP	147.00	144.72	2.6	-18.96	23.95	4.99	N/A	N/A			
16	FLP	157.00	154.72	2.2	-18.72	23.71	4.99	N/A	N/A			
17	FLP	167.00	164.72	0.6	-18.58	23.61	5.03	N/A	N/A			
18	FLP	177.00	174.71	3.6	-18.37	23.93	5.56	N/A	N/A			
19	FLP	187.00	184.71	3.0	-18.04	23.03	4.99	N/A	N/A			
20	FLP	197.00	194.71	1.3	-17.83	23.29	5.47	N/A	N/A			
21	FLP	207.00	204.70	1.2	-17.70	23.72	6.02	N/A	N/A			
22	FLP	217.00	214.70	0.9	-17.60	24.11	6.51	N/A	N/A			
23	FLP	227.00	224.70	4.4	-17.33	23.62	6.29	N/A	N/A			
24	FLP	237.00	234.69	3.2	-16.95	23.56	6.61	N/A	N/A			
25	FLP	247.00	244.69	3.4	-16.62	23.12	6.50	N/A	N/A			
26	FLP	257.00	254.69	0.8	-16.41	23.18	6.77	N/A	N/A			
27	FLP	267.00	264.69	-0.7	-16.41	23.10	6.69	N/A	N/A			
28	FLP	277.00	274.69	-0.3	-16.46	23.23	6.78	N/A	N/A			
29	LL	287.00	284.68	-2.6	-16.60	23.26	6.66	N/A	N/A	N/A	N/A	N/A
30	FLP	297.00	294.68	3.2	-16.57	24.04	7.47	N/A	N/A			
31	FLP	307.00	304.68	0.6	-16.38	23.36	6.97	N/A	N/A			
32	FLP	317.00	314.68	-1.9	-16.45	22.85	6.41	N/A	N/A			
33	FLP	327.00	324.68	-1.6	-16.62	23.02	6.39	N/A	N/A			
34	FLP	337.00	334.68	0.0	-16.70	22.97	6.27	N/A	N/A			
35	LL	347.00	344.68	0.3	-16.69	23.04	6.35	N/A	N/A	N/A	N/A	N/A
36	LL	357.00	354.68	0.5	-16.65	24.58	7.93	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	364.68	0.5	-16.60	25.97	9.37	N/A	N/A			
38	FLP	377.00	374.68	-0.6	-16.60	24.33	7.73	N/A	N/A			
39	FLP	387.00	384.68	0.4	-16.61	23.43	6.82	N/A	N/A			
40	FLP	397.00	394.68	0.3	-16.58	23.17	6.59	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.68	2.3	-16.45	23.01	6.57	N/A	N/A			
42	FLP	417.00	414.68	0.8	-16.29	23.20	6.90	N/A	N/A			
43	FLP	427.00	424.68	-0.8	-16.29	23.21	6.91	N/A	N/A			
44	FLP	437.00	434.68	0.0	-16.33	22.34	6.00	N/A	N/A			
45	FLP	447.00	444.68	-0.8	-16.37	20.81	4.43	N/A	N/A			
46	LL	457.00	454.67	8.0	-16.01	20.94	4.92	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	464.60	16.0	-14.82	13.75	-1.07	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	474.41	24.0	-12.87	10.58	-2.29	N/A	N/A	N/A	N/A	N/A
49	FLP	487.00	484.04	32.0	-10.17	7.12	-3.06	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	134	0	0	1	
2	16.26	32	1	2	2	
3	25.75	36	2	2	3	
4	35.30	38	3	3	4	
5	45.02	35	3	4	4	
6	54.88	42	4	4	5	
7	64.82	109	4	5	5	
8	74.78	110	4	4	5	
9	84.76	53	4	5	5	
10	94.75	34	4	5	5	
11	104.75	48	4	5	5	
12	114.73	37	5	5	6	
13	124.72	49	5	6	6	
14	134.72	43	5	6	6	
15	144.72	36	6	6	6	
16	154.72	37	6	6	6	
17	164.72	252	6	7	7	
18	174.71	32	7	8	8	
19	184.71	40	8	8	9	
20	194.71	47	8	9	9	
21	204.70	42	8	9	9	
22	214.70	38	9	9	9	
23	224.70	43	9	9	9	
24	234.69	74	9	9	10	
25	244.69	42	10	11	11	
26	254.69	46	11	11	12	
27	264.69	45	11	12	12	
28	274.69	71	11	12	12	
29	284.68	44	12	13	13	
30	294.68	68	14	15	15	
31	304.68	206	14	14	15	
32	314.68	26	14	14	14	
33	324.68	32	14	14	14	
34	334.68	52	16	17	18	
35	344.68	57	17	18	18	
36	354.68	55	16	17	18	
37	364.68	37	17	17	18	
38	374.68	45	18	19	19	
39	384.68	47	19	19	19	
40	394.68	36	18	19	19	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.68	41	19	20	21	
42	414.68	38	19	21	21	
43	424.68	206	16	17	20	
44	434.68	44	18	19	21	
45	444.68	135	16	17	19	
46	454.67	46	18	18	19	
47	464.60	134	17	18	20	
48	474.41	31	14	16	17	
49	484.04	39	14	16	17	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 22 on 07/18/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 52

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	3.77	1.75	N/A	N/A			
2	FLP	17.00	16.26	-32.0	-4.97	8.05	3.07	N/A	N/A			
3	FLP	27.00	25.75	-34.0	-8.11	11.81	3.70	N/A	N/A			
4	FLP	37.00	35.28	-29.5	-11.13	14.93	3.79	N/A	N/A			
5	FLP	47.00	44.84	-32.0	-14.07	18.72	4.65	N/A	N/A			
6	FLP	57.00	54.47	-24.0	-16.76	21.46	4.70	N/A	N/A			
7	FLP	67.00	64.21	-23.0	-19.05	23.19	4.14	N/A	N/A			
8	FLP	77.00	74.04	-14.5	-20.89	25.04	4.15	N/A	N/A			
9	LL	87.00	83.94	-13.0	-22.25	27.95	5.70	N/A	N/A	N/A	N/A	N/A
10	LL	97.00	93.85	-14.5	-23.61	29.68	6.07	N/A	N/A	N/A	N/A	N/A
11	FLP	107.00	103.78	-9.5	-24.80	28.96	4.16	N/A	N/A			
12	FLP	117.00	113.75	-6.4	-25.60	29.82	4.23	N/A	N/A			
13	FLP	127.00	123.73	-5.0	-26.17	30.20	4.04	N/A	N/A			
14	FLP	137.00	133.72	-6.2	-26.72	30.05	3.33	N/A	N/A			
15	FLP	147.00	143.71	0.3	-27.02	30.04	3.02	N/A	N/A			
16	FLP	157.00	153.71	0.5	-26.98	30.40	3.42	N/A	N/A			
17	FLP	167.00	163.71	-0.6	-26.98	30.81	3.83	N/A	N/A			
18	FLP	177.00	173.71	-0.2	-27.02	30.97	3.95	N/A	N/A			
19	FLP	187.00	183.71	0.5	-27.01	31.63	4.62	N/A	N/A			
20	FLP	197.00	193.71	1.4	-26.91	32.30	5.39	N/A	N/A			
21	FLP	207.00	203.71	0.0	-26.84	31.52	4.68	N/A	N/A			
22	FLP	217.00	213.71	-1.1	-26.90	32.14	5.24	N/A	N/A			
23	FLP	227.00	223.71	-1.7	-27.04	31.09	4.05	N/A	N/A			
24	FLP	237.00	233.71	-2.1	-27.23	31.30	4.07	N/A	N/A			
25	FLP	247.00	243.71	-0.8	-27.37	31.90	4.52	N/A	N/A			
26	FLP	257.00	253.71	0.0	-27.41	31.95	4.54	N/A	N/A			
27	LL	267.00	263.71	-2.1	-27.52	31.84	4.32	N/A	N/A	N/A	N/A	N/A
28	FLP	277.00	273.71	-0.5	-27.65	32.61	4.96	N/A	N/A			
29	FLP	287.00	283.71	1.1	-27.62	32.16	4.54	N/A	N/A			
30	FLP	297.00	293.71	-0.6	-27.59	32.69	5.10	N/A	N/A			
31	FLP	307.00	303.71	1.8	-27.53	32.38	4.84	N/A	N/A			
32	FLP	317.00	313.71	0.1	-27.44	32.39	4.95	N/A	N/A			
33	FLP	327.00	323.71	0.9	-27.39	32.23	4.84	N/A	N/A			
34	FLP	337.00	333.70	0.6	-27.31	32.45	5.14	N/A	N/A			
35	FLP	347.00	343.70	0.5	-27.26	31.42	4.16	N/A	N/A			
36	FLP	357.00	353.70	0.2	-27.22	31.74	4.51	N/A	N/A			
37	FLP	367.00	363.70	1.2	-27.15	31.95	4.79	N/A	N/A			
38	FLP	377.00	373.70	-0.3	-27.11	33.79	6.68	N/A	N/A			
39	FLP	387.00	383.70	-0.8	-27.16	32.27	5.10	N/A	N/A			
40	FLP	397.00	393.70	0.8	-27.16	31.89	4.72	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.70	1.8	-27.03	32.05	5.01	N/A	N/A			
42	FLP	417.00	413.70	-4.0	-27.14	31.76	4.62	N/A	N/A			
43	FLP	427.00	423.70	-3.6	-27.52	32.28	4.76	N/A	N/A			
44	FLP	437.00	433.70	1.9	-27.61	31.67	4.07	N/A	N/A			
45	FLP	447.00	443.70	-2.4	-27.63	29.66	2.03	N/A	N/A			
46	FLP	457.00	453.70	3.6	-27.57	28.59	1.01	N/A	N/A			
47	FLP	467.00	463.67	11.0	-26.85	27.47	0.62	N/A	N/A			
48	FLP	477.00	473.57	17.0	-25.46	26.13	0.67	N/A	N/A			
49	FLP	487.00	483.36	24.5	-23.43	22.99	-0.44	N/A	N/A			
50	LL	497.00	492.96	34.0	-20.63	20.82	0.18	N/A	N/A	N/A	N/A	N/A
51	FLP	507.00	502.37	38.0	-17.24	16.13	-1.12	N/A	N/A			
52	FLP	517.00	511.37	60.0	-12.88	5.75	-7.12	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	33	0	0	1	
2	16.26	27	1	2	2	
3	25.75	22	2	3	3	
4	35.28	40	3	3	3	
5	44.84	35	3	4	4	
6	54.47	49	4	4	5	
7	64.21	40	4	4	4	
8	74.04	45	4	5	5	
9	83.94	41	5	5	5	
10	93.85	47	5	5	6	
11	103.78	50	5	6	6	
12	113.75	48	6	6	6	
13	123.73	189	6	6	7	
14	133.72	29	6	7	7	
15	143.71	42	6	7	7	
16	153.71	13	7	7	7	
17	163.71	39	7	7	7	
18	173.71	15	7	7	7	
19	183.71	23	7	7	8	
20	193.71	26	7	7	7	
21	203.71	23	7	7	8	
22	213.71	36	7	7	8	
23	223.71	29	7	7	8	
24	233.71	28	7	7	8	
25	243.71	44	7	7	8	
26	253.71	98	7	7	8	
27	263.71	84	7	7	8	
28	273.71	68	7	7	7	
29	283.71	279	7	7	8	
30	293.71	104	7	8	8	
31	303.71	107	7	8	8	
32	313.71	88	7	8	8	
33	323.71	96	7	8	8	
34	333.70	38	7	8	8	
35	343.70	73	7	8	8	
36	353.70	83	7	8	8	
37	363.70	191	7	8	9	
38	373.70	259	8	8	9	
39	383.70	60	8	8	9	
40	393.70	40	8	8	9	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.70	32	8	9	9	
42	413.70	36	8	8	9	
43	423.70	64	8	8	9	
44	433.70	59	8	8	9	
45	443.70	61	8	8	9	
46	453.70	248	8	8	9	
47	463.67	102	8	8	9	
48	473.57	113	8	8	9	
49	483.36	86	8	8	9	
50	492.96	72	8	8	9	
51	502.37	39	8	9	9	
52	511.37	91	8	9	9	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 21 on 07/18/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.5	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.72	-30.0	-1.97	1.44	-0.53	N/A	N/A			
2	FLP	17.00	16.27	-32.0	-4.93	5.67	0.74	N/A	N/A			
3	FLP	27.00	25.84	-28.5	-7.82	8.35	0.53	N/A	N/A			
4	FLP	37.00	35.49	-26.0	-10.45	11.78	1.33	N/A	N/A			
5	FLP	47.00	45.25	-19.0	-12.64	12.89	0.25	N/A	N/A			
6	FLP	57.00	55.14	-11.0	-14.12	14.03	-0.10	N/A	N/A			
7	FLP	67.00	65.12	-1.6	-14.75	14.86	0.11	N/A	N/A			
8	FLP	77.00	75.11	-4.8	-15.07	15.39	0.32	N/A	N/A			
9	FLP	87.00	85.10	-5.0	-15.56	15.69	0.13	N/A	N/A			
10	FLP	97.00	95.09	-1.5	-15.88	15.85	-0.03	N/A	N/A			
11	FLP	107.00	105.09	-2.1	-16.06	15.79	-0.28	N/A	N/A			
12	FLP	117.00	115.09	-0.7	-16.20	16.28	0.07	N/A	N/A			
13	FLP	127.00	125.09	-0.4	-16.26	16.58	0.32	N/A	N/A			
14	LL	137.00	135.09	-6.4	-16.60	17.33	0.73	N/A	N/A	N/A	N/A	N/A
15	FLP	147.00	145.08	1.7	-16.83	16.99	0.16	N/A	N/A			
16	FLP	157.00	155.08	5.2	-16.49	16.83	0.34	N/A	N/A			
17	FLP	167.00	165.07	2.6	-16.10	16.42	0.32	N/A	N/A			
18	FLP	177.00	175.07	1.7	-15.88	16.85	0.97	N/A	N/A			
19	FLP	187.00	185.06	5.0	-15.55	16.44	0.89	N/A	N/A			
20	FLP	197.00	195.05	3.0	-15.15	16.10	0.95	N/A	N/A			
21	FLP	207.00	205.05	-0.4	-15.02	16.04	1.02	N/A	N/A			
22	FLP	217.00	215.05	3.4	-14.87	15.85	0.98	N/A	N/A			
23	FLP	227.00	225.05	0.3	-14.68	15.93	1.25	N/A	N/A			
24	FLP	237.00	235.05	-0.1	-14.67	16.15	1.47	N/A	N/A			
25	FLP	247.00	245.05	2.9	-14.53	15.92	1.38	N/A	N/A			
26	FLP	257.00	255.05	1.2	-14.33	15.93	1.60	N/A	N/A			
27	FLP	267.00	265.05	1.7	-14.19	15.60	1.42	N/A	N/A			
28	FLP	277.00	275.05	0.4	-14.08	15.56	1.48	N/A	N/A			
29	FLP	287.00	285.05	0.3	-14.05	15.62	1.57	N/A	N/A			
30	FLP	297.00	295.05	-0.2	-14.04	15.58	1.54	N/A	N/A			
31	FLP	307.00	305.04	-4.0	-14.25	15.74	1.49	N/A	N/A			
32	FLP	317.00	315.04	0.4	-14.43	15.20	0.77	N/A	N/A			
33	FLP	327.00	325.04	-2.0	-14.51	15.53	1.02	N/A	N/A			
34	FLP	337.00	335.04	-2.9	-14.75	16.21	1.46	N/A	N/A			
35	FLP	347.00	345.04	2.5	-14.77	16.06	1.28	N/A	N/A			
36	FLP	357.00	355.04	2.0	-14.55	16.06	1.51	N/A	N/A			
37	FLP	367.00	365.04	0.5	-14.42	16.14	1.71	N/A	N/A			
38	FLP	377.00	375.03	0.7	-14.36	16.19	1.82	N/A	N/A			
39	FLP	387.00	385.03	1.2	-14.27	16.28	2.01	N/A	N/A			
40	FLP	397.00	395.03	1.7	-14.12	16.15	2.02	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.03	-0.2	-14.05	16.45	2.40	N/A	N/A			
42	FLP	417.00	415.03	-0.2	-14.07	16.42	2.35	N/A	N/A			
43	FLP	427.00	425.03	5.2	-13.82	16.03	2.21	N/A	N/A			
44	LL	437.00	435.02	2.9	-13.42	15.77	2.36	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	445.02	0.8	-13.23	14.07	0.84	N/A	N/A	N/A	N/A	N/A
46	FLP	457.00	455.02	-0.3	-13.21	12.36	-0.84	N/A	N/A			
47	FLP	467.00	465.02	6.6	-12.89	13.15	0.26	N/A	N/A			
48	FLP	477.00	474.96	14.0	-11.87	12.09	0.22	N/A	N/A			
49	FLP	487.00	484.80	22.5	-10.08	7.57	-2.51	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.72	21	1	1	2	
2	16.27	32	1	2	3	
3	25.84	46	3	3	4	
4	35.49	48	5	6	7	
5	45.25	36	7	7	8	
6	55.14	35	7	8	8	
7	65.12	61	8	9	10	
8	75.11	38	7	8	8	
9	85.10	32	7	8	8	
10	95.09	51	9	9	10	
11	105.09	30	9	10	10	
12	115.09	38	9	10	10	
13	125.09	38	11	12	12	
14	135.09	39	11	11	12	
15	145.08	54	9	11	12	
16	155.08	40	9	10	10	
17	165.07	53	9	10	10	
18	175.07	39	9	10	10	
19	185.06	214	8	9	10	
20	195.05	43	9	9	9	
21	205.05	42	9	9	10	
22	215.05	49	9	10	10	
23	225.05	39	9	10	10	
24	235.05	44	9	10	10	
25	245.05	50	10	11	11	
26	255.05	36	10	10	11	
27	265.05	47	10	11	11	
28	275.05	41	11	11	11	
29	285.05	53	11	11	11	
30	295.05	42	10	11	11	
31	305.04	49	11	11	11	
32	315.04	39	11	12	12	
33	325.04	36	11	12	12	
34	335.04	34	11	12	12	
35	345.04	123	11	12	12	
36	355.04	39	11	12	12	
37	365.04	44	11	12	12	
38	375.03	53	12	12	12	
39	385.03	41	12	12	12	
40	395.03	46	12	12	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.03	46	12	12	12	
42	415.03	45	12	13	13	
43	425.03	42	12	13	13	
44	435.02	45	12	12	13	
45	445.02	28	12	12	12	
46	455.02	30	12	12	12	
47	465.02	36	11	12	12	
48	474.96	36	11	12	12	
49	484.80	40	10	10	11	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 20 on 07/14/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-29.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.71	-30.0	-1.98	1.45	-0.53	N/A	N/A			
2	FLP	17.00	16.27	-32.0	-4.94	5.06	0.12	N/A	N/A			
3	FLP	27.00	25.79	-32.0	-7.99	8.79	0.80	N/A	N/A			
4	FLP	37.00	35.29	-34.0	-11.12	13.09	1.97	N/A	N/A			
5	FLP	47.00	44.86	-26.5	-14.01	16.05	2.03	N/A	N/A			
6	FLP	57.00	54.62	-18.5	-16.21	16.59	0.38	N/A	N/A			
7	FLP	67.00	64.52	-9.5	-17.59	18.67	1.08	N/A	N/A			
8	FLP	77.00	74.48	-7.2	-18.42	20.93	2.50	N/A	N/A			
9	FLP	87.00	84.45	-10.5	-19.30	20.66	1.36	N/A	N/A			
10	LL	97.00	94.40	-9.5	-20.30	21.79	1.49	N/A	N/A	N/A	N/A	N/A
11	LL	107.00	104.35	-9.5	-21.24	22.73	1.48	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	114.33	-2.7	-21.85	22.24	0.39	N/A	N/A			
13	FLP	127.00	124.33	-1.4	-22.06	22.46	0.41	N/A	N/A			
14	LL	137.00	134.33	-4.2	-22.34	22.89	0.55	N/A	N/A	N/A	N/A	N/A
15	FLP	147.00	144.33	2.0	-22.45	23.49	1.05	N/A	N/A			
16	FLP	157.00	154.32	3.6	-22.17	23.26	1.09	N/A	N/A			
17	FLP	167.00	164.32	3.4	-21.82	23.05	1.23	N/A	N/A			
18	LL	177.00	174.31	1.9	-21.55	22.76	1.20	N/A	N/A	N/A	N/A	N/A
19	FLP	187.00	184.31	-1.1	-21.51	23.27	1.76	N/A	N/A			
20	FLP	197.00	194.31	2.3	-21.45	22.85	1.40	N/A	N/A			
21	FLP	207.00	204.31	2.1	-21.23	22.38	1.15	N/A	N/A			
22	FLP	217.00	214.31	0.3	-21.11	22.67	1.56	N/A	N/A			
23	FLP	227.00	224.31	-1.1	-21.15	22.81	1.65	N/A	N/A			
24	FLP	237.00	234.31	3.8	-21.02	22.57	1.55	N/A	N/A			
25	FLP	247.00	244.31	0.4	-20.81	22.11	1.30	N/A	N/A			
26	FLP	257.00	254.31	1.3	-20.72	22.37	1.64	N/A	N/A			
27	FLP	267.00	264.30	1.8	-20.57	22.15	1.58	N/A	N/A			
28	FLP	277.00	274.30	1.4	-20.41	22.31	1.90	N/A	N/A			
29	FLP	287.00	284.30	-2.9	-20.48	22.24	1.76	N/A	N/A			
30	FLP	297.00	294.30	-2.0	-20.73	22.14	1.41	N/A	N/A			
31	FLP	307.00	304.29	-4.8	-21.07	22.21	1.14	N/A	N/A			
32	FLP	317.00	314.28	-4.2	-21.52	22.75	1.23	N/A	N/A			
33	LL	327.00	324.28	-3.6	-21.91	23.19	1.28	N/A	N/A	N/A	N/A	N/A
34	FLP	337.00	334.28	0.7	-22.05	23.57	1.51	N/A	N/A			
35	FLP	347.00	344.28	0.9	-21.97	24.09	2.12	N/A	N/A			
36	FLP	357.00	354.27	1.2	-21.87	23.94	2.07	N/A	N/A			
37	FLP	367.00	364.27	0.8	-21.77	23.43	1.66	N/A	N/A			
38	FLP	377.00	374.27	-0.7	-21.76	23.53	1.77	N/A	N/A			
39	FLP	387.00	384.27	-0.3	-21.81	23.78	1.97	N/A	N/A			
40	FLP	397.00	394.27	2.9	-21.68	23.55	1.87	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.27	3.4	-21.37	23.45	2.09	N/A	N/A			
42	FLP	417.00	414.27	-0.6	-21.23	23.47	2.25	N/A	N/A			
43	FLP	427.00	424.27	0.7	-21.22	22.40	1.17	N/A	N/A			
44	FLP	437.00	434.27	0.4	-21.17	21.18	0.01	N/A	N/A			
45	FLP	447.00	444.27	1.5	-21.07	18.83	-2.25	N/A	N/A			
46	LL	457.00	454.24	12.5	-20.38	17.92	-2.46	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	464.11	20.0	-18.77	16.44	-2.33	N/A	N/A	N/A	N/A	N/A
48	FLP	477.00	473.83	29.0	-16.40	15.03	-1.36	N/A	N/A			
49	LL	487.00	483.43	29.0	-13.61	14.87	1.26	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.71	15	0	0	1	
2	16.27	30	0	0	1	
3	25.79	30	0	1	1	
4	35.29	32	1	1	1	
5	44.86	47	4	8	12	
6	54.62	45	10	11	11	
7	64.52	35	10	11	12	
8	74.48	83	8	9	10	
9	84.45	35	9	9	9	
10	94.40	45	9	9	9	
11	104.35	49	8	9	9	
12	114.33	53	8	9	9	
13	124.33	39	9	10	10	
14	134.33	43	9	10	10	
15	144.33	120	9	10	11	
16	154.32	64	10	11	11	
17	164.32	201	10	11	11	
18	174.31	47	11	11	11	
19	184.31	32	10	11	11	
20	194.31	63	11	12	12	
21	204.31	50	11	12	12	
22	214.31	51	11	12	12	
23	224.31	123	12	12	13	
24	234.31	53	11	11	11	
25	244.31	57	11	11	12	
26	254.31	48	11	11	12	
27	264.30	37	11	12	12	
28	274.30	71	11	12	12	
29	284.30	188	11	11	12	
30	294.30	40	11	12	12	
31	304.29	39	11	12	12	
32	314.28	35	11	12	12	
33	324.28	55	11	12	12	
34	334.28	51	12	12	12	
35	344.28	51	12	12	12	
36	354.27	40	12	12	12	
37	364.27	34	12	12	13	
38	374.27	47	12	13	13	
39	384.27	44	12	13	13	
40	394.27	51	12	13	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.27	51	13	13	13	
42	414.27	36	13	13	14	
43	424.27	53	13	13	14	
44	434.27	147	13	13	14	
45	444.27	54	13	14	14	
46	454.24	49	13	14	14	
47	464.11	35	12	12	13	
48	473.83	34	11	12	12	
49	483.43	6	11	11	11	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 19 on 07/13/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 52

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.69	-32.0	-2.07	2.20	0.13	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.18	-34.0	-5.21	5.59	0.39	N/A	N/A			
3	FLP	27.00	25.59	-38.0	-8.59	9.55	0.95	N/A	N/A			
4	FLP	37.00	34.94	-38.0	-12.14	13.13	0.99	N/A	N/A			
5	FLP	47.00	44.38	-32.0	-15.45	16.67	1.23	N/A	N/A			
6	FLP	57.00	54.02	-23.5	-18.12	19.26	1.14	N/A	N/A			
7	FLP	67.00	63.76	-22.5	-20.36	21.74	1.38	N/A	N/A			
8	FLP	77.00	73.51	-23.5	-22.60	23.06	0.46	N/A	N/A			
9	FLP	87.00	83.32	-15.5	-24.51	25.67	1.16	N/A	N/A			
10	FLP	97.00	93.23	-12.0	-25.87	27.95	2.08	N/A	N/A			
11	FLP	107.00	103.18	-8.8	-26.91	29.24	2.33	N/A	N/A			
12	FLP	117.00	113.16	-3.4	-27.51	29.71	2.20	N/A	N/A			
13	FLP	127.00	123.15	-3.8	-27.87	29.64	1.77	N/A	N/A			
14	FLP	137.00	133.14	-3.8	-28.25	29.65	1.39	N/A	N/A			
15	FLP	147.00	143.14	-2.1	-28.55	29.41	0.86	N/A	N/A			
16	FLP	157.00	153.13	-6.6	-28.98	30.24	1.25	N/A	N/A			
17	FLP	167.00	163.13	1.4	-29.24	30.29	1.05	N/A	N/A			
18	FLP	177.00	173.13	-1.2	-29.23	30.28	1.04	N/A	N/A			
19	FLP	187.00	183.13	-1.0	-29.34	30.64	1.30	N/A	N/A			
20	FLP	197.00	193.13	-0.9	-29.44	31.45	2.02	N/A	N/A			
21	FLP	207.00	203.13	-1.1	-29.54	31.59	2.06	N/A	N/A			
22	FLP	217.00	213.12	-0.2	-29.60	31.32	1.71	N/A	N/A			
23	FLP	227.00	223.12	-2.0	-29.71	31.52	1.81	N/A	N/A			
24	FLP	237.00	233.12	-0.4	-29.83	31.75	1.92	N/A	N/A			
25	FLP	247.00	243.12	0.8	-29.81	31.44	1.63	N/A	N/A			
26	FLP	257.00	253.12	-2.6	-29.90	31.62	1.72	N/A	N/A			
27	FLP	267.00	263.12	-1.0	-30.08	32.18	2.10	N/A	N/A			
28	FLP	277.00	273.12	2.1	-30.03	32.43	2.40	N/A	N/A			
29	FLP	287.00	283.12	0.6	-29.89	32.14	2.25	N/A	N/A			
30	FLP	297.00	293.12	-0.3	-29.88	32.64	2.76	N/A	N/A			
31	FLP	307.00	303.12	2.0	-29.79	32.29	2.50	N/A	N/A			
32	FLP	317.00	313.12	2.2	-29.58	31.98	2.40	N/A	N/A			
33	FLP	327.00	323.12	1.0	-29.42	31.75	2.33	N/A	N/A			
34	FLP	337.00	333.12	0.7	-29.34	31.20	1.87	N/A	N/A			
35	FLP	347.00	343.12	0.9	-29.26	31.35	2.09	N/A	N/A			
36	FLP	357.00	353.12	0.1	-29.21	31.54	2.33	N/A	N/A			
37	LL	367.00	363.12	-0.8	-29.24	31.18	1.94	N/A	N/A	N/A	N/A	N/A
38	FLP	377.00	373.12	-0.9	-29.33	32.05	2.72	N/A	N/A			
39	FLP	387.00	383.12	0.0	-29.37	31.90	2.53	N/A	N/A			
40	FLP	397.00	393.12	-1.1	-29.43	31.65	2.22	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.11	-1.5	-29.56	31.72	2.17	N/A	N/A			
42	FLP	417.00	413.11	-2.3	-29.75	32.12	2.37	N/A	N/A			
43	FLP	427.00	423.11	-0.8	-29.90	31.90	2.00	N/A	N/A			
44	FLP	437.00	433.11	-0.6	-29.97	32.24	2.27	N/A	N/A			
45	FLP	447.00	443.11	0.7	-29.97	32.30	2.33	N/A	N/A			
46	FLP	457.00	453.11	0.5	-29.91	30.95	1.04	N/A	N/A			
47	FLP	467.00	463.11	-1.0	-29.93	29.73	-0.20	N/A	N/A			
48	FLP	477.00	473.11	2.2	-29.87	28.34	-1.53	N/A	N/A			
49	LL	487.00	483.09	10.0	-29.26	29.35	0.08	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	493.01	16.0	-27.98	25.63	-2.34	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	502.79	26.5	-25.90	23.87	-2.03	N/A	N/A	N/A	N/A	N/A
52	FLP	517.00	512.28	40.0	-22.76	15.72	-7.04	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.69	14	0	0	1	
2	16.18	32	2	3	4	
3	25.59	31	5	6	6	
4	34.94	29	7	8	9	
5	44.38	39	9	10	11	
6	54.02	40	11	12	13	
7	63.76	61	12	12	13	
8	73.51	56	12	13	13	
9	83.32	42	12	13	13	
10	93.23	72	13	13	13	
11	103.18	225	12	13	13	
12	113.16	47	12	13	13	
13	123.15	44	13	13	13	
14	133.14	1	12	N/A	12	
15	143.14	55	13	13	13	
16	153.13	63	13	13	14	
17	163.13	40	14	14	14	
18	173.13	63	14	14	14	
19	183.13	30	14	14	14	
20	193.13	30	14	14	15	
21	203.13	41	14	15	15	
22	213.12	41	14	15	15	
23	223.12	29	14	15	15	
24	233.12	41	14	15	15	
25	243.12	44	14	15	15	
26	253.12	87	10	10	10	
27	263.12	103	9	10	10	
28	273.12	80	9	10	10	
29	283.12	92	9	10	10	
30	293.12	377	9	10	10	
31	303.12	70	10	10	10	
32	313.12	30	10	11	11	
33	323.12	45	11	11	11	
34	333.12	36	11	11	11	
35	343.12	53	11	11	11	
36	353.12	30	11	11	11	
37	363.12	43	11	11	11	
38	373.12	48	11	11	11	
39	383.12	42	11	11	11	
40	393.12	45	11	11	12	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.11	58	11	11	11	
42	413.11	32	11	11	11	
43	423.11	29	11	11	11	
44	433.11	27	10	11	11	
45	443.11	24	10	11	11	
46	453.11	30	11	11	11	
47	463.11	38	11	11	11	
48	473.11	351	11	14	70	
49	483.09	161	11	12	12	
50	493.01	108	11	12	12	
51	502.79	62	12	12	12	
52	512.28	113	12	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

49 data points collected on unit Serial Number: 30183156 in Job 18 on 07/13/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 48


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.69	-30.0	-2.07	5.23	3.16	N/A	N/A			
2	FLP	17.00	16.24	-32.0	-5.03	8.71	3.68	N/A	N/A			
3	FLP	27.00	25.81	-28.5	-7.93	11.28	3.36	N/A	N/A			
4	LL	37.00	35.53	-20.0	-10.28	13.19	2.91	N/A	N/A	N/A	N/A	N/A
5	LL	47.00	45.40	-13.0	-11.91	14.86	2.96	N/A	N/A	N/A	N/A	N/A
6	LL	57.00	55.35	-7.2	-12.91	15.46	2.55	N/A	N/A	N/A	N/A	N/A
7	LL	67.00	65.33	-3.8	-13.46	15.87	2.41	N/A	N/A	N/A	N/A	N/A
8	LL	77.00	75.32	-2.9	-13.79	16.46	2.67	N/A	N/A	N/A	N/A	N/A
9	LL	87.00	85.32	-4.2	-14.15	16.88	2.73	N/A	N/A	N/A	N/A	N/A
10	FLP	97.00	95.31	-1.8	-14.45	16.48	2.03	N/A	N/A			
11	FLP	107.00	105.31	0.5	-14.51	16.24	1.72	N/A	N/A			
12	FLP	117.00	115.31	-2.5	-14.61	16.41	1.80	N/A	N/A			
13	LL	127.00	125.31	-1.8	-14.83	16.80	1.97	N/A	N/A	N/A	N/A	N/A
14	FLP	137.00	135.31	-4.4	-15.14	17.69	2.55	N/A	N/A			
15	FLP	147.00	145.30	1.3	-15.29	17.45	2.15	N/A	N/A			
16	FLP	157.00	155.30	1.5	-15.15	17.61	2.45	N/A	N/A			
17	FLP	167.00	165.30	2.3	-14.96	17.51	2.55	N/A	N/A			
18	FLP	177.00	175.30	2.2	-14.74	17.65	2.91	N/A	N/A			
19	FLP	187.00	185.30	3.6	-14.45	17.42	2.97	N/A	N/A			
20	FLP	197.00	195.29	3.2	-14.11	17.36	3.25	N/A	N/A			
21	FLP	207.00	205.28	2.9	-13.80	17.01	3.20	N/A	N/A			
22	FLP	217.00	215.28	2.6	-13.53	16.74	3.21	N/A	N/A			
23	FLP	227.00	225.28	2.7	-13.26	16.72	3.45	N/A	N/A			
24	FLP	237.00	235.27	2.1	-13.02	16.59	3.57	N/A	N/A			
25	FLP	247.00	245.27	4.2	-12.71	16.07	3.36	N/A	N/A			
26	FLP	257.00	255.26	4.0	-12.30	15.83	3.53	N/A	N/A			
27	FLP	267.00	265.26	0.5	-12.08	15.84	3.76	N/A	N/A			
28	FLP	277.00	275.26	2.0	-11.95	15.31	3.36	N/A	N/A			
29	FLP	287.00	285.26	0.3	-11.84	15.19	3.35	N/A	N/A			
30	FLP	297.00	295.26	-0.6	-11.85	15.23	3.38	N/A	N/A			
31	FLP	307.00	305.26	-0.5	-11.91	15.08	3.17	N/A	N/A			
32	FLP	317.00	315.26	0.2	-11.92	15.23	3.31	N/A	N/A			
33	LL	327.00	325.26	-4.0	-12.11	15.79	3.68	N/A	N/A	N/A	N/A	N/A
34	FLP	337.00	335.25	-3.8	-12.50	15.96	3.46	N/A	N/A			
35	FLP	347.00	345.25	1.1	-12.64	15.96	3.33	N/A	N/A			
36	FLP	357.00	355.25	-1.2	-12.64	16.52	3.88	N/A	N/A			
37	FLP	367.00	365.25	0.7	-12.67	16.56	3.90	N/A	N/A			
38	FLP	377.00	375.25	1.1	-12.58	16.49	3.92	N/A	N/A			
39	FLP	387.00	385.25	1.7	-12.44	16.78	4.35	N/A	N/A			
40	FLP	397.00	395.24	2.1	-12.25	16.40	4.16	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.24	2.2	-12.03	16.38	4.35	N/A	N/A			
42	LL	417.00	415.24	2.7	-11.79	16.17	4.38	N/A	N/A	N/A	N/A	N/A
43	FLP	427.00	425.24	1.1	-11.60	16.01	4.41	N/A	N/A			
44	FLP	437.00	435.24	-1.0	-11.59	14.93	3.34	N/A	N/A			
45	FLP	447.00	445.24	-1.3	-11.71	12.21	0.50	N/A	N/A			
46	FLP	457.00	455.24	3.0	-11.62	12.93	1.31	N/A	N/A			
47	FLP	467.00	465.22	9.0	-11.02	14.27	3.25	N/A	N/A			
48	FLP	477.00	475.12	19.5	-9.61	12.70	3.08	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.69	27	3	4	5	
2	16.24	40	5	6	6	
3	25.81	42	7	8	9	
4	35.53	44	9	9	10	
5	45.40	39	11	13	18	
6	55.35	48	10	10	10	
7	65.33	37	10	10	11	
8	75.32	47	10	11	11	
9	85.32	48	10	11	11	
10	95.31	50	11	11	12	
11	105.31	47	11	12	13	
12	115.31	52	11	12	12	
13	125.31	260	10	11	12	
14	135.31	69	11	12	12	
15	145.30	83	11	12	12	
16	155.30	69	11	12	12	
17	165.30	62	11	12	12	
18	175.30	50	11	12	12	
19	185.30	45	11	12	12	
20	195.29	54	11	12	12	
21	205.28	44	11	11	12	
22	215.28	45	11	11	11	
23	225.28	57	11	11	12	
24	235.27	50	10	11	11	
25	245.27	54	10	10	11	
26	255.26	242	7	8	10	
27	265.26	58	10	10	11	
28	275.26	40	10	10	11	
29	285.26	54	10	11	11	
30	295.26	40	10	10	11	
31	305.26	55	10	10	11	
32	315.26	52	10	11	11	
33	325.26	67	10	11	11	
34	335.25	43	10	11	11	
35	345.25	73	11	11	12	
36	355.25	46	11	11	12	
37	365.25	59	10	11	12	
38	375.25	64	11	11	12	
39	385.25	52	11	11	12	
40	395.24	232	8	9	10	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.24	34	10	10	10	
42	415.24	60	10	10	11	
43	425.24	39	10	10	11	
44	435.24	40	10	10	11	
45	445.24	34	9	10	11	
46	455.24	43	9	10	11	
47	465.22	50	10	10	11	
48	475.12	57	9	10	11	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 17 on 07/12/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 49

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-30.0	-2.01	1.35	-0.66	N/A	N/A			
2	LL	17.00	16.26	-32.0	-4.97	5.02	0.05	N/A	N/A	N/A	N/A	N/A
3	FLP	27.00	25.78	-32.0	-8.02	8.25	0.23	N/A	N/A			
4	FLP	37.00	35.30	-32.0	-11.07	12.40	1.33	N/A	N/A			
5	FLP	47.00	44.88	-28.0	-13.94	14.83	0.89	N/A	N/A			
6	FLP	57.00	54.59	-21.5	-16.34	16.83	0.49	N/A	N/A			
7	FLP	67.00	64.46	-11.0	-17.94	18.56	0.62	N/A	N/A			
8	FLP	77.00	74.39	-12.5	-19.11	19.95	0.84	N/A	N/A			
9	FLP	87.00	84.34	-9.0	-20.18	21.26	1.09	N/A	N/A			
10	LL	97.00	94.29	-11.0	-21.17	22.44	1.27	N/A	N/A	N/A	N/A	N/A
11	LL	107.00	104.26	-4.8	-21.96	23.15	1.20	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	114.25	-2.8	-22.34	23.34	1.00	N/A	N/A			
13	FLP	127.00	124.25	-0.4	-22.50	23.15	0.65	N/A	N/A			
14	FLP	137.00	134.25	0.8	-22.48	22.87	0.39	N/A	N/A			
15	FLP	147.00	144.25	-2.3	-22.55	22.83	0.27	N/A	N/A			
16	FLP	157.00	154.25	0.3	-22.65	23.19	0.54	N/A	N/A			
17	FLP	167.00	164.25	0.6	-22.61	23.63	1.02	N/A	N/A			
18	FLP	177.00	174.25	2.1	-22.47	23.59	1.12	N/A	N/A			
19	FLP	187.00	184.24	2.8	-22.23	23.30	1.07	N/A	N/A			
20	FLP	197.00	194.24	0.8	-22.05	23.68	1.63	N/A	N/A			
21	FLP	207.00	204.24	1.9	-21.91	23.62	1.71	N/A	N/A			
22	FLP	217.00	214.24	1.5	-21.74	23.63	1.89	N/A	N/A			
23	FLP	227.00	224.24	1.5	-21.59	23.64	2.04	N/A	N/A			
24	FLP	237.00	234.24	-1.3	-21.58	23.84	2.26	N/A	N/A			
25	FLP	247.00	244.24	3.2	-21.49	23.66	2.17	N/A	N/A			
26	FLP	257.00	254.23	1.7	-21.24	23.67	2.43	N/A	N/A			
27	FLP	267.00	264.23	1.8	-21.07	23.51	2.44	N/A	N/A			
28	FLP	277.00	274.23	1.9	-20.88	23.23	2.35	N/A	N/A			
29	FLP	287.00	284.23	1.7	-20.70	22.88	2.18	N/A	N/A			
30	FLP	297.00	294.23	1.5	-20.54	22.65	2.11	N/A	N/A			
31	FLP	307.00	304.23	2.0	-20.37	22.23	1.87	N/A	N/A			
32	FLP	317.00	314.23	-2.3	-20.38	22.17	1.78	N/A	N/A			
33	FLP	327.00	324.22	-2.1	-20.60	22.41	1.81	N/A	N/A			
34	FLP	337.00	334.22	-3.2	-20.87	22.73	1.87	N/A	N/A			
35	FLP	347.00	344.22	-0.1	-21.03	22.86	1.83	N/A	N/A			
36	FLP	357.00	354.22	0.3	-21.02	23.07	2.04	N/A	N/A			
37	FLP	367.00	364.22	-1.5	-21.08	23.14	2.06	N/A	N/A			
38	FLP	377.00	374.22	0.2	-21.15	23.52	2.37	N/A	N/A			
39	FLP	387.00	384.22	1.3	-21.07	23.34	2.27	N/A	N/A			
40	FLP	397.00	394.22	-0.9	-21.05	23.71	2.65	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.22	2.1	-20.99	23.34	2.34	N/A	N/A			
42	FLP	417.00	414.22	0.0	-20.89	23.48	2.60	N/A	N/A			
43	FLP	427.00	424.22	-0.3	-20.90	23.66	2.76	N/A	N/A			
44	FLP	437.00	434.22	1.1	-20.86	22.67	1.81	N/A	N/A			
45	FLP	447.00	444.22	3.0	-20.66	18.44	-2.22	N/A	N/A			
46	FLP	457.00	454.21	3.0	-20.36	19.31	-1.05	N/A	N/A			
47	FLP	467.00	464.20	6.6	-19.88	20.20	0.32	N/A	N/A			
48	FLP	477.00	474.15	14.0	-18.85	20.63	1.78	N/A	N/A			
49	LL	487.00	483.99	22.5	-17.06	17.51	0.45	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	5	2	2	2	
2	16.26	44	4	5	6	
3	25.78	67	6	7	9	
4	35.30	48	8	9	10	
5	44.88	49	10	11	12	
6	54.59	62	11	13	13	
7	64.46	52	12	13	15	
8	74.39	46	11	12	13	
9	84.34	42	12	12	13	
10	94.29	76	11	12	13	
11	104.26	85	12	13	14	
12	114.25	57	12	13	13	
13	124.25	60	12	13	13	
14	134.25	37	12	13	13	
15	144.25	46	12	13	13	
16	154.25	66	12	12	12	
17	164.25	52	11	12	12	
18	174.25	40	12	12	12	
19	184.24	42	12	12	12	
20	194.24	32	12	12	12	
21	204.24	34	12	12	12	
22	214.24	48	12	12	13	
23	224.24	42	12	13	13	
24	234.24	38	12	13	13	
25	244.24	56	13	13	14	
26	254.23	58	13	14	14	
27	264.23	46	14	14	14	
28	274.23	346	12	13	15	
29	284.23	56	13	14	14	
30	294.23	105	13	14	15	
31	304.23	53	14	14	15	
32	314.23	60	14	14	15	
33	324.22	45	13	14	14	
34	334.22	40	13	14	14	
35	344.22	61	14	15	15	
36	354.22	46	14	14	15	
37	364.22	34	13	14	15	
38	374.22	66	14	15	15	
39	384.22	47	14	15	15	
40	394.22	48	14	15	15	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.22	66	13	14	14	
42	414.22	48	14	14	14	
43	424.22	41	14	15	15	
44	434.22	85	14	15	15	
45	444.22	118	15	16	17	
46	454.21	24	13	14	14	
47	464.20	34	14	14	15	
48	474.15	54	13	14	14	
49	483.99	66	13	14	14	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

48 data points collected on unit Serial Number: 30183156 in Job 16 on 07/08/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 47


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.69	-30.0	-2.07	1.99	-0.09	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.21	-34.0	-5.12	5.29	0.17	N/A	N/A			
3	FLP	27.00	25.65	-36.0	-8.42	8.86	0.44	N/A	N/A			
4	FLP	37.00	35.15	-30.0	-11.55	12.07	0.52	N/A	N/A			
5	FLP	47.00	44.70	-32.0	-14.51	15.48	0.97	N/A	N/A			
6	FLP	57.00	54.25	-30.0	-17.48	18.87	1.39	N/A	N/A			
7	FLP	67.00	63.91	-23.5	-20.06	20.90	0.85	N/A	N/A			
8	FLP	77.00	73.69	-19.0	-22.13	23.24	1.10	N/A	N/A			
9	FLP	87.00	83.50	-20.5	-24.07	25.28	1.20	N/A	N/A			
10	FLP	97.00	93.36	-14.0	-25.77	26.71	0.94	N/A	N/A			
11	FLP	107.00	103.27	-13.0	-27.11	28.33	1.22	N/A	N/A			
12	FLP	117.00	113.22	-7.2	-28.11	29.11	1.00	N/A	N/A			
13	FLP	127.00	123.19	-6.6	-28.80	29.44	0.63	N/A	N/A			
14	FLP	137.00	133.19	0.2	-29.12	30.13	1.01	N/A	N/A			
15	FLP	147.00	143.18	-5.6	-29.39	29.59	0.20	N/A	N/A			
16	FLP	157.00	153.17	-6.2	-29.98	29.73	-0.25	N/A	N/A			
17	LL	167.00	163.14	-8.6	-30.72	31.24	0.52	N/A	N/A	N/A	N/A	N/A
18	FLP	177.00	173.13	-2.3	-31.26	31.51	0.25	N/A	N/A			
19	FLP	187.00	183.13	1.4	-31.31	31.90	0.59	N/A	N/A			
20	FLP	197.00	193.12	4.8	-31.00	31.50	0.51	N/A	N/A			
21	FLP	207.00	203.12	0.3	-30.74	31.29	0.55	N/A	N/A			
22	FLP	217.00	213.12	-1.7	-30.81	31.27	0.46	N/A	N/A			
23	FLP	227.00	223.12	0.2	-30.89	31.25	0.36	N/A	N/A			
24	FLP	237.00	233.12	0.5	-30.85	31.26	0.41	N/A	N/A			
25	FLP	247.00	243.12	-1.2	-30.89	31.50	0.62	N/A	N/A			
26	FLP	257.00	253.12	-2.1	-31.05	31.47	0.42	N/A	N/A			
27	FLP	267.00	263.11	0.4	-31.14	31.86	0.73	N/A	N/A			
28	FLP	277.00	273.11	1.1	-31.06	32.04	0.98	N/A	N/A			
29	FLP	287.00	283.11	1.6	-30.93	31.78	0.86	N/A	N/A			
30	FLP	297.00	293.11	1.1	-30.79	31.70	0.91	N/A	N/A			
31	FLP	307.00	303.11	-0.7	-30.77	31.57	0.80	N/A	N/A			
32	FLP	317.00	313.11	2.9	-30.66	31.26	0.60	N/A	N/A			
33	FLP	327.00	323.11	0.5	-30.49	31.25	0.76	N/A	N/A			
34	FLP	337.00	333.11	-0.6	-30.50	31.03	0.53	N/A	N/A			
35	FLP	347.00	343.11	-1.0	-30.58	31.02	0.45	N/A	N/A			
36	FLP	357.00	353.11	-2.2	-30.74	31.18	0.45	N/A	N/A			
37	FLP	367.00	363.11	0.2	-30.84	31.55	0.71	N/A	N/A			
38	FLP	377.00	373.11	1.2	-30.77	31.45	0.69	N/A	N/A			
39	FLP	387.00	383.11	-0.9	-30.75	31.51	0.76	N/A	N/A			
40	FLP	397.00	393.11	-0.3	-30.81	31.59	0.78	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.11	0.5	-30.80	31.60	0.80	N/A	N/A			
42	FLP	417.00	413.11	-1.6	-30.86	31.74	0.88	N/A	N/A			
43	FLP	427.00	423.11	0.7	-30.90	30.48	-0.42	N/A	N/A			
44	FLP	437.00	433.06	18.5	-29.95	26.26	-3.70	N/A	N/A			
45	LL	447.00	442.82	26.0	-27.78	22.11	-5.67	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	452.40	34.0	-24.91	21.08	-3.84	N/A	N/A	N/A	N/A	N/A
47	FLP	467.00	461.63	50.0	-21.06	13.51	-7.55	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.69	37	1	2	2	
2	16.21	32	3	4	5	
3	25.65	37	6	7	8	
4	35.15	58	7	8	9	
5	44.70	31	9	10	11	
6	54.25	47	11	12	13	
7	63.91	53	13	14	15	
8	73.69	60	14	14	15	
9	83.50	46	15	16	16	
10	93.36	85	15	16	17	
11	103.27	43	15	16	17	
12	113.22	65	16	17	17	
13	123.19	60	16	17	19	
14	133.19	47	17	18	19	
15	143.18	67	17	18	19	
16	153.17	374	15	18	21	
17	163.14	36	19	20	21	
18	173.13	40	19	21	21	
19	183.13	50	20	21	22	
20	193.12	40	21	22	22	
21	203.12	78	23	24	24	
22	213.12	125	27	28	28	
23	223.12	77	29	29	30	
24	233.12	47	30	30	31	
25	243.12	44	31	31	32	
26	253.12	72	32	33	33	
27	263.11	77	31	33	34	
28	273.11	612	24	30	38	
29	283.11	90	27	30	30	
30	293.11	48	24	25	26	
31	303.11	37	24	25	26	
32	313.11	44	25	26	27	
33	323.11	48	27	27	28	
34	333.11	53	28	29	29	
35	343.11	47	29	29	30	
36	353.11	45	30	31	31	
37	363.11	48	30	30	30	
38	373.11	55	46	53	51	
39	383.11	46	50	56	54	
40	393.11	51	40	42	43	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.11	60	44	45	46	
42	413.11	40	40	44	44	
43	423.11	284	40	43	45	
44	433.06	185	24	25	26	
45	442.82	48	27	27	28	
46	452.40	49	25	27	28	
47	461.63	106	22	24	26	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

49 data points collected on unit Serial Number: 30183156 in Job 15 on 07/07/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 48


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.69	-32.0	-2.07	1.94	-0.13	N/A	N/A			
2	FLP	17.00	16.15	-36.0	-5.29	5.78	0.49	N/A	N/A			
3	FLP	27.00	25.59	-34.0	-8.59	9.41	0.82	N/A	N/A			
4	FLP	37.00	35.16	-27.0	-11.51	11.93	0.42	N/A	N/A			
5	FLP	47.00	44.92	-17.5	-13.68	13.82	0.14	N/A	N/A			
6	FLP	57.00	54.85	-6.8	-14.88	14.60	-0.28	N/A	N/A			
7	FLP	67.00	64.84	-2.8	-15.36	15.21	-0.15	N/A	N/A			
8	FLP	77.00	74.83	-3.4	-15.67	15.56	-0.11	N/A	N/A			
9	FLP	87.00	84.83	-1.0	-15.89	15.63	-0.25	N/A	N/A			
10	FLP	97.00	94.83	-0.5	-15.96	15.69	-0.27	N/A	N/A			
11	FLP	107.00	104.83	0.0	-15.99	15.69	-0.29	N/A	N/A			
12	FLP	117.00	114.83	-2.4	-16.11	15.68	-0.43	N/A	N/A			
13	FLP	127.00	124.82	-5.8	-16.52	16.00	-0.51	N/A	N/A			
14	FLP	137.00	134.81	-4.4	-17.03	16.36	-0.67	N/A	N/A			
15	FLP	147.00	144.81	2.2	-17.14	16.65	-0.49	N/A	N/A			
16	FLP	157.00	154.80	4.2	-16.82	16.53	-0.29	N/A	N/A			
17	FLP	167.00	164.80	2.1	-16.50	16.52	0.02	N/A	N/A			
18	FLP	177.00	174.80	1.5	-16.32	16.45	0.13	N/A	N/A			
19	LL	187.00	184.79	-3.4	-16.42	16.84	0.43	N/A	N/A	N/A	N/A	N/A
20	FLP	197.00	194.79	3.4	-16.42	16.77	0.35	N/A	N/A			
21	FLP	207.00	204.79	2.3	-16.13	16.59	0.46	N/A	N/A			
22	FLP	217.00	214.79	3.8	-15.83	16.41	0.58	N/A	N/A			
23	FLP	227.00	224.78	3.2	-15.48	15.99	0.52	N/A	N/A			
24	FLP	237.00	234.77	4.4	-15.10	15.60	0.50	N/A	N/A			
25	FLP	247.00	244.77	2.9	-14.73	15.86	1.13	N/A	N/A			
26	FLP	257.00	254.76	2.6	-14.46	16.07	1.61	N/A	N/A			
27	FLP	267.00	264.76	-3.2	-14.49	14.93	0.44	N/A	N/A			
28	FLP	277.00	274.76	-2.0	-14.75	14.99	0.24	N/A	N/A			
29	FLP	287.00	284.75	-4.2	-15.06	14.98	-0.08	N/A	N/A			
30	FLP	297.00	294.75	-2.3	-15.38	15.01	-0.37	N/A	N/A			
31	FLP	307.00	304.74	-5.0	-15.75	15.54	-0.21	N/A	N/A			
32	FLP	317.00	314.74	-1.5	-16.07	15.58	-0.49	N/A	N/A			
33	FLP	327.00	324.73	-3.6	-16.33	16.11	-0.22	N/A	N/A			
34	FLP	337.00	334.73	0.0	-16.51	16.07	-0.43	N/A	N/A			
35	FLP	347.00	344.73	1.2	-16.45	16.09	-0.35	N/A	N/A			
36	FLP	357.00	354.73	0.5	-16.36	16.23	-0.13	N/A	N/A			
37	FLP	367.00	364.73	2.5	-16.21	16.07	-0.14	N/A	N/A			
38	FLP	377.00	374.73	0.5	-16.06	16.17	0.11	N/A	N/A			
39	FLP	387.00	384.73	0.1	-16.03	16.20	0.17	N/A	N/A			
40	FLP	397.00	394.73	1.3	-15.96	16.07	0.11	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.73	0.0	-15.90	16.00	0.11	N/A	N/A			
42	FLP	417.00	414.73	-1.4	-15.97	16.45	0.49	N/A	N/A			
43	FLP	427.00	424.73	1.3	-15.97	16.05	0.08	N/A	N/A			
44	FLP	437.00	434.73	0.8	-15.87	14.12	-1.75	N/A	N/A			
45	FLP	447.00	444.73	-0.4	-15.85	12.10	-3.75	N/A	N/A			
46	LL	457.00	454.71	12.5	-15.24	11.62	-3.63	N/A	N/A	N/A	N/A	N/A
47	FLP	467.00	464.57	21.5	-13.57	12.43	-1.14	N/A	N/A			
48	FLP	477.00	474.16	38.0	-10.74	3.79	-6.95	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.69	61	2	2	2	
2	16.15	54	3	4	4	
3	25.59	78	4	5	6	
4	35.16	62	7	7	8	
5	44.92	42	8	9	10	
6	54.85	56	8	9	9	
7	64.84	246	8	9	9	
8	74.83	81	9	9	10	
9	84.83	80	9	10	11	
10	94.83	63	9	10	10	
11	104.83	73	10	10	11	
12	114.83	43	9	9	10	
13	124.82	61	9	9	10	
14	134.81	52	9	9	9	
15	144.81	60	9	10	10	
16	154.80	49	9	10	10	
17	164.80	30	9	10	10	
18	174.80	47	10	10	10	
19	184.79	44	10	10	11	
20	194.79	56	11	12	13	
21	204.79	36	12	12	12	
22	214.79	44	11	12	12	
23	224.78	46	12	12	13	
24	234.77	45	11	11	12	
25	244.77	232	8	9	10	
26	254.76	79	9	10	11	
27	264.76	222	9	11	12	
28	274.76	48	10	11	12	
29	284.75	44	11	12	12	
30	294.75	74	10	12	12	
31	304.74	48	10	10	12	
32	314.74	359	8	11	15	
33	324.73	37	6	7	7	
34	334.73	71	7	8	11	
35	344.73	66	11	13	14	
36	354.73	47	12	12	12	
37	364.73	150	9	10	13	
38	374.73	78	13	15	15	
39	384.73	24	14	15	16	
40	394.73	59	13	14	14	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.73	69	13	14	15	
42	414.73	280	8	10	13	
43	424.73	44	10	11	11	
44	434.73	73	11	12	12	
45	444.73	56	12	12	12	
46	454.71	91	13	14	16	
47	464.57	40	15	16	16	
48	474.16	98	15	16	17	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 14 on 07/06/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.69	-32.0	-2.07	5.17	3.10	N/A	N/A			
2	FLP	17.00	16.21	-32.0	-5.12	8.46	3.34	N/A	N/A			
3	FLP	27.00	25.78	-29.0	-8.04	12.01	3.98	N/A	N/A			
4	FLP	37.00	35.47	-21.5	-10.48	14.16	3.68	N/A	N/A			
5	FLP	47.00	45.20	-26.5	-12.81	16.92	4.10	N/A	N/A			
6	FLP	57.00	54.95	-19.0	-15.03	18.85	3.82	N/A	N/A			
7	FLP	67.00	64.82	-13.5	-16.63	19.98	3.34	N/A	N/A			
8	FLP	77.00	74.77	-5.6	-17.58	20.38	2.80	N/A	N/A			
9	FLP	87.00	84.76	-6.0	-18.16	21.07	2.91	N/A	N/A			
10	FLP	97.00	94.74	-5.4	-18.73	21.70	2.97	N/A	N/A			
11	FLP	107.00	104.73	-4.4	-19.22	21.89	2.67	N/A	N/A			
12	LL	117.00	114.72	-5.0	-19.69	22.44	2.75	N/A	N/A	N/A	N/A	N/A
13	FLP	127.00	124.71	-4.0	-20.14	22.51	2.37	N/A	N/A			
14	FLP	137.00	134.70	-1.9	-20.43	22.73	2.29	N/A	N/A			
15	FLP	147.00	144.70	-2.6	-20.66	23.24	2.58	N/A	N/A			
16	FLP	157.00	154.70	0.3	-20.77	23.57	2.79	N/A	N/A			
17	FLP	167.00	164.70	-0.7	-20.79	23.64	2.84	N/A	N/A			
18	FLP	177.00	174.70	2.2	-20.72	23.38	2.66	N/A	N/A			
19	FLP	187.00	184.70	1.6	-20.53	23.42	2.89	N/A	N/A			
20	FLP	197.00	194.70	0.3	-20.43	23.29	2.85	N/A	N/A			
21	FLP	207.00	204.70	-0.1	-20.42	23.56	3.13	N/A	N/A			
22	FLP	217.00	214.70	2.5	-20.30	23.21	2.90	N/A	N/A			
23	FLP	227.00	224.70	0.1	-20.17	23.13	2.96	N/A	N/A			
24	FLP	237.00	234.70	0.4	-20.15	23.23	3.08	N/A	N/A			
25	LL	247.00	244.70	-0.5	-20.15	23.39	3.24	N/A	N/A	N/A	N/A	N/A
26	FLP	257.00	254.69	3.2	-20.02	23.02	3.00	N/A	N/A			
27	FLP	267.00	264.69	2.7	-19.72	22.28	2.56	N/A	N/A			
28	FLP	277.00	274.69	1.3	-19.52	22.35	2.82	N/A	N/A			
29	FLP	287.00	284.69	-1.9	-19.55	22.23	2.68	N/A	N/A			
30	FLP	297.00	294.69	-1.8	-19.74	22.23	2.49	N/A	N/A			
31	FLP	307.00	304.69	-0.6	-19.86	22.21	2.35	N/A	N/A			
32	FLP	317.00	314.68	-2.0	-19.99	22.41	2.42	N/A	N/A			
33	FLP	327.00	324.68	-2.6	-20.22	22.71	2.49	N/A	N/A			
34	FLP	337.00	334.68	-0.9	-20.39	22.99	2.60	N/A	N/A			
35	FLP	347.00	344.68	-0.8	-20.48	22.97	2.50	N/A	N/A			
36	FLP	357.00	354.68	0.5	-20.49	23.02	2.53	N/A	N/A			
37	FLP	367.00	364.68	-1.9	-20.56	23.29	2.73	N/A	N/A			
38	LL	377.00	374.68	-3.2	-20.82	23.53	2.72	N/A	N/A	N/A	N/A	N/A
39	FLP	387.00	384.68	1.6	-20.90	23.71	2.81	N/A	N/A			
40	FLP	397.00	394.68	1.0	-20.77	23.78	3.01	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.67	4.0	-20.52	23.43	2.91	N/A	N/A			
42	FLP	417.00	414.67	0.1	-20.31	23.51	3.20	N/A	N/A			
43	FLP	427.00	424.67	0.2	-20.30	23.28	2.99	N/A	N/A			
44	FLP	437.00	434.67	1.3	-20.22	22.24	2.01	N/A	N/A			
45	FLP	447.00	444.67	-0.1	-20.16	20.41	0.25	N/A	N/A			
46	FLP	457.00	454.67	6.4	-19.85	17.91	-1.94	N/A	N/A			
47	LL	467.00	464.58	20.5	-18.52	16.41	-2.11	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	474.28	29.0	-16.12	15.35	-0.77	N/A	N/A	N/A	N/A	N/A
49	FLP	487.00	483.74	40.0	-12.87	12.71	-0.16	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.69	142	2	3	5	
2	16.21	46	5	6	7	
3	25.78	51	7	7	9	
4	35.47	45	7	7	8	
5	45.20	44	8	8	9	
6	54.95	48	8	9	9	
7	64.82	72	9	9	10	
8	74.77	58	10	11	12	
9	84.76	49	11	12	12	
10	94.74	44	11	12	13	
11	104.73	41	14	16	17	
12	114.72	38	15	15	16	
13	124.71	70	14	16	17	
14	134.70	41	15	18	18	
15	144.70	32	15	16	17	
16	154.70	48	16	17	18	
17	164.70	41	15	16	16	
18	174.70	45	16	17	17	
19	184.70	61	15	17	17	
20	194.70	46	15	16	17	
21	204.70	51	14	15	15	
22	214.70	54	14	15	16	
23	224.70	44	15	16	16	
24	234.70	39	14	15	15	
25	244.70	39	14	15	15	
26	254.69	60	14	15	16	
27	264.69	64	14	15	16	
28	274.69	91	15	16	16	
29	284.69	46	14	15	16	
30	294.69	128	14	15	16	
31	304.69	226	12	14	16	
32	314.68	57	15	16	16	
33	324.68	39	15	16	16	
34	334.68	54	16	17	17	
35	344.68	40	16	16	17	
36	354.68	51	16	17	17	
37	364.68	40	16	17	17	
38	374.68	43	15	15	16	
39	384.68	75	16	17	17	
40	394.68	43	17	17	18	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.67	52	17	18	18	
42	414.67	54	17	17	18	
43	424.67	31	17	17	18	
44	434.67	31	17	18	18	
45	444.67	58	17	18	18	
46	454.67	50	15	16	17	
47	464.58	122	13	14	15	
48	474.28	49	12	13	13	
49	483.74	114	9	10	11	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

54 data points collected on unit Serial Number: 30183156 in Job 13 on 06/30/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 53


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-22.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.78	-29.0	-1.73	3.88	2.15	N/A	N/A			
2	FLP	17.00	16.32	-34.0	-4.73	7.24	2.51	N/A	N/A			
3	LL	27.00	25.82	-32.0	-7.86	7.27	-0.59	N/A	N/A	N/A	N/A	N/A
4	FLP	37.00	35.31	-34.0	-11.00	10.92	-0.08	N/A	N/A			
5	FLP	47.00	44.75	-36.0	-14.30	14.45	0.15	N/A	N/A			
6	FLP	57.00	54.28	-28.0	-17.34	17.62	0.28	N/A	N/A			
7	FLP	67.00	63.96	-24.0	-19.86	20.08	0.22	N/A	N/A			
8	FLP	77.00	73.66	-26.0	-22.29	22.94	0.65	N/A	N/A			
9	FLP	87.00	83.42	-19.0	-24.48	24.59	0.11	N/A	N/A			
10	FLP	97.00	93.29	-12.5	-26.03	26.01	-0.02	N/A	N/A			
11	FLP	107.00	103.20	-14.5	-27.37	27.12	-0.25	N/A	N/A			
12	FLP	117.00	113.15	-7.2	-28.45	27.70	-0.75	N/A	N/A			
13	FLP	127.00	123.13	-3.0	-28.96	29.22	0.27	N/A	N/A			
14	FLP	137.00	133.13	-3.0	-29.26	29.55	0.29	N/A	N/A			
15	FLP	147.00	143.12	-6.6	-29.74	29.13	-0.61	N/A	N/A			
16	FLP	157.00	153.09	-7.0	-30.41	29.47	-0.94	N/A	N/A			
17	FLP	167.00	163.09	-1.1	-30.82	29.96	-0.85	N/A	N/A			
18	FLP	177.00	173.09	-0.3	-30.89	30.42	-0.47	N/A	N/A			
19	FLP	187.00	183.09	-1.3	-30.97	30.73	-0.23	N/A	N/A			
20	FLP	197.00	193.08	0.1	-31.03	30.70	-0.33	N/A	N/A			
21	FLP	207.00	203.08	0.4	-31.00	30.89	-0.11	N/A	N/A			
22	FLP	217.00	213.08	-0.4	-31.00	31.29	0.28	N/A	N/A			
23	FLP	227.00	223.08	-1.9	-31.12	31.41	0.29	N/A	N/A			
24	FLP	237.00	233.08	0.6	-31.18	31.61	0.42	N/A	N/A			
25	FLP	247.00	243.08	0.7	-31.12	31.55	0.43	N/A	N/A			
26	FLP	257.00	253.08	-0.9	-31.13	31.01	-0.12	N/A	N/A			
27	LL	267.00	263.08	-3.8	-31.36	31.91	0.55	N/A	N/A	N/A	N/A	N/A
28	LL	277.00	273.08	4.2	-31.34	31.58	0.24	N/A	N/A	N/A	N/A	N/A
29	FLP	287.00	283.08	1.1	-31.08	31.52	0.44	N/A	N/A			
30	FLP	297.00	293.08	1.5	-30.95	30.65	-0.30	N/A	N/A			
31	FLP	307.00	303.08	1.9	-30.78	30.40	-0.38	N/A	N/A			
32	FLP	317.00	313.07	3.4	-30.51	34.34	3.82	N/A	N/A			
33	FLP	327.00	323.07	0.8	-30.30	30.47	0.16	N/A	N/A			
34	FLP	337.00	333.07	1.2	-30.20	29.76	-0.44	N/A	N/A			
35	FLP	347.00	343.07	1.4	-30.07	30.40	0.33	N/A	N/A			
36	FLP	357.00	353.07	1.7	-29.92	30.61	0.69	N/A	N/A			
37	FLP	367.00	363.07	-2.8	-29.97	29.89	-0.08	N/A	N/A			
38	FLP	377.00	373.06	-2.4	-30.23	30.03	-0.20	N/A	N/A			
39	FLP	387.00	383.06	-2.1	-30.46	30.45	-0.01	N/A	N/A			
40	FLP	397.00	393.06	-1.4	-30.63	30.33	-0.30	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.06	-1.2	-30.76	30.94	0.18	N/A	N/A			
42	FLP	417.00	413.06	1.2	-30.76	30.73	-0.04	N/A	N/A			
43	FLP	427.00	423.06	-1.9	-30.80	30.88	0.08	N/A	N/A			
44	FLP	437.00	433.06	-1.4	-30.96	31.98	1.01	N/A	N/A			
45	FLP	447.00	443.05	-6.6	-31.36	31.43	0.07	N/A	N/A			
46	FLP	457.00	453.04	-1.3	-31.76	32.26	0.50	N/A	N/A			
47	FLP	467.00	463.04	2.2	-31.71	31.82	0.11	N/A	N/A			
48	FLP	477.00	473.04	0.9	-31.56	30.61	-0.95	N/A	N/A			
49	LL	487.00	483.02	11.0	-30.96	31.45	0.48	N/A	N/A	N/A	N/A	N/A
50	FLP	497.00	492.96	11.5	-29.85	25.15	-4.70	N/A	N/A			
51	LL	507.00	502.89	11.5	-28.70	29.51	0.80	N/A	N/A	N/A	N/A	N/A
52	LL	517.00	512.79	17.5	-27.27	25.24	-2.03	N/A	N/A	N/A	N/A	N/A
53	LL	527.00	522.57	25.0	-25.19	21.52	-3.67	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.78	29	2	3	4	
2	16.32	37	5	6	7	
3	25.82	9	6	7	7	
4	35.31	70	7	8	10	
5	44.75	273	1	2	3	
6	54.28	43	3	4	4	
7	63.96	50	4	5	5	
8	73.66	67	6	7	7	
9	83.42	50	9	11	13	
10	93.29	62	11	12	12	
11	103.20	73	12	12	13	
12	113.15	55	10	12	13	
13	123.13	52	12	14	14	
14	133.13	82	14	15	15	
15	143.12	46	15	15	16	
16	153.09	47	15	16	16	
17	163.09	49	17	18	19	
18	173.09	52	20	20	21	
19	183.09	40	21	21	22	
20	193.08	45	22	22	22	
21	203.08	75	23	24	24	
22	213.08	25	25	25	26	
23	223.08	36	25	26	26	
24	233.08	48	26	27	27	
25	243.08	55	31	33	34	
26	253.08	34	34	36	37	
27	263.08	33	36	37	38	
28	273.08	583	37	41	46	
29	283.08	293	31	33	38	
30	293.08	115	34	37	37	
31	303.08	33	35	37	37	
32	313.07	64	35	37	40	
33	323.07	253	32	36	38	
34	333.07	103	29	32	33	
35	343.07	32	32	33	34	
36	353.07	62	29	31	31	
37	363.07	177	31	33	35	
38	373.06	153	18	19	20	
39	383.06	98	21	21	22	
40	393.06	207	23	24	26	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.06	43	20	20	21	
42	413.06	109	21	22	23	
43	423.06	95	17	19	20	
44	433.06	228	20	29	150	
45	443.05	88	20	22	23	
46	453.04	121	22	24	25	
47	463.04	53	21	23	23	
48	473.04	46	24	26	26	
49	483.02	84	21	25	26	
50	492.96	249	20	21	23	
51	502.89	4	23	23	23	
52	512.79	64	25	26	27	
53	522.57	39	21	23	24	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

48 data points collected on unit Serial Number: 30183156 in Job 12 on 06/29/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 47


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-24.5	0.00		0.00	N/A	N/A			
1	LL	7.00	6.80	-24.5	-1.67	1.68	0.01	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.49	-26.5	-4.14	4.09	-0.05	N/A	N/A			
3	FLP	27.00	26.17	-25.5	-6.65	6.88	0.23	N/A	N/A			
4	FLP	37.00	35.83	-28.0	-9.24	9.82	0.59	N/A	N/A			
5	FLP	47.00	45.54	-21.5	-11.64	11.81	0.18	N/A	N/A			
6	FLP	57.00	55.41	-10.5	-13.21	13.29	0.08	N/A	N/A			
7	FLP	67.00	65.36	-9.0	-14.18	14.35	0.17	N/A	N/A			
8	FLP	77.00	75.33	-7.2	-14.99	15.22	0.23	N/A	N/A			
9	FLP	87.00	85.32	-2.2	-15.46	15.56	0.10	N/A	N/A			
10	FLP	97.00	95.32	0.0	-15.57	15.60	0.03	N/A	N/A			
11	FLP	107.00	105.32	0.1	-15.56	15.71	0.15	N/A	N/A			
12	FLP	117.00	115.32	0.4	-15.54	15.61	0.07	N/A	N/A			
13	FLP	127.00	125.32	-1.5	-15.59	15.60	0.01	N/A	N/A			
14	FLP	137.00	135.32	-1.0	-15.72	15.92	0.20	N/A	N/A			
15	FLP	147.00	145.32	0.6	-15.74	16.02	0.29	N/A	N/A			
16	FLP	157.00	155.32	1.1	-15.65	16.36	0.71	N/A	N/A			
17	FLP	167.00	165.32	-0.7	-15.63	16.54	0.91	N/A	N/A			
18	FLP	177.00	175.32	2.5	-15.54	16.27	0.72	N/A	N/A			
19	FLP	187.00	185.31	2.3	-15.30	16.28	0.98	N/A	N/A			
20	FLP	197.00	195.31	4.0	-14.99	15.94	0.95	N/A	N/A			
21	FLP	207.00	205.30	4.0	-14.59	15.94	1.35	N/A	N/A			
22	FLP	217.00	215.30	-0.6	-14.42	15.97	1.55	N/A	N/A			
23	FLP	227.00	225.30	-0.6	-14.48	16.18	1.70	N/A	N/A			
24	FLP	237.00	235.30	3.0	-14.36	15.57	1.21	N/A	N/A			
25	FLP	247.00	245.30	1.3	-14.14	15.35	1.21	N/A	N/A			
26	FLP	257.00	255.29	2.4	-13.96	15.07	1.11	N/A	N/A			
27	FLP	267.00	265.29	-1.2	-13.90	14.61	0.71	N/A	N/A			
28	FLP	277.00	275.29	-4.4	-14.18	15.51	1.33	N/A	N/A			
29	FLP	287.00	285.28	-3.4	-14.57	16.06	1.49	N/A	N/A			
30	FLP	297.00	295.28	3.2	-14.58	15.35	0.77	N/A	N/A			
31	FLP	307.00	305.28	0.8	-14.38	15.20	0.82	N/A	N/A			
32	FLP	317.00	315.28	1.5	-14.26	15.23	0.97	N/A	N/A			
33	FLP	327.00	325.28	0.7	-14.15	15.17	1.01	N/A	N/A			
34	FLP	337.00	335.28	1.3	-14.05	15.12	1.06	N/A	N/A			
35	FLP	347.00	345.28	-1.2	-14.05	15.21	1.16	N/A	N/A			
36	FLP	357.00	355.28	-0.2	-14.12	15.44	1.32	N/A	N/A			
37	FLP	367.00	365.28	1.3	-14.06	15.40	1.34	N/A	N/A			
38	FLP	377.00	375.28	2.8	-13.86	15.25	1.39	N/A	N/A			
39	FLP	387.00	385.28	-0.4	-13.74	15.24	1.50	N/A	N/A			
40	FLP	397.00	395.27	-3.0	-13.91	15.67	1.76	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.27	-4.0	-14.26	15.97	1.71	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	415.27	1.0	-14.41	15.84	1.43	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	425.27	2.3	-14.24	14.67	0.42	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	435.26	3.8	-13.94	11.87	-2.07	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	445.23	12.0	-13.15	10.67	-2.49	N/A	N/A	N/A	N/A	N/A
46	FLP	457.00	455.11	20.0	-11.58	12.82	1.25	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	464.81	30.0	-9.16	10.26	1.11	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.80	2	3	3	3	
2	16.49	37	3	4	4	
3	26.17	30	4	4	4	
4	35.83	26	4	4	4	
5	45.54	46	5	6	7	
6	55.41	130	6	7	8	
7	65.36	35	7	8	8	
8	75.33	32	7	8	8	
9	85.32	49	8	9	9	
10	95.32	44	9	10	10	
11	105.32	50	11	12	13	
12	115.32	33	11	12	12	
13	125.32	27	11	12	12	
14	135.32	38	11	12	12	
15	145.32	54	12	12	13	
16	155.32	42	13	13	14	
17	165.32	41	13	14	15	
18	175.32	41	13	14	14	
19	185.31	39	12	13	13	
20	195.31	61	11	11	12	
21	205.30	1	10	N/A	10	
22	215.30	45	12	13	14	
23	225.30	80	15	17	19	
24	235.30	87	16	18	18	
25	245.30	72	15	17	18	
26	255.29	76	9	10	10	
27	265.29	123	11	11	12	
28	275.29	119	11	11	12	
29	285.28	89	11	12	12	
30	295.28	115	12	13	14	
31	305.28	47	13	15	17	
32	315.28	44	12	13	14	
33	325.28	40	13	15	19	
34	335.28	301	11	14	18	
35	345.28	52	13	14	15	
36	355.28	41	16	19	21	
37	365.28	63	17	19	23	
38	375.28	78	18	20	23	
39	385.28	74	17	21	22	
40	395.27	62	16	19	21	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.27	237	12	18	23	
42	415.27	61	11	13	13	
43	425.27	32	12	12	13	
44	435.26	42	11	12	13	
45	445.23	25	9	10	10	
46	455.11	65	10	11	12	
47	464.81	383	10	13	19	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

47 data points collected on unit Serial Number: 30183156 in Job 11 on 06/28/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 46


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.71	-29.5	-2.00	2.08	0.09	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.29	-30.0	-4.85	5.10	0.25	N/A	N/A			
3	FLP	27.00	25.88	-29.5	-7.70	8.24	0.54	N/A	N/A			
4	FLP	37.00	35.49	-28.0	-10.46	11.42	0.96	N/A	N/A			
5	FLP	47.00	45.13	-27.0	-13.11	14.27	1.16	N/A	N/A			
6	FLP	57.00	54.86	-20.5	-15.42	16.30	0.88	N/A	N/A			
7	FLP	67.00	64.70	-16.5	-17.24	18.20	0.96	N/A	N/A			
8	FLP	77.00	74.61	-10.5	-18.58	19.13	0.55	N/A	N/A			
9	FLP	87.00	84.55	-10.0	-19.60	20.39	0.80	N/A	N/A			
10	FLP	97.00	94.53	-4.2	-20.30	20.68	0.37	N/A	N/A			
11	FLP	107.00	104.52	-5.4	-20.78	21.22	0.43	N/A	N/A			
12	FLP	117.00	114.50	-5.8	-21.34	21.74	0.40	N/A	N/A			
13	LL	127.00	124.48	-7.8	-22.02	22.64	0.61	N/A	N/A	N/A	N/A	N/A
14	FLP	137.00	134.47	-1.8	-22.50	22.64	0.14	N/A	N/A			
15	FLP	147.00	144.47	2.7	-22.46	22.56	0.10	N/A	N/A			
16	FLP	157.00	154.46	1.4	-22.25	22.47	0.22	N/A	N/A			
17	FLP	167.00	164.46	2.4	-22.06	22.60	0.54	N/A	N/A			
18	FLP	177.00	174.46	-0.3	-21.96	22.99	1.03	N/A	N/A			
19	FLP	187.00	184.46	0.1	-21.97	22.93	0.96	N/A	N/A			
20	FLP	197.00	194.46	-0.5	-21.99	23.51	1.52	N/A	N/A			
21	FLP	207.00	204.46	0.0	-22.01	23.65	1.64	N/A	N/A			
22	FLP	217.00	214.46	-1.6	-22.09	23.72	1.63	N/A	N/A			
23	FLP	227.00	224.46	3.0	-22.02	23.52	1.50	N/A	N/A			
24	FLP	237.00	234.46	1.7	-21.79	22.59	0.80	N/A	N/A			
25	FLP	247.00	244.46	3.4	-21.53	22.12	0.59	N/A	N/A			
26	FLP	257.00	254.45	-1.1	-21.42	22.63	1.22	N/A	N/A			
27	FLP	267.00	264.45	-0.3	-21.49	22.48	1.00	N/A	N/A			
28	FLP	277.00	274.45	1.5	-21.43	22.38	0.96	N/A	N/A			
29	FLP	287.00	284.45	-0.2	-21.36	23.11	1.75	N/A	N/A			
30	FLP	297.00	294.45	-4.6	-21.60	22.95	1.34	N/A	N/A			
31	FLP	307.00	304.45	-1.0	-21.88	23.24	1.36	N/A	N/A			
32	FLP	317.00	314.45	2.0	-21.83	23.06	1.23	N/A	N/A			
33	FLP	327.00	324.45	1.3	-21.67	23.31	1.64	N/A	N/A			
34	FLP	337.00	334.45	-0.1	-21.61	23.38	1.78	N/A	N/A			
35	FLP	347.00	344.45	0.0	-21.61	23.47	1.86	N/A	N/A			
36	FLP	357.00	354.44	-3.4	-21.78	23.70	1.92	N/A	N/A			
37	FLP	367.00	364.44	-0.3	-21.97	23.86	1.89	N/A	N/A			
38	FLP	377.00	374.44	1.6	-21.90	23.62	1.72	N/A	N/A			
39	FLP	387.00	384.44	2.3	-21.71	23.63	1.92	N/A	N/A			
40	FLP	397.00	394.44	2.3	-21.48	23.57	2.10	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	404.43	3.8	-21.17	23.49	2.32	N/A	N/A			
42	FLP	417.00	414.43	2.5	-20.86	22.43	1.57	N/A	N/A			
43	LL	427.00	424.42	3.4	-20.56	23.07	2.50	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	434.37	17.5	-19.53	16.64	-2.88	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	444.12	28.0	-17.31	15.96	-1.35	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.65	36.0	-14.27	15.16	0.89	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.71	32	2	2	2	
2	16.29	61	2	2	3	
3	25.88	32	3	3	4	
4	35.49	39	4	4	5	
5	45.13	36	5	6	6	
6	54.86	49	6	6	7	
7	64.70	54	5	6	7	
8	74.61	58	7	8	8	
9	84.55	29	8	9	9	
10	94.53	51	10	11	12	
11	104.52	60	11	12	13	
12	114.50	35	11	12	12	
13	124.48	47	12	12	13	
14	134.47	49	13	14	15	
15	144.47	38	13	14	15	
16	154.46	32	12	13	13	
17	164.46	37	13	14	14	
18	174.46	42	14	15	16	
19	184.46	61	15	16	17	
20	194.46	182	13	15	16	
21	204.46	62	17	18	19	
22	214.46	37	16	17	18	
23	224.46	48	16	17	17	
24	234.46	128	15	17	18	
25	244.46	426	16	18	20	
26	254.45	138	18	19	20	
27	264.45	66	18	19	20	
28	274.45	14	17	18	18	
29	284.45	203	15	17	19	
30	294.45	145	17	18	19	
31	304.45	111	20	22	22	
32	314.45	54	18	20	20	
33	324.45	82	18	19	19	
34	334.45	58	17	18	18	
35	344.45	54	17	18	18	
36	354.44	43	17	18	19	
37	364.44	69	18	19	20	
38	374.44	61	18	19	20	
39	384.44	255	12	14	17	
40	394.44	6	15	15	15	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.43	29	15	16	16	
42	414.43	60	16	16	17	
43	424.42	62	16	17	17	
44	434.37	143	16	17	18	
45	444.12	62	14	15	16	
46	453.65	44	15	17	17	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

53 data points collected on unit Serial Number: 30183156 in Job 10 on 06/27/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 52


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-32.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.70	-29.0	-2.04	1.64	-0.41	N/A	N/A			
2	FLP	17.00	16.33	-27.0	-4.74	4.23	-0.51	N/A	N/A			
3	FLP	27.00	25.94	-30.0	-7.48	7.66	0.19	N/A	N/A			
4	FLP	37.00	35.49	-32.0	-10.44	10.97	0.53	N/A	N/A			
5	FLP	47.00	44.99	-34.0	-13.57	14.52	0.94	N/A	N/A			
6	FLP	57.00	54.54	-28.5	-16.55	17.44	0.89	N/A	N/A			
7	FLP	67.00	64.21	-24.0	-19.09	19.78	0.69	N/A	N/A			
8	FLP	77.00	73.93	-24.5	-21.45	22.33	0.88	N/A	N/A			
9	FLP	87.00	83.72	-17.0	-23.48	24.21	0.73	N/A	N/A			
10	FLP	97.00	93.62	-12.0	-24.91	25.28	0.37	N/A	N/A			
11	FLP	107.00	103.55	-11.0	-26.05	26.66	0.61	N/A	N/A			
12	FLP	117.00	113.47	-15.0	-27.34	27.98	0.64	N/A	N/A			
13	FLP	127.00	123.40	-7.6	-28.46	28.40	-0.07	N/A	N/A			
14	FLP	137.00	133.38	-7.4	-29.21	29.52	0.31	N/A	N/A			
15	FLP	147.00	143.34	-8.4	-30.00	30.03	0.03	N/A	N/A			
16	FLP	157.00	153.30	-9.5	-30.89	30.89	0.00	N/A	N/A			
17	FLP	167.00	163.30	0.9	-31.32	30.89	-0.43	N/A	N/A			
18	FLP	177.00	173.30	-0.1	-31.28	31.17	-0.11	N/A	N/A			
19	FLP	187.00	183.30	-1.1	-31.34	31.30	-0.04	N/A	N/A			
20	FLP	197.00	193.29	-2.0	-31.49	31.75	0.25	N/A	N/A			
21	FLP	207.00	203.29	-3.2	-31.75	31.99	0.24	N/A	N/A			
22	FLP	217.00	213.29	1.1	-31.86	32.29	0.43	N/A	N/A			
23	FLP	227.00	223.29	1.6	-31.72	32.10	0.38	N/A	N/A			
24	FLP	237.00	233.29	1.4	-31.57	31.57	-0.01	N/A	N/A			
25	FLP	247.00	243.29	0.1	-31.50	31.81	0.31	N/A	N/A			
26	LL	257.00	253.29	-0.6	-31.52	31.87	0.35	N/A	N/A	N/A	N/A	N/A
27	LL	267.00	263.29	-0.7	-31.59	31.94	0.35	N/A	N/A	N/A	N/A	N/A
28	LL	277.00	273.29	-1.5	-31.70	31.42	-0.28	N/A	N/A	N/A	N/A	N/A
29	FLP	287.00	283.29	-0.6	-31.80	32.88	1.07	N/A	N/A			
30	FLP	297.00	293.29	0.2	-31.82	32.99	1.17	N/A	N/A			
31	FLP	307.00	303.29	1.2	-31.75	32.73	0.97	N/A	N/A			
32	FLP	317.00	313.29	0.7	-31.66	32.66	1.00	N/A	N/A			
33	FLP	327.00	323.28	2.1	-31.52	32.52	1.00	N/A	N/A			
34	FLP	337.00	333.28	1.9	-31.32	32.25	0.93	N/A	N/A			
35	FLP	347.00	343.28	0.6	-31.19	32.29	1.09	N/A	N/A			
36	FLP	357.00	353.28	-0.8	-31.20	32.19	0.99	N/A	N/A			
37	FLP	367.00	363.28	4.4	-31.02	31.83	0.81	N/A	N/A			
38	FLP	377.00	373.27	3.8	-30.61	31.79	1.18	N/A	N/A			
39	FLP	387.00	383.27	-2.0	-30.52	31.74	1.22	N/A	N/A			
40	FLP	397.00	393.27	-1.0	-30.67	31.55	0.87	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.26	-7.0	-31.07	31.61	0.54	N/A	N/A			
42	FLP	417.00	413.26	2.1	-31.32	31.91	0.59	N/A	N/A			
43	FLP	427.00	423.26	-3.0	-31.36	31.65	0.29	N/A	N/A			
44	FLP	437.00	433.26	1.7	-31.43	29.94	-1.48	N/A	N/A			
45	FLP	447.00	443.26	0.6	-31.31	28.12	-3.20	N/A	N/A			
46	FLP	457.00	453.25	7.8	-30.89	28.18	-2.71	N/A	N/A			
47	LL	467.00	463.14	22.5	-29.40	26.41	-2.99	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	472.76	34.0	-26.69	23.05	-3.64	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	482.08	44.0	-23.07	20.08	-2.98	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	491.05	55.0	-18.64	18.16	-0.48	N/A	N/A	N/A	N/A	N/A
51	FLP	507.00	499.72	60.0	-13.66	12.19	-1.46	N/A	N/A			
52	FLP	517.00	508.11	70.0	-8.21	4.31	-3.91	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.70	39	2	3	3	
2	16.33	23	3	3	3	
3	25.94	35	3	3	4	
4	35.49	47	3	4	4	
5	44.99	49	4	4	5	
6	54.54	53	5	6	7	
7	64.21	65	7	7	8	
8	73.93	42	8	9	9	
9	83.72	86	10	12	13	
10	93.62	78	14	15	16	
11	103.55	78	15	16	18	
12	113.47	62	16	17	19	
13	123.40	78	17	19	19	
14	133.38	76	19	20	22	
15	143.34	73	21	23	32	
16	153.30	42	29	39	49	
17	163.30	29	30	30	31	
18	173.30	207	27	31	34	
19	183.30	19	34	35	35	
20	193.29	13	35	36	36	
21	203.29	19	35	35	36	
22	213.29	22	35	36	36	
23	223.29	13	36	36	37	
24	233.29	18	36	37	37	
25	243.29	23	37	37	37	
26	253.29	13	37	38	38	
27	263.29	9	37	38	38	
28	273.29	55	38	38	39	
29	283.29	618	35	40	42	
30	293.29	15	31	32	32	
31	303.29	27	31	32	32	
32	313.29	39	32	32	32	
33	323.28	33	32	32	33	
34	333.28	22	32	33	33	
35	343.28	27	32	33	33	
36	353.28	31	33	34	34	
37	363.28	53	34	38	43	
38	373.27	35	45	46	47	
39	383.27	35	46	47	47	
40	393.27	61	47	48	49	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.26	449	34	38	49	
42	413.26	38	34	35	35	
43	423.26	37	35	35	36	
44	433.26	34	35	36	36	
45	443.26	59	36	37	37	
46	453.25	28	36	37	37	
47	463.14	75	35	36	37	
48	472.76	59	32	34	35	
49	482.08	43	27	30	32	
50	491.05	41	26	27	27	
51	499.72	42	23	25	26	
52	508.11	35	24	24	25	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 9 on 06/23/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.



First Rod Length is 7.00

Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49

Drill Data



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-27.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.77	-25.0	-1.76	4.40	2.63	N/A	N/A			
2	FLP	17.00	16.47	-25.5	-4.21	7.24	3.03	N/A	N/A			
3	FLP	27.00	26.14	-27.5	-6.77	9.93	3.16	N/A	N/A			
4	FLP	37.00	35.88	-19.0	-9.03	11.75	2.72	N/A	N/A			
5	FLP	47.00	45.77	-11.0	-10.51	12.70	2.19	N/A	N/A			
6	FLP	57.00	55.73	-6.0	-11.36	13.48	2.12	N/A	N/A			
7	FLP	67.00	65.71	-6.2	-11.97	14.23	2.27	N/A	N/A			
8	FLP	77.00	75.70	-3.4	-12.45	14.82	2.37	N/A	N/A			
9	FLP	87.00	85.69	-4.6	-12.85	15.25	2.40	N/A	N/A			
10	FLP	97.00	95.68	-6.4	-13.40	16.05	2.66	N/A	N/A			
11	FLP	107.00	105.68	1.1	-13.66	15.92	2.26	N/A	N/A			
12	FLP	117.00	115.67	2.3	-13.49	15.96	2.47	N/A	N/A			
13	FLP	127.00	125.67	0.1	-13.37	16.04	2.67	N/A	N/A			
14	FLP	137.00	135.67	-0.9	-13.41	16.32	2.91	N/A	N/A			
15	FLP	147.00	145.67	-1.0	-13.51	16.63	3.13	N/A	N/A			
16	FLP	157.00	155.67	2.6	-13.43	15.91	2.48	N/A	N/A			
17	FLP	167.00	165.67	4.0	-13.10	17.11	4.02	N/A	N/A			
18	LL	177.00	175.66	4.2	-12.69	15.78	3.10	N/A	N/A	N/A	N/A	N/A
19	FLP	187.00	185.65	2.7	-12.34	15.87	3.53	N/A	N/A			
20	FLP	197.00	195.65	0.9	-12.16	15.91	3.75	N/A	N/A			
21	FLP	207.00	205.65	-0.3	-12.13	15.88	3.75	N/A	N/A			
22	FLP	217.00	215.65	-1.4	-12.22	15.91	3.69	N/A	N/A			
23	FLP	227.00	225.65	0.5	-12.26	15.80	3.54	N/A	N/A			
24	FLP	237.00	235.65	-0.1	-12.24	16.10	3.86	N/A	N/A			
25	FLP	247.00	245.65	1.0	-12.20	16.24	4.04	N/A	N/A			
26	LL	257.00	255.65	0.7	-12.11	15.77	3.66	N/A	N/A	N/A	N/A	N/A
27	FLP	267.00	265.65	0.5	-12.05	15.65	3.60	N/A	N/A			
28	FLP	277.00	275.65	2.4	-11.91	15.45	3.54	N/A	N/A			
29	FLP	287.00	285.64	3.2	-11.63	16.07	4.44	N/A	N/A			
30	FLP	297.00	295.64	-4.0	-11.67	14.66	2.99	N/A	N/A			
31	FLP	307.00	305.64	-2.4	-11.99	14.78	2.79	N/A	N/A			
32	FLP	317.00	315.63	-4.8	-12.35	14.70	2.35	N/A	N/A			
33	FLP	327.00	325.63	0.4	-12.57	15.11	2.54	N/A	N/A			
34	FLP	337.00	335.63	-3.2	-12.71	14.93	2.23	N/A	N/A			
35	FLP	347.00	345.63	-1.4	-12.94	15.20	2.26	N/A	N/A			
36	FLP	357.00	355.63	-1.6	-13.09	15.90	2.81	N/A	N/A			
37	FLP	367.00	365.63	-0.8	-13.21	15.54	2.33	N/A	N/A			
38	FLP	377.00	375.62	4.2	-13.04	15.54	2.50	N/A	N/A			
39	FLP	387.00	385.62	-0.4	-12.85	15.34	2.50	N/A	N/A			
40	FLP	397.00	395.62	-3.8	-13.06	15.81	2.75	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.61	-3.8	-13.44	15.86	2.42	N/A	N/A			
42	FLP	417.00	415.61	2.1	-13.52	14.27	0.75	N/A	N/A			
43	LL	427.00	425.61	2.8	-13.28	14.19	0.91	N/A	N/A	N/A	N/A	N/A
44	FLP	437.00	435.60	4.0	-12.94	11.90	-1.04	N/A	N/A			
45	FLP	447.00	445.58	11.0	-12.19	11.54	-0.65	N/A	N/A			
46	FLP	457.00	455.46	20.0	-10.66	13.01	2.35	N/A	N/A			
47	FLP	467.00	465.26	20.0	-8.70	12.98	4.28	N/A	N/A			
48	LL	477.00	474.98	29.0	-6.32	10.30	3.97	N/A	N/A	N/A	N/A	N/A
49	FLP	487.00	484.46	38.0	-3.15	6.03	2.87	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.77	82	1	2	3	
2	16.47	29	2	3	3	
3	26.14	24	3	3	3	
4	35.88	82	4	4	5	
5	45.77	64	5	6	6	
6	55.73	40	6	7	7	
7	65.71	41	7	7	8	
8	75.70	64	8	8	9	
9	85.69	46	8	9	9	
10	95.68	36	8	9	9	
11	105.68	59	8	9	10	
12	115.67	47	8	9	9	
13	125.67	37	8	8	9	
14	135.67	27	8	9	9	
15	145.67	57	8	8	9	
16	155.67	51	8	9	9	
17	165.67	43	8	8	8	
18	175.66	6	7	7	7	
19	185.65	54	8	9	9	
20	195.65	49	8	9	9	
21	205.65	63	8	9	9	
22	215.65	58	8	9	9	
23	225.65	69	8	9	9	
24	235.65	49	8	9	9	
25	245.65	44	8	9	9	
26	255.65	64	8	9	9	
27	265.65	90	9	9	10	
28	275.65	369	7	9	10	
29	285.64	217	9	9	10	
30	295.64	57	9	10	10	
31	305.64	88	9	10	10	
32	315.63	72	8	9	9	
33	325.63	59	9	9	10	
34	335.63	89	9	9	10	
35	345.63	76	9	10	10	
36	355.63	116	9	10	10	
37	365.63	73	10	10	11	
38	375.62	138	9	10	10	
39	385.62	73	10	11	11	
40	395.62	43	9	10	10	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.61	51	9	10	10	
42	415.61	49	9	10	10	
43	425.61	61	9	10	10	
44	435.60	50	9	10	10	
45	445.58	41	9	10	10	
46	455.46	48	9	10	10	
47	465.26	8	9	10	10	
48	474.98	47	9	10	11	
49	484.46	55	9	10	10	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

47 data points collected on unit Serial Number: 30183156 in Job 8 on 06/22/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 46


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-27.5	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.75	-27.0	-1.84	4.62	2.78	N/A	N/A			
2	FLP	17.00	16.38	-29.0	-4.54	10.85	6.31	N/A	N/A			
3	FLP	27.00	25.99	-29.0	-7.32	13.59	6.27	N/A	N/A			
4	FLP	37.00	35.70	-20.5	-9.72	15.53	5.81	N/A	N/A			
5	FLP	47.00	45.47	-23.0	-11.85	18.12	6.27	N/A	N/A			
6	FLP	57.00	55.29	-15.0	-13.71	19.69	5.98	N/A	N/A			
7	FLP	67.00	65.23	-7.6	-14.83	20.19	5.36	N/A	N/A			
8	FLP	77.00	75.21	-6.2	-15.52	20.88	5.36	N/A	N/A			
9	FLP	87.00	85.18	-7.0	-16.18	21.51	5.34	N/A	N/A			
10	FLP	97.00	95.15	-8.6	-16.96	22.54	5.59	N/A	N/A			
11	FLP	107.00	105.14	0.0	-17.38	22.44	5.06	N/A	N/A			
12	FLP	117.00	115.14	-3.8	-17.57	23.05	5.48	N/A	N/A			
13	FLP	127.00	125.14	-0.2	-17.77	22.98	5.20	N/A	N/A			
14	FLP	137.00	135.14	1.4	-17.71	23.01	5.30	N/A	N/A			
15	FLP	147.00	145.14	2.3	-17.53	22.69	5.17	N/A	N/A			
16	FLP	157.00	155.14	-0.1	-17.42	22.41	5.00	N/A	N/A			
17	FLP	167.00	165.14	-3.6	-17.60	23.59	5.98	N/A	N/A			
18	FLP	177.00	175.13	-1.5	-17.86	23.50	5.64	N/A	N/A			
19	FLP	187.00	185.13	2.0	-17.83	23.64	5.81	N/A	N/A			
20	FLP	197.00	195.13	-1.1	-17.79	23.77	5.98	N/A	N/A			
21	LL	207.00	205.13	1.5	-17.77	23.41	5.64	N/A	N/A	N/A	N/A	N/A
22	LL	217.00	215.13	2.5	-17.57	23.58	6.01	N/A	N/A	N/A	N/A	N/A
23	LL	227.00	225.13	4.0	-17.24	22.13	4.88	N/A	N/A	N/A	N/A	N/A
24	FLP	237.00	235.12	1.2	-16.98	22.50	5.52	N/A	N/A			
25	FLP	247.00	245.12	-3.6	-17.10	22.06	4.96	N/A	N/A			
26	FLP	257.00	255.12	0.5	-17.26	22.37	5.11	N/A	N/A			
27	FLP	267.00	265.12	-1.0	-17.28	21.92	4.64	N/A	N/A			
28	FLP	277.00	275.12	-2.2	-17.44	21.91	4.47	N/A	N/A			
29	FLP	287.00	285.12	-1.1	-17.61	22.09	4.48	N/A	N/A			
30	FLP	297.00	295.12	-1.3	-17.73	22.31	4.58	N/A	N/A			
31	FLP	307.00	305.12	-0.4	-17.81	22.37	4.56	N/A	N/A			
32	FLP	317.00	315.12	-0.6	-17.86	22.66	4.80	N/A	N/A			
33	FLP	327.00	325.12	-1.2	-17.95	22.85	4.89	N/A	N/A			
34	FLP	337.00	335.12	-1.5	-18.09	22.94	4.85	N/A	N/A			
35	FLP	347.00	345.11	-4.6	-18.39	23.60	5.21	N/A	N/A			
36	FLP	357.00	355.11	0.0	-18.62	23.54	4.92	N/A	N/A			
37	FLP	367.00	365.11	-2.9	-18.77	23.82	5.05	N/A	N/A			
38	LL	377.00	375.11	1.4	-18.84	23.57	4.73	N/A	N/A	N/A	N/A	N/A
39	FLP	387.00	385.10	2.5	-18.65	23.25	4.60	N/A	N/A			
40	FLP	397.00	395.10	2.5	-18.40	23.21	4.81	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.10	3.6	-18.09	21.82	3.72	N/A	N/A			
42	FLP	417.00	415.09	3.0	-17.76	19.53	1.77	N/A	N/A			
43	FLP	427.00	425.07	10.0	-17.12	18.43	1.31	N/A	N/A			
44	FLP	437.00	434.97	18.5	-15.71	16.72	1.01	N/A	N/A			
45	LL	447.00	444.60	38.0	-13.01	11.64	-1.37	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.85	44.0	-9.22	7.15	-2.07	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.75	502	0	1	3	
2	16.38	62	5	7	9	
3	25.99	37	8	10	11	
4	35.70	62	10	11	12	
5	45.47	40	11	13	14	
6	55.29	65	13	14	16	
7	65.23	60	13	15	15	
8	75.21	41	14	15	16	
9	85.18	46	15	17	17	
10	95.15	35	15	17	18	
11	105.14	48	16	18	19	
12	115.14	43	16	17	17	
13	125.14	51	15	18	18	
14	135.14	55	15	17	18	
15	145.14	48	15	17	17	
16	155.14	62	14	16	18	
17	165.14	52	13	14	14	
18	175.13	140	14	15	16	
19	185.13	54	13	15	15	
20	195.13	46	13	14	14	
21	205.13	45	12	14	14	
22	215.13	49	12	13	13	
23	225.13	86	12	13	13	
24	235.12	61	12	13	13	
25	245.12	289	9	11	12	
26	255.12	80	12	12	12	
27	265.12	44	12	12	13	
28	275.12	49	12	12	13	
29	285.12	48	12	13	13	
30	295.12	47	12	13	13	
31	305.12	44	12	13	13	
32	315.12	49	12	13	13	
33	325.12	48	12	13	13	
34	335.12	59	12	13	14	
35	345.11	43	13	13	14	
36	355.11	51	13	14	14	
37	365.11	38	13	14	14	
38	375.11	48	13	14	14	
39	385.10	170	12	13	14	
40	395.10	4	13	13	13	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.10	39	14	14	15	
42	415.09	33	14	14	15	
43	425.07	62	14	15	15	
44	434.97	51	14	14	15	
45	444.60	145	12	13	14	
46	453.85	44	11	12	12	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

47 data points collected on unit Serial Number: 30183156 in Job 7 on 06/21/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 46


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-30.0	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.71	-29.5	-2.00	5.09	3.09	N/A	N/A			
2	FLP	17.00	16.29	-30.0	-4.85	8.20	3.35	N/A	N/A			
3	FLP	27.00	25.85	-32.0	-7.81	11.91	4.10	N/A	N/A			
4	FLP	37.00	35.34	-34.0	-10.94	15.34	4.40	N/A	N/A			
5	FLP	47.00	44.91	-26.5	-13.83	17.87	4.04	N/A	N/A			
6	FLP	57.00	54.67	-18.5	-16.03	19.59	3.56	N/A	N/A			
7	FLP	67.00	64.52	-16.5	-17.75	21.52	3.77	N/A	N/A			
8	FLP	77.00	74.40	-15.0	-19.31	22.94	3.63	N/A	N/A			
9	FLP	87.00	84.27	-17.5	-20.91	24.76	3.85	N/A	N/A			
10	FLP	97.00	94.17	-11.0	-22.32	25.80	3.48	N/A	N/A			
11	FLP	107.00	104.11	-11.0	-23.41	26.85	3.44	N/A	N/A			
12	FLP	117.00	114.06	-9.5	-24.43	27.57	3.14	N/A	N/A			
13	FLP	127.00	124.02	-8.8	-25.34	28.74	3.40	N/A	N/A			
14	FLP	137.00	133.99	-7.0	-26.13	29.67	3.54	N/A	N/A			
15	FLP	147.00	143.97	-5.4	-26.75	30.22	3.47	N/A	N/A			
16	FLP	157.00	153.95	-4.8	-27.26	31.04	3.78	N/A	N/A			
17	FLP	167.00	163.94	-6.4	-27.82	31.13	3.32	N/A	N/A			
18	FLP	177.00	173.93	-0.4	-28.16	31.68	3.53	N/A	N/A			
19	FLP	187.00	183.93	-1.6	-28.26	30.88	2.62	N/A	N/A			
20	LL	197.00	193.93	-2.6	-28.47	32.29	3.83	N/A	N/A	N/A	N/A	N/A
21	LL	207.00	203.93	-3.0	-28.75	33.25	4.50	N/A	N/A	N/A	N/A	N/A
22	FLP	217.00	213.92	-3.0	-29.05	32.84	3.79	N/A	N/A			
23	FLP	227.00	223.92	2.3	-29.08	33.25	4.17	N/A	N/A			
24	LL	237.00	233.92	1.9	-28.87	32.49	3.62	N/A	N/A	N/A	N/A	N/A
25	LL	247.00	243.92	0.0	-28.78	32.83	4.05	N/A	N/A	N/A	N/A	N/A
26	FLP	257.00	253.92	-1.2	-28.84	32.32	3.49	N/A	N/A			
27	FLP	267.00	263.92	-0.4	-28.92	31.73	2.81	N/A	N/A			
28	FLP	277.00	273.92	1.0	-28.89	31.21	2.32	N/A	N/A			
29	FLP	287.00	283.92	-0.3	-28.85	31.45	2.60	N/A	N/A			
30	FLP	297.00	293.92	-1.0	-28.92	31.93	3.01	N/A	N/A			
31	FLP	307.00	303.92	-1.4	-29.04	31.52	2.49	N/A	N/A			
32	FLP	317.00	313.92	-0.8	-29.15	31.84	2.69	N/A	N/A			
33	FLP	327.00	323.92	-0.9	-29.23	32.23	3.00	N/A	N/A			
34	FLP	337.00	333.92	-0.5	-29.30	32.24	2.94	N/A	N/A			
35	FLP	347.00	343.92	-0.1	-29.33	32.86	3.53	N/A	N/A			
36	FLP	357.00	353.92	-0.1	-29.34	32.30	2.96	N/A	N/A			
37	FLP	367.00	363.92	-0.2	-29.36	32.36	3.01	N/A	N/A			
38	FLP	377.00	373.92	-0.7	-29.40	32.52	3.12	N/A	N/A			
39	FLP	387.00	383.92	-0.6	-29.47	32.85	3.39	N/A	N/A			
40	FLP	397.00	393.92	-0.8	-29.54	32.41	2.88	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.92	-0.7	-29.61	32.65	3.04	N/A	N/A			
42	FLP	417.00	413.91	7.6	-29.27	30.52	1.25	N/A	N/A			
43	FLP	427.00	423.85	13.5	-28.22	27.59	-0.63	N/A	N/A			
44	FLP	437.00	433.71	20.5	-26.54	26.00	-0.54	N/A	N/A			
45	LL	447.00	443.34	36.0	-23.84	19.96	-3.88	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	452.45	55.0	-19.72	11.24	-8.49	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.71	29	1	2	3	
2	16.29	42	3	4	5	
3	25.85	31	5	6	7	
4	35.34	36	8	9	11	
5	44.91	67	10	11	12	
6	54.67	60	11	12	12	
7	64.52	43	13	14	15	
8	74.40	44	14	15	16	
9	84.27	53	15	16	17	
10	94.17	82	15	16	20	
11	104.11	52	16	17	18	
12	114.06	48	17	18	19	
13	124.02	66	18	19	20	
14	133.99	46	18	20	21	
15	143.97	60	19	20	21	
16	153.95	54	20	22	29	
17	163.94	25	31	42	45	
18	173.93	120	25	40	80	
19	183.93	18	55	69	85	
20	193.93	24	46	67	90	
21	203.93	59	58	70	85	
22	213.92	3	49	50	50	
23	223.92	118	44	49	62	
24	233.92	111	52	68	85	
25	243.92	128	43	53	67	
26	253.92	73	56	66	70	
27	263.92	50	63	76	85	
28	273.92	47	68	85	90	
29	283.92	32	76	87	100	
30	293.92	28	76	91	105	
31	303.92	24	78	94	100	
32	313.92	17	69	95	105	
33	323.92	26	70	91	105	
34	333.92	27	74	95	110	
35	343.92	18	94	109	115	
36	353.92	22	76	94	110	
37	363.92	27	79	93	95	
38	373.92	16	70	83	90	
39	383.92	19	69	80	85	
40	393.92	32	59	79	115	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.92	17	72	87	90	
42	413.91	50	67	76	90	
43	423.85	76	58	69	80	
44	433.71	61	52	60	80	
45	443.34	336	36	44	60	
46	452.45	128	29	39	48	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

52 data points collected on unit Serial Number: 30183156 in Job 6 on 06/17/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 51

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-29.5	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.72	-29.0	-1.97	4.95	2.99	N/A	N/A			
2	FLP	17.00	16.34	-28.0	-4.71	7.96	3.26	N/A	N/A			
3	FLP	27.00	25.97	-27.5	-7.38	10.90	3.52	N/A	N/A			
4	LL	37.00	35.61	-28.0	-10.05	14.18	4.13	N/A	N/A	N/A	N/A	N/A
5	FLP	47.00	45.22	-29.0	-12.79	17.06	4.27	N/A	N/A			
6	FLP	57.00	54.93	-21.0	-15.22	18.83	3.62	N/A	N/A			
7	FLP	67.00	64.71	-21.5	-17.30	20.98	3.69	N/A	N/A			
8	FLP	77.00	74.48	-21.5	-19.40	23.25	3.85	N/A	N/A			
9	FLP	87.00	84.34	-13.5	-21.12	24.51	3.39	N/A	N/A			
10	FLP	97.00	94.25	-13.5	-22.46	26.01	3.56	N/A	N/A			
11	FLP	107.00	104.15	-14.0	-23.82	27.44	3.63	N/A	N/A			
12	FLP	117.00	114.11	-4.8	-24.75	27.91	3.16	N/A	N/A			
13	FLP	127.00	124.10	-3.6	-25.17	28.11	2.94	N/A	N/A			
14	FLP	137.00	134.09	-3.2	-25.51	28.98	3.47	N/A	N/A			
15	FLP	147.00	144.09	-1.8	-25.76	29.22	3.46	N/A	N/A			
16	FLP	157.00	154.09	-0.9	-25.90	29.37	3.47	N/A	N/A			
17	FLP	167.00	164.09	-1.1	-26.00	29.51	3.51	N/A	N/A			
18	FLP	177.00	174.09	-2.0	-26.15	29.38	3.23	N/A	N/A			
19	FLP	187.00	184.09	-1.0	-26.30	29.13	2.83	N/A	N/A			
20	FLP	197.00	194.08	-6.0	-26.65	30.73	4.08	N/A	N/A			
21	FLP	207.00	204.06	-7.2	-27.31	31.51	4.20	N/A	N/A			
22	FLP	217.00	214.06	1.2	-27.61	31.45	3.84	N/A	N/A			
23	LL	227.00	224.05	0.2	-27.54	31.32	3.78	N/A	N/A	N/A	N/A	N/A
24	FLP	237.00	234.05	1.2	-27.47	31.75	4.28	N/A	N/A			
25	FLP	247.00	244.05	0.7	-27.37	31.98	4.60	N/A	N/A			
26	FLP	257.00	254.05	0.3	-27.32	31.62	4.30	N/A	N/A			
27	LL	267.00	264.05	-4.4	-27.53	31.40	3.87	N/A	N/A	N/A	N/A	N/A
28	FLP	277.00	274.05	-0.3	-27.76	31.24	3.47	N/A	N/A			
29	FLP	287.00	284.04	-5.8	-28.07	32.59	4.52	N/A	N/A			
30	FLP	297.00	294.03	-4.2	-28.57	33.51	4.95	N/A	N/A			
31	FLP	307.00	304.03	3.2	-28.62	34.22	5.60	N/A	N/A			
32	FLP	317.00	314.03	3.0	-28.31	34.94	6.63	N/A	N/A			
33	LL	327.00	324.02	2.9	-28.01	33.88	5.87	N/A	N/A	N/A	N/A	N/A
34	LL	337.00	334.02	3.4	-27.70	34.36	6.67	N/A	N/A	N/A	N/A	N/A
35	FLP	347.00	344.01	4.4	-27.31	34.20	6.89	N/A	N/A			
36	LL	357.00	354.00	2.1	-26.98	33.29	6.31	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	364.00	2.5	-26.75	33.55	6.80	N/A	N/A			
38	LL	377.00	374.00	0.7	-26.59	32.88	6.29	N/A	N/A	N/A	N/A	N/A
39	FLP	387.00	383.99	7.4	-26.19	33.20	7.01	N/A	N/A			
40	FLP	397.00	393.99	-2.0	-25.92	31.06	5.14	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.99	-0.2	-26.03	31.25	5.22	N/A	N/A			
42	FLP	417.00	413.99	-0.3	-26.06	31.68	5.62	N/A	N/A			
43	FLP	427.00	423.99	-1.5	-26.15	31.48	5.33	N/A	N/A			
44	FLP	437.00	433.99	-0.1	-26.23	30.62	4.39	N/A	N/A			
45	FLP	447.00	443.99	0.0	-26.23	30.33	4.10	N/A	N/A			
46	FLP	457.00	453.99	1.4	-26.16	28.56	2.40	N/A	N/A			
47	LL	467.00	463.98	7.2	-25.73	30.26	4.53	N/A	N/A	N/A	N/A	N/A
48	FLP	477.00	473.91	15.5	-24.60	25.37	0.77	N/A	N/A			
49	LL	487.00	483.67	30.0	-22.40	20.58	-1.82	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	493.14	38.0	-19.18	17.70	-1.49	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	502.48	38.0	-15.63	17.73	2.10	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.72	46	2	3	5	
2	16.34	26	4	6	6	
3	25.97	34	6	8	8	
4	35.61	39	8	9	10	
5	45.22	31	10	11	12	
6	54.93	58	10	11	12	
7	64.71	41	12	14	14	
8	74.48	46	14	15	15	
9	84.34	78	14	15	16	
10	94.25	45	15	16	17	
11	104.15	53	17	18	19	
12	114.11	69	17	18	19	
13	124.10	51	17	18	19	
14	134.09	53	18	20	22	
15	144.09	55	19	20	21	
16	154.09	54	19	20	22	
17	164.09	50	19	21	22	
18	174.09	43	20	21	25	
19	184.09	49	20	22	26	
20	194.08	47	22	27	37	
21	204.06	37	42	58	75	
22	214.06	38	53	76	115	
23	224.05	37	74	106	125	
24	234.05	29	75	94	100	
25	244.05	19	70	87	90	
26	254.05	25	68	85	90	
27	264.05	58	65	82	115	
28	274.05	98	60	74	105	
29	284.04	100	53	63	85	
30	294.03	43	56	73	95	
31	304.03	20	66	84	115	
32	314.03	27	70	89	110	
33	324.02	96	53	67	120	
34	334.02	306	31	36	42	
35	344.01	75	37	38	39	
36	354.00	80	36	38	39	
37	364.00	223	34	36	38	
38	374.00	75	31	33	36	
39	383.99	614	25	33	72	
40	393.99	429	24	29	40	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.99	62	21	24	32	
42	413.99	113	23	27	32	
43	423.99	85	26	30	37	
44	433.99	303	18	24	36	
45	443.99	60	31	34	37	
46	453.99	65	32	34	36	
47	463.98	95	33	38	41	
48	473.91	91	34	38	43	
49	483.67	124	28	32	37	
50	493.14	41	22	27	31	
51	502.48	3	19	26	24	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

50 data points collected on unit Serial Number: 30183156 in Job 5 on 06/16/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 49


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.5	0.00		0.00	N/A	N/A			
1	FLP	7.00	6.73	-28.5	-1.92	4.77	2.85	N/A	N/A			
2	FLP	17.00	16.41	-23.5	-4.43	7.45	3.02	N/A	N/A			
3	FLP	27.00	26.12	-26.0	-6.84	10.04	3.21	N/A	N/A			
4	FLP	37.00	35.89	-17.5	-8.96	11.69	2.74	N/A	N/A			
5	FLP	47.00	45.79	-11.0	-10.37	12.57	2.20	N/A	N/A			
6	FLP	57.00	55.72	-13.0	-11.56	14.05	2.49	N/A	N/A			
7	FLP	67.00	65.68	-5.2	-12.46	14.35	1.89	N/A	N/A			
8	FLP	77.00	75.66	-7.8	-13.11	15.11	2.00	N/A	N/A			
9	FLP	87.00	85.65	-1.8	-13.59	15.08	1.48	N/A	N/A			
10	FLP	97.00	95.64	-1.2	-13.74	15.09	1.35	N/A	N/A			
11	FLP	107.00	105.64	-2.6	-13.93	15.39	1.46	N/A	N/A			
12	FLP	117.00	115.64	-0.7	-14.10	15.63	1.53	N/A	N/A			
13	FLP	127.00	125.64	-1.9	-14.23	16.22	2.00	N/A	N/A			
14	FLP	137.00	135.64	-0.9	-14.37	16.10	1.73	N/A	N/A			
15	FLP	147.00	145.64	-1.3	-14.48	16.36	1.89	N/A	N/A			
16	FLP	157.00	155.64	-3.0	-14.69	17.16	2.47	N/A	N/A			
17	FLP	167.00	165.64	1.8	-14.75	16.80	2.05	N/A	N/A			
18	FLP	177.00	175.63	3.0	-14.51	16.55	2.04	N/A	N/A			
19	FLP	187.00	185.63	2.7	-14.23	16.34	2.11	N/A	N/A			
20	FLP	197.00	195.63	2.5	-13.97	16.05	2.09	N/A	N/A			
21	FLP	207.00	205.62	1.1	-13.79	16.01	2.23	N/A	N/A			
22	FLP	217.00	215.62	1.0	-13.68	16.00	2.32	N/A	N/A			
23	LL	227.00	225.62	-2.3	-13.75	16.37	2.62	N/A	N/A	N/A	N/A	N/A
24	FLP	237.00	235.62	4.2	-13.65	15.79	2.13	N/A	N/A			
25	FLP	247.00	245.61	4.0	-13.24	15.30	2.06	N/A	N/A			
26	LL	257.00	255.61	0.6	-13.01	15.21	2.20	N/A	N/A	N/A	N/A	N/A
27	LL	267.00	265.61	0.4	-12.96	16.49	3.53	N/A	N/A	N/A	N/A	N/A
28	LL	277.00	275.61	0.4	-12.92	16.40	3.48	N/A	N/A	N/A	N/A	N/A
29	FLP	287.00	285.61	2.5	-12.78	17.22	4.45	N/A	N/A			
30	FLP	297.00	295.61	0.0	-12.65	16.26	3.61	N/A	N/A			
31	FLP	307.00	305.61	0.4	-12.63	16.56	3.93	N/A	N/A			
32	FLP	317.00	315.61	1.4	-12.54	16.74	4.20	N/A	N/A			
33	LL	327.00	325.61	-1.5	-12.55	16.62	4.08	N/A	N/A	N/A	N/A	N/A
34	LL	337.00	335.61	-2.0	-12.72	16.95	4.23	N/A	N/A	N/A	N/A	N/A
35	LL	347.00	345.61	2.2	-12.71	16.07	3.36	N/A	N/A	N/A	N/A	N/A
36	LL	357.00	355.61	1.6	-12.52	15.32	2.80	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	365.61	-1.1	-12.50	18.22	5.72	N/A	N/A			
38	LL	377.00	375.61	0.4	-12.53	14.94	2.41	N/A	N/A	N/A	N/A	N/A
39	LL	387.00	385.61	0.2	-12.50	14.60	2.10	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	395.60	-3.4	-12.66	14.81	2.15	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	405.60	-2.4	-12.95	14.59	1.64	N/A	N/A			
42	FLP	417.00	415.60	-4.0	-13.27	15.79	2.52	N/A	N/A			
43	LL	427.00	425.59	-0.9	-13.52	15.90	2.38	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	435.59	-1.9	-13.66	13.99	0.33	N/A	N/A	N/A	N/A	N/A
45	FLP	447.00	445.59	7.6	-13.37	12.79	-0.58	N/A	N/A			
46	FLP	457.00	455.55	9.5	-12.52	11.82	-0.70	N/A	N/A			
47	FLP	467.00	465.48	15.0	-11.30	11.42	0.11	N/A	N/A			
48	FLP	477.00	475.37	15.0	-9.82	11.29	1.47	N/A	N/A			
49	FLP	487.00	485.24	16.5	-8.27	11.68	3.42	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.73	85	0	0	1	
2	16.41	70	0	0	1	
3	26.12	85	0	0	1	
4	35.89	58	2	3	3	
5	45.79	48	3	3	4	
6	55.72	51	3	4	4	
7	65.68	58	4	5	5	
8	75.66	240	4	5	5	
9	85.65	46	6	7	9	
10	95.64	7	6	6	6	
11	105.64	39	7	7	8	
12	115.64	40	8	9	9	
13	125.64	42	9	9	9	
14	135.64	38	9	9	9	
15	145.64	28	9	9	9	
16	155.64	52	9	9	10	
17	165.64	48	10	10	11	
18	175.63	41	10	11	11	
19	185.63	43	10	10	10	
20	195.63	41	9	9	9	
21	205.62	86	9	11	11	
22	215.62	49	10	11	11	
23	225.62	52	10	10	10	
24	235.62	39	11	12	12	
25	245.61	45	11	13	12	
26	255.61	50	12	12	13	
27	265.61	51	13	14	14	
28	275.61	34	13	14	14	
29	285.61	50	14	15	15	
30	295.61	52	13	14	14	
31	305.61	198	7	9	13	
32	315.61	43	11	13	13	
33	325.61	57	11	13	13	
34	335.61	64	13	14	14	
35	345.61	50	13	14	16	
36	355.61	85	14	16	18	
37	365.61	60	15	17	19	
38	375.61	79	14	16	17	
39	385.61	66	14	16	17	
40	395.60	61	15	17	18	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.60	137	15	17	19	
42	415.60	340	8	11	14	
43	425.59	44	12	14	14	
44	435.59	49	9	12	14	
45	445.59	36	8	9	11	
46	455.55	38	7	8	9	
47	465.48	32	7	8	9	
48	475.37	5	6	6	6	
49	485.24	30	6	7	7	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

49 data points collected on unit Serial Number: 30183156 in Job 4 on 06/15/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 48

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.5	0.00		0.00	N/A	N/A			
1	LL	7.00	6.73	-28.5	-1.92	5.17	3.25	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.36	-27.5	-4.61	7.87	3.25	N/A	N/A			
3	FLP	27.00	25.98	-29.0	-7.33	11.21	3.87	N/A	N/A			
4	FLP	37.00	35.70	-19.5	-9.69	13.03	3.35	N/A	N/A			
5	FLP	47.00	45.49	-22.5	-11.74	15.12	3.38	N/A	N/A			
6	FLP	57.00	55.23	-24.0	-14.00	17.85	3.84	N/A	N/A			
7	FLP	67.00	65.04	-16.0	-15.96	18.92	2.96	N/A	N/A			
8	FLP	77.00	74.97	-8.2	-17.16	19.87	2.70	N/A	N/A			
9	FLP	87.00	84.94	-7.4	-17.94	20.63	2.69	N/A	N/A			
10	FLP	97.00	94.90	-9.5	-18.78	21.78	3.00	N/A	N/A			
11	FLP	107.00	104.88	-1.7	-19.34	21.73	2.39	N/A	N/A			
12	FLP	117.00	114.88	-1.1	-19.48	22.19	2.71	N/A	N/A			
13	FLP	127.00	124.88	-1.4	-19.61	22.76	3.15	N/A	N/A			
14	FLP	137.00	134.88	-0.3	-19.69	22.58	2.89	N/A	N/A			
15	FLP	147.00	144.88	-1.9	-19.80	23.04	3.24	N/A	N/A			
16	FLP	157.00	154.88	-3.4	-20.06	23.77	3.70	N/A	N/A			
17	FLP	167.00	164.88	0.1	-20.23	23.93	3.70	N/A	N/A			
18	FLP	177.00	174.88	-3.4	-20.39	24.45	4.05	N/A	N/A			
19	FLP	187.00	184.87	1.5	-20.49	23.82	3.33	N/A	N/A			
20	FLP	197.00	194.87	2.6	-20.28	23.57	3.29	N/A	N/A			
21	FLP	207.00	204.87	-0.4	-20.17	23.70	3.52	N/A	N/A			
22	FLP	217.00	214.87	-1.8	-20.28	24.09	3.80	N/A	N/A			
23	FLP	227.00	224.87	1.1	-20.32	23.93	3.61	N/A	N/A			
24	FLP	237.00	234.87	0.7	-20.23	24.07	3.84	N/A	N/A			
25	FLP	247.00	244.87	-2.5	-20.32	23.59	3.27	N/A	N/A			
26	FLP	257.00	254.87	-2.1	-20.55	24.26	3.71	N/A	N/A			
27	FLP	267.00	264.87	1.5	-20.58	28.12	7.54	N/A	N/A			
28	FLP	277.00	274.87	-0.3	-20.52	26.35	5.83	N/A	N/A			
29	FLP	287.00	284.87	2.2	-20.42	25.32	4.90	N/A	N/A			
30	FLP	297.00	294.87	-4.0	-20.51	24.93	4.42	N/A	N/A			
31	FLP	307.00	304.87	1.6	-20.63	24.98	4.35	N/A	N/A			
32	LL	317.00	314.87	-0.5	-20.58	25.57	4.99	N/A	N/A	N/A	N/A	N/A
33	FLP	327.00	324.87	-1.4	-20.67	24.44	3.77	N/A	N/A			
34	LL	337.00	334.86	-1.4	-20.81	25.73	4.92	N/A	N/A	N/A	N/A	N/A
35	FLP	347.00	344.86	-2.8	-21.02	25.61	4.59	N/A	N/A			
36	FLP	357.00	354.86	-2.8	-21.30	26.56	5.26	N/A	N/A			
37	FLP	367.00	364.85	-5.2	-21.70	27.42	5.72	N/A	N/A			
38	LL	377.00	374.85	-0.8	-22.00	26.98	4.98	N/A	N/A	N/A	N/A	N/A
39	LL	387.00	384.85	-0.3	-22.06	27.32	5.26	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	394.85	0.3	-22.06	27.29	5.23	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	404.85	-1.8	-22.13	28.06	5.93	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	414.85	2.4	-22.10	27.34	5.23	N/A	N/A	N/A	N/A	N/A
43	FLP	427.00	424.84	0.4	-21.96	25.26	3.29	N/A	N/A			
44	FLP	437.00	434.84	-1.8	-22.03	23.34	1.30	N/A	N/A			
45	FLP	447.00	444.84	-0.7	-22.16	22.84	0.68	N/A	N/A			
46	FLP	457.00	454.83	12.0	-21.60	22.25	0.65	N/A	N/A			
47	FLP	467.00	464.73	15.5	-20.24	20.28	0.05	N/A	N/A			
48	LL	477.00	474.54	24.5	-18.28	18.68	0.40	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.73	1	1	N/A	1	
2	16.36	38	1	2	2	
3	25.98	31	1	1	1	
4	35.70	78	3	5	8	
5	45.49	45	7	8	9	
6	55.23	39	9	10	10	
7	65.04	50	9	10	11	
8	74.97	47	9	10	10	
9	84.94	42	9	10	10	
10	94.90	44	10	11	11	
11	104.88	61	10	11	12	
12	114.88	46	10	11	11	
13	124.88	47	11	12	13	
14	134.88	59	12	13	13	
15	144.88	55	12	12	12	
16	154.88	57	13	14	14	
17	164.88	114	13	14	15	
18	174.88	35	14	15	16	
19	184.87	54	13	15	16	
20	194.87	39	14	15	15	
21	204.87	74	14	15	15	
22	214.87	45	13	14	15	
23	224.87	56	14	15	17	
24	234.87	44	14	16	16	
25	244.87	45	15	16	16	
26	254.87	89	15	17	17	
27	264.87	132	16	18	20	
28	274.87	42	17	18	18	
29	284.87	67	18	20	21	
30	294.87	52	18	19	20	
31	304.87	76	18	20	23	
32	314.87	73	17	20	21	
33	324.87	55	17	20	20	
34	334.86	6	19	19	19	
35	344.86	67	18	19	22	
36	354.86	65	17	18	19	
37	364.85	54	17	19	20	
38	374.85	79	18	21	24	
39	384.85	70	19	22	24	
40	394.85	69	19	22	23	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.85	56	20	22	24	
42	414.85	301	13	17	23	
43	424.84	70	20	22	27	
44	434.84	176	21	24	31	
45	444.84	80	22	25	29	
46	454.83	81	21	25	29	
47	464.73	73	20	23	27	
48	474.54	56	19	22	27	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

52 data points collected on unit Serial Number: 30183156 in Job 3 on 06/13/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00

Total number of rods 51


Drill Data

Profile Chart



Blue: Drill Path -- Green: Calculated Terrain

Pressure Chart



Green: Average Pressure -- Blue: High Pressure -- Gold: Max Pressure

Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-27.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.76	-27.0	-1.82	5.15	3.33	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.38	-29.5	-4.54	7.93	3.39	N/A	N/A			
3	FLP	27.00	25.97	-30.0	-7.39	11.10	3.70	N/A	N/A			
4	FLP	37.00	35.54	-30.0	-10.27	14.63	4.37	N/A	N/A			
5	FLP	47.00	45.12	-30.0	-13.14	17.93	4.78	N/A	N/A			
6	FLP	57.00	54.79	-23.0	-15.70	20.15	4.45	N/A	N/A			
7	FLP	67.00	64.50	-26.0	-18.08	22.60	4.52	N/A	N/A			
8	FLP	77.00	74.28	-17.5	-20.20	23.99	3.79	N/A	N/A			
9	FLP	87.00	84.10	-20.5	-22.07	26.06	4.00	N/A	N/A			
10	FLP	97.00	93.97	-12.5	-23.69	27.27	3.57	N/A	N/A			
11	LL	107.00	103.94	-2.7	-24.45	27.26	2.81	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	113.93	-3.0	-24.73	27.37	2.64	N/A	N/A			
13	FLP	127.00	123.92	-6.8	-25.22	28.01	2.79	N/A	N/A			
14	FLP	137.00	133.91	-3.8	-25.75	29.98	4.23	N/A	N/A			
15	FLP	147.00	143.90	-3.2	-26.10	29.74	3.63	N/A	N/A			
16	FLP	157.00	153.90	-0.1	-26.27	29.96	3.70	N/A	N/A			
17	FLP	167.00	163.90	-5.4	-26.54	31.16	4.62	N/A	N/A			
18	PO	177.00	173.88	-6.4	-27.13		4.05	N/A	N/A			
19	FLP	187.00	183.86	-6.4	-27.77	31.19	3.42	N/A	N/A			
20	FLP	197.00	193.84	-6.6	-28.42	32.34	3.92	N/A	N/A			
21	FLP	207.00	203.82	-3.8	-28.94	32.63	3.69	N/A	N/A			
22	FLP	217.00	213.82	-1.3	-29.19	32.56	3.37	N/A	N/A			
23	FLP	227.00	223.82	1.4	-29.19	32.99	3.81	N/A	N/A			
24	FLP	237.00	233.82	2.6	-28.99	31.84	2.85	N/A	N/A			
25	FLP	247.00	243.82	1.1	-28.80	31.59	2.78	N/A	N/A			
26	FLP	257.00	253.82	-3.4	-28.92	31.97	3.05	N/A	N/A			
27	FLP	267.00	263.81	-2.7	-29.22	32.02	2.80	N/A	N/A			
28	FLP	277.00	273.81	-1.1	-29.41	31.13	1.72	N/A	N/A			
29	LL	287.00	283.81	-5.0	-29.72	33.33	3.61	N/A	N/A	N/A	N/A	N/A
30	LL	297.00	293.79	-5.6	-30.25	36.17	5.92	N/A	N/A	N/A	N/A	N/A
31	LL	307.00	303.79	-0.5	-30.55	34.61	4.06	N/A	N/A	N/A	N/A	N/A
32	LL	317.00	313.79	3.2	-30.42	35.94	5.52	N/A	N/A	N/A	N/A	N/A
33	FLP	327.00	323.79	-0.6	-30.29	37.03	6.75	N/A	N/A			
34	FLP	337.00	333.78	-1.1	-30.37	36.38	6.01	N/A	N/A			
35	LL	347.00	343.78	-2.5	-30.55	35.45	4.90	N/A	N/A	N/A	N/A	N/A
36	LL	357.00	353.78	-0.9	-30.72	35.72	5.00	N/A	N/A	N/A	N/A	N/A
37	FLP	367.00	363.78	-0.5	-30.79	36.99	6.20	N/A	N/A			
38	FLP	377.00	373.78	1.0	-30.77	36.72	5.95	N/A	N/A			
39	LL	387.00	383.78	-0.5	-30.74	35.59	4.85	N/A	N/A	N/A	N/A	N/A
40	FLP	397.00	393.78	-0.8	-30.81	36.05	5.24	N/A	N/A			

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	FLP	407.00	403.78	0.2	-30.84	37.16	6.32	N/A	N/A			
42	LL	417.00	413.78	-0.8	-30.87	36.48	5.61	N/A	N/A	N/A	N/A	N/A
43	PO	427.00	423.78	1.5	-30.83		5.34	N/A	N/A			
44	PO	437.00	433.78	1.5	-30.68		5.19	N/A	N/A			
45	LL	447.00	443.78	1.5	-30.53	35.56	5.03	N/A	N/A	N/A	N/A	N/A
46	FLP	457.00	453.78	1.3	-30.39	29.95	-0.45	N/A	N/A			
47	FLP	467.00	463.78	1.4	-30.26	31.69	1.44	N/A	N/A			
48	FLP	477.00	473.77	7.2	-29.83	30.62	0.79	N/A	N/A			
49	FLP	487.00	483.71	14.0	-28.77	29.29	0.52	N/A	N/A			
50	LL	497.00	493.55	23.0	-26.96	27.60	0.64	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	503.01	46.0	-23.73	21.22	-2.51	N/A	N/A	N/A	N/A	N/A

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.76	1	3	N/A	3	
2	16.38	25	3	4	4	
3	25.97	29	4	5	5	
4	35.54	132	6	6	8	
5	45.12	36	8	9	9	
6	54.79	68	10	11	12	
7	64.50	35	10	11	11	
8	74.28	80	13	15	15	
9	84.10	39	14	15	15	
10	93.97	58	15	17	18	
11	103.94	22	14	15	16	
12	113.93	59	16	17	18	
13	123.92	55	16	17	17	
14	133.91	61	16	18	18	
15	143.90	473	2	7	14	
16	153.90	99	15	16	19	
17	163.90	65	20	26	43	
18	173.88	41	27	36	50	
19	183.86	2	41	47	45	
20	193.84	37	34	44	46	
21	203.82	35	37	46	50	
22	213.82	32	43	53	57	
23	223.82	37	43	54	58	
24	233.82	47	48	59	64	
25	243.82	60	54	66	71	
26	253.82	27	64	78	90	
27	263.81	25	51	61	68	
28	273.81	35	48	58	64	
29	283.81	59	64	77	95	
30	293.79	32	60	69	71	
31	303.79	76	63	69	80	
32	313.79	38	67	77	80	
33	323.79	70	71	84	110	
34	333.78	203	48	58	85	
35	343.78	323	47	56	80	
36	353.78	54	37	42	52	
37	363.78	66	49	66	100	
38	373.78	69	50	63	85	
39	383.78	43	53	63	80	
40	393.78	73	50	67	90	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.78	284	36	49	100	
42	413.78	111	54	65	90	
43	423.78	105	56	73	115	
44	433.78	2	60	61	61	
45	443.78	9	54	56	58	
46	453.78	83	61	77	110	
47	463.78	34	65	81	105	
48	473.77	41	58	71	80	
49	483.71	254	37	48	95	
50	493.55	85	42	48	54	
51	503.01	101	38	45	49	



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

49 data points collected on unit Serial Number: 30183156 in Job 2 on 06/10/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 48

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-28.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.74	-28.0	-1.89	4.96	3.08	N/A	N/A	N/A	N/A	N/A
2	FLP	17.00	16.36	-28.5	-4.61	7.93	3.33	N/A	N/A			
3	FLP	27.00	26.09	-19.5	-6.94	9.83	2.89	N/A	N/A			
4	FLP	37.00	35.96	-13.0	-8.54	10.83	2.30	N/A	N/A			
5	FLP	47.00	45.87	-13.5	-9.85	12.11	2.26	N/A	N/A			
6	LL	57.00	55.76	-17.5	-11.38	14.00	2.62	N/A	N/A	N/A	N/A	N/A
7	FLP	67.00	65.66	-11.0	-12.79	14.68	1.89	N/A	N/A			
8	LL	77.00	75.63	-3.4	-13.51	14.74	1.23	N/A	N/A	N/A	N/A	N/A
9	FLP	87.00	85.63	-2.7	-13.81	14.81	1.00	N/A	N/A			
10	FLP	97.00	95.62	-3.6	-14.13	15.10	0.97	N/A	N/A			
11	LL	107.00	105.61	-4.4	-14.53	15.74	1.21	N/A	N/A	N/A	N/A	N/A
12	FLP	117.00	115.61	1.8	-14.66	15.76	1.10	N/A	N/A			
13	FLP	127.00	125.61	0.5	-14.54	16.00	1.46	N/A	N/A			
14	LL	137.00	135.61	-1.2	-14.58	16.11	1.53	N/A	N/A	N/A	N/A	N/A
15	FLP	147.00	145.61	0.5	-14.61	16.24	1.63	N/A	N/A			
16	FLP	157.00	155.61	0.6	-14.56	16.17	1.62	N/A	N/A			
17	FLP	167.00	165.61	-0.5	-14.55	15.92	1.36	N/A	N/A			
18	FLP	177.00	175.61	3.6	-14.40	15.54	1.14	N/A	N/A			
19	FLP	187.00	185.61	1.4	-14.15	15.97	1.82	N/A	N/A			
20	FLP	197.00	195.60	2.3	-13.96	16.37	2.41	N/A	N/A			
21	FLP	207.00	205.60	0.0	-13.85	16.27	2.43	N/A	N/A			
22	LL	217.00	215.60	0.2	-13.84	16.34	2.51	N/A	N/A	N/A	N/A	N/A
23	FLP	227.00	225.60	-2.4	-13.95	16.50	2.55	N/A	N/A			
24	FLP	237.00	235.60	0.4	-14.05	16.28	2.23	N/A	N/A			
25	FLP	247.00	245.60	0.8	-13.99	15.86	1.87	N/A	N/A			
26	FLP	257.00	255.60	0.4	-13.93	18.06	4.13	N/A	N/A			
27	FLP	267.00	265.60	-2.6	-14.04	18.60	4.56	N/A	N/A			
28	FLP	277.00	275.60	0.5	-14.14	18.01	3.87	N/A	N/A			
29	FLP	287.00	285.60	-0.8	-14.16	18.58	4.42	N/A	N/A			
30	LL	297.00	295.60	-1.7	-14.28	18.71	4.43	N/A	N/A	N/A	N/A	N/A
31	LL	307.00	305.60	-1.0	-14.42	18.76	4.34	N/A	N/A	N/A	N/A	N/A
32	FLP	317.00	315.60	3.6	-14.29	15.66	1.37	N/A	N/A			
33	FLP	327.00	325.60	0.5	-14.08	15.65	1.57	N/A	N/A			
34	FLP	337.00	335.60	-1.9	-14.15	15.90	1.75	N/A	N/A			
35	FLP	347.00	345.59	-4.2	-14.46	16.40	1.94	N/A	N/A			
36	BL	357.00	355.59	x -1.3	-14.74		1.80	N/A	N/A			
37	FLP	367.00	365.59	1.5	-14.73	16.66	1.93	N/A	N/A			
38	FLP	377.00	375.59	-2.9	-14.80	16.34	1.54	N/A	N/A			
39	LL	387.00	385.59	2.1	-14.84	16.97	2.13	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	395.59	-1.1	-14.79	17.35	2.56	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.58	-3.6	-15.02	16.25	1.23	N/A	N/A	N/A	N/A	N/A
42	FLP	417.00	415.57	-5.8	-15.49	16.87	1.37	N/A	N/A			
43	FLP	427.00	425.57	-0.3	-15.80	14.56	-1.23	N/A	N/A			
44	FLP	437.00	435.57	-1.3	-15.88	15.09	-0.79	N/A	N/A			
45	FLP	447.00	445.57	4.6	-15.71	15.31	-0.40	N/A	N/A			
46	FLP	457.00	455.52	14.5	-14.76	13.41	-1.36	N/A	N/A			
47	FLP	467.00	465.34	24.5	-12.85	11.85	-1.01	N/A	N/A			
48	FLP	477.00	474.99	30.0	-10.23	10.40	0.17	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.74	1	5	N/A	5	
2	16.36	30	5	6	7	
3	26.09	62	6	7	8	
4	35.96	89	6	7	8	
5	45.87	38	7	8	8	
6	55.76	45	8	8	8	
7	65.66	48	8	9	9	
8	75.63	49	8	9	9	
9	85.63	280	8	20	210	
10	95.62	26	9	10	10	
11	105.61	54	9	10	10	
12	115.61	44	10	11	11	
13	125.61	42	9	10	10	
14	135.61	46	9	10	10	
15	145.61	45	9	9	9	
16	155.61	37	9	10	10	
17	165.61	43	9	10	10	
18	175.61	122	10	11	11	
19	185.61	36	9	11	11	
20	195.60	43	8	9	9	
21	205.60	43	9	9	9	
22	215.60	51	10	11	11	
23	225.60	55	11	12	12	
24	235.60	276	8	9	11	
25	245.60	39	9	10	10	
26	255.60	37	9	10	10	
27	265.60	46	9	10	10	
28	275.60	62	9	10	11	
29	285.60	42	9	10	10	
30	295.60	50	10	11	11	
31	305.60	59	10	12	12	
32	315.60	71	8	9	9	
33	325.60	46	9	10	10	
34	335.60	59	8	8	8	
35	345.59	47	8	8	9	
36	355.59	47	9	9	9	
37	365.59	70	10	11	11	
38	375.59	61	9	10	10	
39	385.59	68	6	7	7	
40	395.59	70	7	8	8	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.58	327	6	7	9	
42	415.57	109	8	9	10	
43	425.57	82	9	10	10	
44	435.57	55	10	11	11	
45	445.57	89	9	10	11	
46	455.52	175	10	12	13	
47	465.34	68	13	14	15	
48	474.99	65	10	11	11	