

DataLog® Drill Report

Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 10/13/22

Job Last Edited Date 12/19/22 3:56 PM

Customer Information

Company Hartsock

Address 9200 CR 6

City Independence

State/Province MN

Contractor Information

Name

Contact

Address

Work Phone

Cell Phone



Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



FalconF5_30188000_Job_00006



Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-32.0%		0' 0"	PO	N/A	0' 0"
1	-36.0%	2' 3"	7' 4"	LL	2 psi	7' 9"
2	-42.0%	5' 5"	16' 8"	LL	7 psi	17' 9"
3	-46.0%	9' 1"	25' 10"	LL	16 psi	27' 9"
4	-32.0%	12' 0"	35' 2"	LL	28 psi	37' 9"
5	-19.5%	13' 7"	44' 10"	LL	50 psi	47' 9"
6	-8.8%	14' 4"	54' 9"	LL	52 psi	57' 9"
7	1.5%	14' 3"	64' 9"	LL	62 psi	67' 9"
8	2.3%	14' 0"	74' 9"	LL	59 psi	77' 9"
9	2.4%	13' 11"	84' 8"	LL	58 psi	87' 9"
10	1.0%	13' 10"	94' 8"	LL	55 psi	97' 9"
11	1.1%	13' 9"	104' 8"	LL	62 psi	107' 9"
12	2.8%	13' 9"	114' 8"	LL	60 psi	117' 9"
13	1.4%	13' 11"	124' 8"	LL	58 psi	127' 9"
14	2.9%	13' 11"	134' 8"	LL	55 psi	137' 9"
15	3.8%	14' 0"	144' 8"	LL	54 psi	147' 9"
16	5.0%	13' 9"	154' 8"	LL	59 psi	157' 9"
17	4.8%	13' 6"	164' 8"	LL	64 psi	167' 9"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	7.2%	13' 4"	174' 8"	LL	52 psi	177' 9"
19	8.0%	12' 9"	184' 8"	LL	65 psi	187' 9"
20	9.0%	12' 7"	194' 7"	LL	70 psi	197' 9"
21	5.4%	12' 8"	204' 7"	LL	73 psi	207' 9"
22	7.6%	12' 10"	214' 7"	LL	54 psi	217' 9"
23	7.0%	13' 2"	224' 6"	LL	60 psi	227' 9"
24	7.8%	13' 6"	234' 6"	LL	58 psi	237' 9"
25	7.6%	13' 8"	244' 6"	LL	60 psi	247' 9"
26	7.4%	13' 11"	254' 5"	LL	60 psi	257' 9"
27	8.0%	14' 1"	264' 5"	LL	73 psi	267' 9"
28	8.2%	14' 0"	274' 4"	LL	70 psi	277' 9"
29	8.8%	13' 6"	284' 4"	LL	54 psi	287' 9"
30	21.5%	11' 11"	294' 3"	LL	49 psi	297' 9"
31	30.0%	9' 6"	303' 11"	LL	31 psi	307' 9"
32	30.0%	9' 6"	313' 6"	LL	5 psi	317' 9"
33	40.0%	6' 1"	322' 11"	LL	28 psi	327' 9"
34	42.0%	2' 7"	332' 2"	LL	8 psi	337' 9"