

DataLog® Drill Report

Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/27/22

Job Last Edited Date 8/18/22 7:06 AM

Customer Information

Company

Address

Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



FalconF5_30188000_Job_00015



Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-22.0%		0' 0"	PO	N/A	0' 0"
1	-24.5%	2' 6"	6' 10"	LL	0 psi	7' 0"
2	-27.5%	5' 11"	16' 6"	LL	0 psi	17' 0"
3	-25.5%	9' 1"	26' 2"	LL	8 psi	27' 0"
4	-24.5%	11' 10"	35' 10"	LL	18 psi	37' 0"
5	-16.0%	13' 7"	45' 8"	LL	19 psi	47' 0"
6	-6.4%	14' 8"	55' 7"	LL	24 psi	57' 0"
7	-6.8%	15' 10"	65' 7"	LL	36 psi	67' 0"
8	-0.8%	16' 1"	75' 7"	LL	37 psi	77' 0"
9	-0.1%	16' 1"	85' 7"	LL	30 psi	87' 0"
10	-0.5%	16' 4"	95' 7"	LL	31 psi	97' 0"
11	2.3%	16' 2"	105' 7"	LL	30 psi	107' 0"
12	1.1%	15' 3"	115' 7"	LL	25 psi	117' 0"
13	0.2%	13' 1"	125' 7"	LL	31 psi	127' 0"
14	0.7%	11' 1"	135' 7"	LL	32 psi	137' 0"
15	-1.4%	9' 6"	145' 7"	LL	32 psi	147' 0"
16	-1.5%	8' 9"	155' 7"	LL	44 psi	157' 0"
17	-0.3%	8' 5"	165' 7"	LL	37 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-0.3%	8' 4"	175' 7"	LL	45 psi	177' 0"
19	0.6%	8' 5"	185' 7"	LL	46 psi	187' 0"
20	-0.1%	8' 4"	195' 7"	LL	51 psi	197' 0"
21	0.1%	8' 5"	205' 7"	LL	50 psi	207' 0"
22	-0.5%	8' 7"	215' 7"	LL	37 psi	217' 0"
23	-0.8%	8' 7"	225' 7"	LL	51 psi	227' 0"
24	-0.2%	8' 9"	235' 7"	LL	51 psi	237' 0"
25	0.5%	8' 8"	245' 7"	LL	45 psi	247' 0"
26	1.7%	8' 7"	255' 7"	LL	37 psi	257' 0"
27	0.1%	8' 7"	265' 7"	LL	37 psi	267' 0"
28	0.5%	8' 10"	275' 7"	LL	41 psi	277' 0"
29	0.0%	8' 11"	285' 7"	LL	46 psi	287' 0"
30	0.2%	9' 0"	295' 7"	LL	51 psi	297' 0"
31	-0.1%	8' 10"	305' 7"	LL	61 psi	307' 0"
32	-0.3%	8' 9"	315' 7"	LL	50 psi	317' 0"
33	-0.7%	8' 11"	325' 7"	LL	53 psi	327' 0"
34	0.1%	8' 10"	335' 7"	LL	52 psi	337' 0"
35	0.3%	8' 10"	345' 7"	LL	50 psi	347' 0"
36	0.5%	8' 11"	355' 7"	LL	39 psi	357' 0"
37	1.2%	8' 9"	365' 7"	LL	41 psi	367' 0"
38	1.5%	8' 6"	375' 7"	LL	33 psi	377' 0"
39	-2.0%	8' 8"	385' 7"	LL	40 psi	387' 0"
40	-0.5%	8' 6"	395' 7"	LL	31 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	0.3%	8' 3"	405' 7"	LL	33 psi	407' 0"
42	1.5%	8' 3"	415' 7"	LL	56 psi	417' 0"
43	0.4%	8' 3"	425' 7"	LL	35 psi	427' 0"
44	-0.6%	7' 9"	435' 7"	LL	33 psi	437' 0"
45	-1.2%	7' 9"	445' 7"	LL	39 psi	447' 0"
46	-1.2%	7' 11"	455' 7"	LL	18 psi	457' 0"
47	0.2%	8' 4"	465' 7"	LL	29 psi	467' 0"
48	11.0%	7' 6"	475' 7"	LL	24 psi	477' 0"
49	19.0%	5' 10"	485' 5"	LL	22 psi	487' 0"
50	28.5%	5' 8"	495' 2"	LL	14 psi	497' 0"
51	46.0%	3' 5"	504' 7"	LL	12 psi	507' 0"
52	44.0%		513' 8"	PO	5 psi	517' 0"