

# DataLog® Drill Report

## Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/16/22

Job Last Edited Date 8/17/22 4:47 PM

## Customer Information

Company

Address

## Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


## Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



# FalconF5\_30188000\_Job\_00004



# Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-18.0%		0' 0"	PO	N/A	0' 0"
1	-23.0%	2' 4"	6' 10"	LL	0 psi	7' 0"
2	-36.0%	6' 1"	16' 5"	LL	0 psi	17' 0"
3	-48.0%	10' 9"	25' 8"	LL	4 psi	27' 0"
4	-46.0%	15' 4"	34' 9"	LL	13 psi	37' 0"
5	-30.0%	19' 1"	44' 1"	LL	14 psi	47' 0"
6	-17.5%	21' 7"	53' 10"	LL	37 psi	57' 0"
7	-9.5%	23' 9"	63' 9"	LL	47 psi	67' 0"
8	3.6%		73' 9"	PO	46 psi	77' 0"
9	4.2%	24' 1"	83' 9"	LL	66 psi	87' 0"
10	-1.8%	24' 10"	93' 9"	LL	65 psi	97' 0"
11	-0.7%	24' 9"	103' 9"	LL	52 psi	107' 0"
12	-0.3%	24' 10"	113' 9"	LL	52 psi	117' 0"
13	-0.1%	24' 9"	123' 9"	LL	43 psi	127' 0"
14	-0.2%	24' 9"	133' 9"	LL	57 psi	137' 0"
15	1.3%	23' 0"	143' 9"	LL	53 psi	147' 0"
16	1.6%	21' 10"	153' 8"	LL	57 psi	157' 0"
17	1.5%	21' 3"	163' 8"	LL	54 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-1.0%	21' 0"	173' 8"	LL	57 psi	177' 0"
19	-0.3%	21' 1"	183' 8"	LL	52 psi	187' 0"
20	-0.9%	21' 1"	193' 8"	LL	50 psi	197' 0"
21	-1.2%	21' 10"	203' 8"	LL	53 psi	207' 0"
22	0.4%	21' 9"	213' 8"	LL	47 psi	217' 0"
23	1.1%	22' 0"	223' 8"	LL	44 psi	227' 0"
24	1.0%	21' 9"	233' 8"	LL	39 psi	237' 0"
25	-2.5%	22' 5"	243' 8"	LL	47 psi	247' 0"
26	-3.4%	22' 2"	253' 8"	LL	50 psi	257' 0"
27	-0.8%	22' 3"	263' 8"	LL	57 psi	267' 0"
28	-0.2%	21' 10"	273' 8"	LL	57 psi	277' 0"
29	-0.2%	21' 10"	283' 8"	LL	45 psi	287' 0"
30	-0.5%	21' 6"	293' 8"	LL	37 psi	297' 0"
31	-0.2%	21' 7"	303' 8"	LL	44 psi	307' 0"
32	0.0%	21' 10"	313' 8"	LL	47 psi	317' 0"
33	-0.9%	21' 10"	323' 8"	LL	47 psi	327' 0"
34	-1.1%	21' 11"	333' 8"	LL	55 psi	337' 0"
35	-1.0%	22' 2"	343' 8"	LL	66 psi	347' 0"
36	0.0%	22' 4"	353' 8"	LL	75 psi	357' 0"
37	0.2%	22' 2"	363' 8"	LL	78 psi	367' 0"
38	0.0%	22' 2"	373' 8"	LL	58 psi	377' 0"
39	-0.7%	21' 11"	383' 8"	LL	48 psi	387' 0"
40	0.1%	21' 8"	393' 8"	LL	44 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	-2.6%	21' 3"	403' 8"	LL	42 psi	407' 0"
42	-1.1%	21' 2"	413' 8"	LL	53 psi	417' 0"
43	1.3%	20' 11"	423' 8"	LL	68 psi	427' 0"
44	0.0%	21' 3"	433' 8"	LL	54 psi	437' 0"
45	12.0%	20' 7"	443' 8"	LL	43 psi	447' 0"
46	19.0%	19' 5"	453' 7"	LL	44 psi	457' 0"
47	28.5%	17' 10"	463' 3"	LL	49 psi	467' 0"
48	40.0%	14' 11"	472' 9"	LL	53 psi	477' 0"
49	40.0%	14' 11"	482' 0"	LL	59 psi	487' 0"
50	60.0%	10' 2"	491' 0"	LL	41 psi	497' 0"
51	70.0%	4' 2"	499' 5"	LL	13 psi	507' 0"
52	70.0%	0' 5"	507' 7"	LL	1 psi	517' 0"