

# DataLog® Drill Report

## Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/23/22

Job Last Edited Date 8/18/22 7:04 AM

## Customer Information

Company

Address

## Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


## Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



# FalconF5\_30188000\_Job\_00013



# Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-18.5%		0' 0"	PO	N/A	0' 0"
1	-21.0%	1' 11"	6' 10"	LL	0 psi	7' 0"
2	-30.0%	5' 5"	16' 7"	LL	1 psi	17' 0"
3	-40.0%	9' 11"	26' 0"	LL	9 psi	27' 0"
4	-48.0%	14' 11"	35' 2"	LL	13 psi	37' 0"
5	-50.0%	20' 0"	44' 2"	LL	46 psi	47' 0"
6	-38.0%	24' 1"	53' 4"	LL	56 psi	57' 0"
7	-30.0%	27' 8"	62' 9"	LL	48 psi	67' 0"
8	-16.0%	30' 2"	72' 6"	LL	44 psi	77' 0"
9	-9.5%	31' 9"	82' 5"	LL	51 psi	87' 0"
10	-1.7%	32' 2"	92' 5"	LL	58 psi	97' 0"
11	0.4%	32' 5"	102' 5"	LL	44 psi	107' 0"
12	-0.1%	32' 8"	112' 5"	LL	42 psi	117' 0"
13	0.6%	31' 9"	122' 5"	LL	35 psi	127' 0"
14	-0.2%	29' 6"	132' 5"	LL	39 psi	137' 0"
15	-0.5%	27' 2"	142' 5"	LL	43 psi	147' 0"
16	0.1%	25' 8"	152' 5"	LL	47 psi	157' 0"
17	-0.4%	24' 11"	162' 5"	LL	46 psi	167' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-0.8%	24' 6"	172' 5"	LL	33 psi	177' 0"
19	-1.2%	24' 5"	182' 5"	LL	40 psi	187' 0"
20	-1.2%	24' 8"	192' 5"	LL	36 psi	197' 0"
21	-0.7%	24' 11"	202' 5"	LL	33 psi	207' 0"
22	-0.3%	25' 3"	212' 5"	LL	37 psi	217' 0"
23	-0.7%	25' 4"	222' 5"	LL	31 psi	227' 0"
24	-0.5%	25' 7"	232' 5"	LL	33 psi	237' 0"
25	-0.6%	25' 9"	242' 5"	LL	44 psi	247' 0"
26	1.5%	25' 8"	252' 5"	LL	40 psi	257' 0"
27	0.5%	25' 8"	262' 5"	LL	41 psi	267' 0"
28	2.5%	25' 6"	272' 5"	LL	44 psi	277' 0"
29	0.2%	25' 5"	282' 5"	LL	44 psi	287' 0"
30	1.1%	25' 7"	292' 5"	LL	42 psi	297' 0"
31	0.7%	25' 8"	302' 5"	LL	40 psi	307' 0"
32	2.6%	25' 6"	312' 5"	LL	43 psi	317' 0"
33	2.2%	25' 1"	322' 5"	LL	44 psi	327' 0"
34	1.1%	25' 2"	332' 5"	LL	31 psi	337' 0"
35	1.5%	25' 0"	342' 5"	LL	44 psi	347' 0"
36	1.8%	25' 0"	352' 5"	LL	37 psi	357' 0"
37	-0.9%	25' 2"	362' 5"	LL	42 psi	367' 0"
38	-1.6%	25' 0"	372' 5"	LL	37 psi	377' 0"
39	-1.2%	25' 0"	382' 5"	LL	40 psi	387' 0"
40	-0.8%	25' 3"	392' 5"	LL	24 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	0.3%	24' 11"	402' 5"	LL	48 psi	407' 0"
42	1.1%	25' 1"	412' 5"	LL	34 psi	417' 0"
43	5.0%	24' 10"	422' 5"	LL	31 psi	427' 0"
44	3.0%	23' 11"	432' 5"	LL	30 psi	437' 0"
45	1.5%	23' 11"	442' 5"	LL	28 psi	447' 0"
46	-1.0%	23' 10"	452' 5"	LL	26 psi	457' 0"
47	10.0%	22' 9"	462' 4"	LL	28 psi	467' 0"
48	20.0%	21' 3"	472' 3"	LL	36 psi	477' 0"
49	30.0%	18' 7"	482' 0"	LL	49 psi	487' 0"
50	40.0%	17' 1"	491' 5"	LL	47 psi	497' 0"
51	50.0%	14' 6"	500' 6"	LL	40 psi	507' 0"
52	55.0%	10' 3"	509' 5"	LL	20 psi	517' 0"
53	65.0%	5' 9"	518' 0"	LL	19 psi	527' 0"
54	70.0%	4' 1"	526' 3"	LL	10 psi	537' 0"
55	70.0%		534' 5"	PO	2 psi	547' 0"