

DataLog® Drill Report

Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/21/22

Job Last Edited Date 8/17/22 4:47 PM

Customer Information

Company

Address

Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



FalconF5_30188000_Job_00010



Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-20.0%		0' 0"	PO	N/A	0' 0"
1	-24.0%	2' 7"	6' 10"	LL	0 psi	7' 0"
2	-38.0%	6' 8"	16' 5"	LL	1 psi	17' 0"
3	-48.0%	12' 1"	25' 7"	LL	10 psi	27' 0"
4	-48.0%	17' 4"	34' 7"	LL	38 psi	37' 0"
5	-50.0%	22' 6"	43' 7"	LL	58 psi	47' 0"
6	-40.0%	26' 3"	52' 8"	LL	55 psi	57' 0"
7	-32.0%	29' 8"	62' 1"	LL	49 psi	67' 0"
8	-20.0%	32' 2"	71' 9"	LL	49 psi	77' 0"
9	-15.0%	33' 8"	81' 8"	LL	45 psi	87' 0"
10	-7.6%	35' 1"	91' 7"	LL	53 psi	97' 0"
11	-3.6%	35' 9"	101' 7"	LL	49 psi	107' 0"
12	0.1%	35' 7"	111' 7"	LL	43 psi	117' 0"
13	2.7%	35' 3"	121' 7"	LL	46 psi	127' 0"
14	-0.3%	34' 0"	131' 7"	LL	40 psi	137' 0"
15	1.1%	32' 6"	141' 7"	LL	54 psi	147' 0"
16	4.4%	30' 11"	151' 7"	LL	27 psi	157' 0"
17	-0.5%	29' 0"	161' 7"	LL	29 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-3.4%	28' 10"	171' 7"	LL	35 psi	177' 0"
19	-4.8%	28' 10"	181' 7"	LL	53 psi	187' 0"
20	-3.2%	29' 1"	191' 6"	LL	45 psi	197' 0"
21	-3.2%	29' 2"	201' 6"	LL	45 psi	207' 0"
22	1.9%	28' 10"	211' 6"	LL	43 psi	217' 0"
23	-0.4%	29' 2"	221' 6"	LL	39 psi	227' 0"
24	-2.5%	29' 8"	231' 6"	LL	45 psi	237' 0"
25	-4.6%	30' 1"	241' 6"	LL	33 psi	247' 0"
26	-3.6%	30' 11"	251' 6"	LL	28 psi	257' 0"
27	-1.8%	31' 7"	261' 6"	LL	25 psi	267' 0"
28	4.6%	31' 10"	271' 6"	LL	20 psi	277' 0"
29	10.0%	31' 4"	281' 6"	LL	17 psi	287' 0"
30	9.5%	30' 2"	291' 5"	LL	23 psi	297' 0"
31	2.8%	29' 8"	301' 5"	LL	36 psi	307' 0"
32	0.1%	29' 3"	311' 5"	LL	35 psi	317' 0"
33	-2.4%	29' 3"	321' 5"	LL	37 psi	327' 0"
34	-2.3%	29' 2"	331' 5"	LL	42 psi	337' 0"
35	-1.7%	29' 6"	341' 5"	LL	42 psi	347' 0"
36	-1.5%	29' 6"	351' 5"	LL	36 psi	357' 0"
37	-0.7%	29' 6"	361' 5"	LL	41 psi	367' 0"
38	1.2%	29' 6"	371' 5"	LL	22 psi	377' 0"
39	0.4%	29' 2"	381' 5"	LL	21 psi	387' 0"
40	-0.3%	29' 2"	391' 5"	LL	24 psi	397' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	0.2%	28' 11"	401' 5"	LL	23 psi	407' 0"
42	0.1%	28' 8"	411' 5"	LL	25 psi	417' 0"
43	3.2%	28' 3"	421' 5"	LL	21 psi	427' 0"
44	8.2%	27' 7"	431' 5"	LL	17 psi	437' 0"
45	7.0%	26' 6"	441' 4"	LL	19 psi	447' 0"
46	6.6%	26' 0"	451' 4"	LL	20 psi	457' 0"
47	10.5%	25' 4"	461' 4"	LL	20 psi	467' 0"
48	16.0%	23' 8"	471' 3"	LL	23 psi	477' 0"
49	28.5%	20' 11"	481' 0"	LL	27 psi	487' 0"
50	40.0%	18' 0"	490' 5"	LL	54 psi	497' 0"
51	50.0%	15' 1"	499' 7"	LL	65 psi	507' 0"
52	55.0%	12' 3"	508' 5"	LL	28 psi	517' 0"
53	55.0%	7' 9"	517' 2"	LL	17 psi	527' 0"
54	70.0%	1' 5"	525' 8"	LL	8 psi	537' 0"
55	70.0%	1' 9"	533' 10"	LL	0 psi	547' 0"