



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

55 data points collected on unit Serial Number: 30188000 in Job 36 on 07/27/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 54

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-20.0	0.00		0.00	N/A	N/A			
1	LL	7.00	6.84	-24.0	-1.50	2.55	1.04	N/A	N/A	44.937915	-95.697225	7.24
2	LL	17.00	16.57	-23.0	-3.79	5.84	2.05	N/A	N/A	44.937888	-95.697220	17.46
3	LL	27.00	26.30	-25.0	-6.12	8.73	2.60	N/A	N/A	44.937836	-95.697236	27.73
4	LL	37.00	36.00	-24.5	-8.53	11.81	3.28	N/A	N/A	44.937886	-95.697166	37.91
5	LL	47.00	45.72	-24.0	-10.88	14.33	3.44	N/A	N/A	44.937805	-95.697222	47.98
6	LL	57.00	55.55	-13.0	-12.70	15.58	2.88	N/A	N/A	44.937780	-95.697218	56.90
7	LL	67.00	65.53	-1.4	-13.41	16.03	2.62	N/A	N/A	44.937750	-95.697224	65.68
8	LL	77.00	75.53	0.6	-13.45	15.83	2.37	N/A	N/A	44.937736	-95.697212	75.47
9	LL	87.00	85.53	-1.0	-13.47	16.10	2.62	N/A	N/A	44.937697	-95.697213	85.64
10	LL	97.00	95.53	-1.1	-13.58	16.09	2.51	N/A	N/A	44.937691	-95.697215	95.65
11	LL	107.00	105.53	0.7	-13.60	15.69	2.09	N/A	N/A	44.937639	-95.697219	105.46
12	LL	117.00	115.53	0.8	-13.52	13.86	0.34	N/A	N/A	44.937560	-95.697260	115.45
13	LL	127.00	125.53	0.0	-13.48	11.08	-2.40	N/A	N/A	44.937600	-95.697216	125.53
14	LL	137.00	135.53	-0.3	-13.50	9.43	-4.07	N/A	N/A	44.937577	-95.697218	135.55
15	LL	147.00	145.53	-0.7	-13.55	7.82	-5.73	N/A	N/A	44.937345	-95.697339	145.56
16	LL	157.00	155.53	1.2	-13.52	7.04	-6.49	N/A	N/A	44.937522	-95.697217	155.47
17	LL	167.00	165.53	0.3	-13.45	6.66	-6.79	N/A	N/A	44.937498	-95.697221	165.51
18	LL	177.00	175.53	-1.0	-13.48	5.64	-7.85	N/A	N/A	44.937469	-95.697213	175.57
19	LL	187.00	185.53	0.8	-13.49	5.94	-7.56	N/A	N/A	44.937437	-95.697214	185.50
20	LL	197.00	195.53	0.9	-13.41	6.59	-6.82	N/A	N/A	44.937412	-95.697217	195.49
21	LL	207.00	205.53	1.3	-13.30	6.22	-7.07	N/A	N/A	44.937380	-95.697203	205.47
22	LL	217.00	215.53	1.3	-13.17	6.32	-6.85	N/A	N/A	44.937468	-95.697118	215.47
23	LL	227.00	225.52	2.3	-12.99	6.55	-6.44	N/A	N/A	44.937317	-95.697206	225.42
24	LL	237.00	235.52	-0.5	-12.90	6.17	-6.73	N/A	N/A	44.937287	-95.697204	235.54
25	LL	247.00	245.52	2.1	-12.82	5.85	-6.97	N/A	N/A	44.937269	-95.697202	245.44
26	LL	257.00	255.52	2.9	-12.57	5.90	-6.67	N/A	N/A	44.937230	-95.697203	255.41
27	LL	267.00	265.52	0.5	-12.40	5.90	-6.50	N/A	N/A	44.937619	-95.696958	265.50
28	LL	277.00	275.52	-0.1	-12.38	5.77	-6.61	N/A	N/A	44.937193	-95.697194	275.52
29	LL	287.00	285.52	-0.4	-12.40	5.79	-6.62	N/A	N/A	44.937077	-95.697261	285.53
30	LL	297.00	295.52	-0.5	-12.45	5.83	-6.62	N/A	N/A	44.937132	-95.697200	295.54
31	LL	307.00	305.52	-0.3	-12.49	5.31	-7.18	N/A	N/A	44.937109	-95.697193	305.53
32	LL	317.00	315.52	-1.0	-12.55	5.14	-7.41	N/A	N/A	44.937021	-95.697244	315.55
33	LL	327.00	325.52	-2.5	-12.73	5.13	-7.60	N/A	N/A	44.937055	-95.697188	325.60
34	LL	337.00	335.51	-2.0	-12.95	5.09	-7.86	N/A	N/A	44.937034	-95.697184	335.58
35	LL	347.00	345.51	0.7	-13.02	5.14	-7.88	N/A	N/A	44.937001	-95.697190	345.49
36	LL	357.00	355.51	2.2	-12.87	4.91	-7.96	N/A	N/A	44.936972	-95.697195	355.44
37	LL	367.00	365.51	-0.9	-12.81	4.81	-8.00	N/A	N/A	44.936949	-95.697201	365.54
38	LL	377.00	375.51	-1.0	-12.90	4.84	-8.07	N/A	N/A	44.936918	-95.697200	375.54
39	LL	387.00	385.51	1.8	-12.86	4.85	-8.02	N/A	N/A	44.936892	-95.697201	385.45
40	LL	397.00	395.51	2.4	-12.65	4.51	-8.14	N/A	N/A	44.936863	-95.697208	395.44

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	405.51	-1.0	-12.58	4.68	-7.90	N/A	N/A	44.936845	-95.697215	405.54
42	LL	417.00	415.51	-0.6	-12.66	4.55	-8.12	N/A	N/A	44.936808	-95.697212	415.53
43	LL	427.00	425.51	1.2	-12.63	4.62	-8.01	N/A	N/A	44.936782	-95.697209	425.47
44	LL	437.00	435.51	-0.3	-12.59	4.52	-8.07	N/A	N/A	44.936754	-95.697206	435.52
45	LL	447.00	445.51	-0.8	-12.64	4.66	-7.98	N/A	N/A	44.936725	-95.697205	445.53
46	LL	457.00	455.51	-0.2	-12.69	4.86	-7.84	N/A	N/A	44.936688	-95.697201	455.52
47	LL	467.00	465.51	0.6	-12.67	5.34	-7.33	N/A	N/A	44.936668	-95.697198	465.49
48	LL	477.00	475.51	4.8	-12.40	6.15	-6.25	N/A	N/A	44.936644	-95.697190	475.31
49	LL	487.00	485.45	17.0	-11.32	6.68	-4.64	N/A	N/A	44.936617	-95.697191	484.69
50	LL	497.00	495.23	25.0	-9.27	5.57	-3.70	N/A	N/A	44.936593	-95.697193	494.32
51	LL	507.00	504.89	29.0	-6.67	4.93	-1.73	N/A	N/A	44.936564	-95.697195	503.95
52	LL	517.00	514.40	36.0	-3.58	2.03	-1.55	N/A	N/A	44.936540	-95.697199	513.93
53	LL	527.00	523.66	46.0	0.21	1.71	1.92	N/A	N/A	44.936528	-95.697192	523.15
54	PO	537.00	532.74	46.0	4.39		6.10	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.84	24	0	1	2	
2	16.57	25	2	3	3	
3	26.30	34	6	14	33	
4	36.00	47	11	23	43	
5	45.72	24	27	54	100	
6	55.55	42	36	54	90	
7	65.53	28	44	68	115	
8	75.53	25	47	82	155	
9	85.53	26	41	76	120	
10	95.53	28	20	36	67	
11	105.53	29	20	35	58	
12	115.53	43	29	52	110	
13	125.53	36	29	51	69	
14	135.53	49	32	53	73	
15	145.53	33	43	66	90	
16	155.53	33	40	62	95	
17	165.53	37	35	68	120	
18	175.53	31	33	59	100	
19	185.53	29	25	45	75	
20	195.53	31	19	30	46	
21	205.53	21	20	38	57	
22	215.53	27	26	43	60	
23	225.52	29	30	56	90	
24	235.52	35	28	57	120	
25	245.52	29	34	59	85	
26	255.52	32	27	43	64	
27	265.52	36	21	34	48	
28	275.52	29	23	39	60	
29	285.52	29	22	35	58	
30	295.52	27	21	35	60	
31	305.52	24	23	41	58	
32	315.52	43	19	37	73	
33	325.52	25	20	34	59	
34	335.51	49	19	33	65	
35	345.51	27	21	37	54	
36	355.51	27	16	26	36	
37	365.51	30	17	25	43	
38	375.51	25	23	38	53	
39	385.51	32	22	39	58	
40	395.51	30	24	41	61	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	405.51	28	19	34	60	
42	415.51	34	20	32	51	
43	425.51	31	22	33	65	
44	435.51	28	20	32	51	
45	445.51	26	24	40	53	
46	455.51	28	22	39	52	
47	465.51	30	19	30	57	
48	475.51	19	13	19	28	
49	485.45	22	20	36	62	
50	495.23	25	10	17	26	
51	504.89	24	8	14	29	
52	514.40	18	3	4	4	
53	523.66	16	1	2	2	
54	532.74	1	0	N/A	0	