



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

54 data points collected on unit Serial Number: 30188000 in Job 58 on 08/23/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 53

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-18.5	0.00		0.00	N/A	N/A			
1	LL	7.00	6.87	-20.5	-1.34	2.30	0.96	N/A	N/A	44.937953	-95.696988	7.18
2	LL	17.00	16.57	-30.0	-3.78	5.67	1.89	N/A	N/A	44.937931	-95.696990	17.68
3	LL	27.00	26.01	-40.0	-7.08	10.27	3.19	N/A	N/A	44.937919	-95.696992	28.66
4	LL	37.00	35.45	-30.0	-10.38	13.58	3.21	N/A	N/A	44.937919	-95.696992	38.11
5	LL	47.00	45.15	-20.0	-12.80	15.98	3.18	N/A	N/A	44.937919	-95.696992	47.26
6	LL	57.00	54.97	-19.0	-14.71	18.24	3.53	N/A	N/A	44.937919	-95.696992	57.26
7	LL	67.00	64.85	-11.5	-16.22	19.59	3.37	N/A	N/A	44.937919	-95.696992	66.35
8	LL	77.00	74.85	3.4	-16.62	19.64	3.02	N/A	N/A	44.937919	-95.696992	74.40
9	LL	87.00	84.84	-0.4	-16.47	19.35	2.89	N/A	N/A	44.937919	-95.696992	84.90
10	LL	97.00	94.84	-1.3	-16.55	19.85	3.30	N/A	N/A	44.937919	-95.696992	95.02
11	LL	107.00	104.84	-1.2	-16.68	20.11	3.44	N/A	N/A	44.937919	-95.696992	105.00
12	LL	117.00	114.84	-0.1	-16.74	19.93	3.18	N/A	N/A	44.937919	-95.696992	114.86
13	LL	127.00	124.84	0.0	-16.75	19.23	2.48	N/A	N/A	44.937919	-95.696992	124.84
14	LL	137.00	134.84	-0.1	-16.75	17.49	0.73	N/A	N/A	44.937919	-95.696992	134.85
15	LL	147.00	144.84	-0.2	-16.77	16.04	-0.73	N/A	N/A	44.937919	-95.696992	144.86
16	LL	157.00	154.84	-1.2	-16.84	14.96	-1.88	N/A	N/A	44.937919	-95.696992	154.96
17	LL	167.00	164.84	-1.3	-16.96	14.25	-2.71	N/A	N/A	44.937919	-95.696992	164.97
18	LL	177.00	174.84	-0.6	-17.06	14.08	-2.98	N/A	N/A	44.937919	-95.696992	174.90
19	LL	187.00	184.84	0.0	-17.09	14.06	-3.03	N/A	N/A	44.937919	-95.696992	184.84
20	LL	197.00	194.84	0.4	-17.07	14.40	-2.67	N/A	N/A	44.937919	-95.696992	194.80
21	LL	207.00	204.84	0.6	-17.02	14.68	-2.34	N/A	N/A	44.937919	-95.696992	204.78
22	LL	217.00	214.84	-1.2	-17.05	14.69	-2.36	N/A	N/A	44.937919	-95.696992	214.96
23	LL	227.00	224.84	0.8	-17.07	14.78	-2.29	N/A	N/A	44.937919	-95.696992	224.76
24	LL	237.00	234.84	0.3	-17.01	14.86	-2.16	N/A	N/A	44.937919	-95.696992	234.81
25	LL	247.00	244.84	1.3	-16.93	14.76	-2.17	N/A	N/A	44.937919	-95.696992	244.71
26	LL	257.00	254.84	0.1	-16.86	14.81	-2.05	N/A	N/A	44.937919	-95.696992	254.83
27	LL	267.00	264.84	-2.5	-16.98	15.01	-1.97	N/A	N/A	44.937919	-95.696992	265.09
28	LL	277.00	274.84	-1.8	-17.20	15.09	-2.11	N/A	N/A	44.937919	-95.696992	275.02
29	LL	287.00	284.83	-2.5	-17.41	15.07	-2.35	N/A	N/A	44.937919	-95.696992	285.09
30	LL	297.00	294.83	1.1	-17.48	14.86	-2.62	N/A	N/A	44.937919	-95.696992	294.73
31	LL	307.00	304.83	-0.8	-17.47	14.84	-2.62	N/A	N/A	44.937919	-95.696992	304.91
32	LL	317.00	314.83	0.7	-17.47	14.89	-2.59	N/A	N/A	44.937919	-95.696992	314.77
33	LL	327.00	324.83	-2.8	-17.58	14.79	-2.79	N/A	N/A	44.937919	-95.696992	325.11
34	LL	337.00	334.83	-1.3	-17.78	14.70	-3.08	N/A	N/A	44.937919	-95.696992	334.96
35	LL	347.00	344.83	0.2	-17.84	14.59	-3.25	N/A	N/A	44.937919	-95.696992	344.81
36	LL	357.00	354.83	0.1	-17.82	14.57	-3.25	N/A	N/A	44.937919	-95.696992	354.82
37	LL	367.00	364.83	1.0	-17.77	14.55	-3.22	N/A	N/A	44.937919	-95.696992	364.73
38	LL	377.00	374.83	1.1	-17.66	14.31	-3.36	N/A	N/A	44.937919	-95.696992	374.73
39	LL	387.00	384.83	1.4	-17.54	14.24	-3.30	N/A	N/A	44.937919	-95.696992	384.70
40	LL	397.00	394.83	-2.0	-17.57	14.21	-3.36	N/A	N/A	44.937919	-95.696992	395.02

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	404.83	0.7	-17.63	14.26	-3.37	N/A	N/A	44.937919	-95.696992	404.76
42	LL	417.00	414.83	-2.2	-17.71	14.33	-3.38	N/A	N/A	44.937919	-95.696992	415.04
43	LL	427.00	424.83	-1.7	-17.90	14.61	-3.29	N/A	N/A	44.937919	-95.696992	424.99
44	LL	437.00	434.83	0.4	-17.97	14.55	-3.42	N/A	N/A	44.937919	-95.696992	434.79
45	LL	447.00	444.83	-0.1	-17.95	14.35	-3.61	N/A	N/A	44.937919	-95.696992	444.84
46	LL	457.00	454.83	-2.5	-18.08	14.86	-3.22	N/A	N/A	44.937919	-95.696992	455.07
47	LL	467.00	464.82	-3.6	-18.39	14.96	-3.43	N/A	N/A	44.937919	-95.696992	465.18
48	LL	477.00	474.82	8.4	-18.15	13.82	-4.33	N/A	N/A	44.937919	-95.696992	474.05
49	LL	487.00	484.71	21.0	-16.70	12.46	-4.24	N/A	N/A	44.937919	-95.696992	482.99
50	LL	497.00	494.38	32.0	-14.15	10.94	-3.21	N/A	N/A	44.937919	-95.696992	492.10
51	LL	507.00	503.79	40.0	-10.76	8.77	-1.99	N/A	N/A	44.937919	-95.696992	501.53
52	LL	517.00	512.91	50.0	-6.67	4.33	-2.34	N/A	N/A	44.937919	-95.696992	511.54
53	PO	527.00	521.77	55.0	-2.02		2.31	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.87	31	0	0	0	
2	16.57	23	0	0	0	
3	26.01	47	6	13	36	
4	35.45	16	17	32	47	
5	45.15	25	26	54	100	
6	54.97	31	37	62	100	
7	64.85	27	48	73	100	
8	74.85	28	49	89	150	
9	84.84	37	46	87	130	
10	94.84	32	58	108	175	
11	104.84	33	44	67	115	
12	114.84	32	52	85	135	
13	124.84	38	40	62	85	
14	134.84	35	48	82	125	
15	144.84	33	52	91	125	
16	154.84	35	37	65	95	
17	164.84	34	43	75	105	
18	174.84	30	46	82	135	
19	184.84	28	46	78	130	
20	194.84	34	43	60	90	
21	204.84	30	44	65	90	
22	214.84	30	43	64	85	
23	224.84	26	38	55	70	
24	234.84	29	41	58	66	
25	244.84	28	42	62	72	
26	254.84	27	39	60	80	
27	264.84	32	56	83	110	
28	274.84	36	52	80	120	
29	284.83	29	43	64	85	
30	294.83	35	38	52	71	
31	304.83	30	39	53	61	
32	314.83	31	37	52	64	
33	324.83	33	37	52	69	
34	334.83	30	52	82	125	
35	344.83	31	40	54	68	
36	354.83	33	50	72	80	
37	364.83	32	61	93	115	
38	374.83	33	73	113	135	
39	384.83	39	63	96	120	
40	394.83	31	53	68	85	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	404.83	38	50	64	74	
42	414.83	33	46	61	80	
43	424.83	48	48	66	74	
44	434.83	46	62	84	105	
45	444.83	34	51	71	80	
46	454.83	30	45	74	140	
47	464.82	52	37	51	75	
48	474.82	27	30	49	73	
49	484.71	30	29	53	105	
50	494.38	27	23	41	80	
51	503.79	31	16	25	50	
52	512.91	20	12	17	30	
53	521.77	25	5	8	12	