



## DataLog® Drill Report

### Job Information

**Job Location:**

**Client Information:**

**Contractor Information:**

**Name:**

**Contact:**

**Phone:**

**Address:**

**City:**

### Receiver/Job Information

54 data points collected on unit Serial Number: 30188000 in Job 56 on 08/22/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 7.00


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 53

## Drill Data

**Profile Chart**



**Pressure Chart**



## Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[\*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-16.5	0.00		0.00	N/A	N/A			
1	LL	7.00	6.89	-19.5	-1.24	1.68	0.44	N/A	N/A	44.937921	-95.697439	7.11
2	LL	17.00	16.61	-28.5	-3.57	4.21	0.64	N/A	N/A	44.937901	-95.697443	17.40
3	LL	27.00	26.08	-40.0	-6.80	8.31	1.51	N/A	N/A	44.937872	-95.697448	28.22
4	LL	37.00	35.36	-40.0	-10.51	13.31	2.79	N/A	N/A	44.937849	-95.697445	38.79
5	LL	47.00	44.62	-42.0	-14.31	17.83	3.52	N/A	N/A	44.937591	-95.697535	49.43
6	LL	57.00	54.06	-28.0	-17.60	20.85	3.25	N/A	N/A	44.937797	-95.697449	57.88
7	LL	67.00	63.79	-19.0	-19.88	22.96	3.07	N/A	N/A	44.937772	-95.697439	66.68
8	LL	77.00	73.69	-10.0	-21.31	24.12	2.80	N/A	N/A	44.937749	-95.697440	75.30
9	LL	87.00	83.68	0.0	-21.81	23.85	2.04	N/A	N/A	44.937723	-95.697436	83.68
10	LL	97.00	93.68	0.0	-21.81	23.37	1.55	N/A	N/A	44.937696	-95.697438	93.68
11	LL	107.00	103.68	1.1	-21.76	23.78	2.02	N/A	N/A	44.937670	-95.697435	103.50
12	LL	117.00	113.68	-1.6	-21.78	24.33	2.55	N/A	N/A	44.937688	-95.697407	113.94
13	LL	127.00	123.68	0.2	-21.85	24.63	2.78	N/A	N/A	44.937620	-95.697443	123.65
14	LL	137.00	133.68	-0.9	-21.89	24.61	2.72	N/A	N/A	44.937591	-95.697437	133.83
15	LL	147.00	143.68	-0.8	-21.97	24.22	2.25	N/A	N/A	44.937594	-95.697430	143.81
16	LL	157.00	153.68	-0.7	-22.05	24.54	2.49	N/A	N/A	44.937542	-95.697439	153.79
17	LL	167.00	163.68	2.2	-21.97	24.18	2.21	N/A	N/A	44.937531	-95.697400	163.32
18	LL	177.00	173.68	-0.1	-21.87	23.47	1.60	N/A	N/A	44.937530	-95.697413	173.69
19	LL	187.00	183.68	1.1	-21.82	23.43	1.61	N/A	N/A	44.937428	-95.697448	183.50
20	LL	197.00	193.68	-0.5	-21.79	23.38	1.59	N/A	N/A	44.937145	-95.697645	193.75
21	LL	207.00	203.68	-0.7	-21.85	23.38	1.54	N/A	N/A	44.937145	-95.697645	203.79
22	LL	217.00	213.68	0.8	-21.84	23.13	1.29	N/A	N/A	44.937145	-95.697645	213.55
23	LL	227.00	223.68	-1.1	-21.86	23.62	1.76	N/A	N/A	44.937145	-95.697645	223.85
24	LL	237.00	233.68	0.8	-21.87	24.21	2.33	N/A	N/A	44.937145	-95.697645	233.55
25	LL	247.00	243.68	-0.2	-21.84	23.68	1.84	N/A	N/A	44.937145	-95.697645	243.71
26	LL	257.00	253.68	0.7	-21.82	23.48	1.66	N/A	N/A	44.937145	-95.697645	253.57
27	LL	267.00	263.68	0.0	-21.78	23.21	1.43	N/A	N/A	44.937145	-95.697645	263.68
28	LL	277.00	273.68	-0.1	-21.79	23.60	1.81	N/A	N/A	44.937145	-95.697645	273.69
29	LL	287.00	283.68	-1.3	-21.86	23.35	1.49	N/A	N/A	44.937145	-95.697645	283.88
30	LL	297.00	293.68	-0.2	-21.93	23.47	1.54	N/A	N/A	44.937145	-95.697645	293.71
31	LL	307.00	303.68	-0.4	-21.96	23.95	1.98	N/A	N/A	44.937145	-95.697645	303.74
32	LL	317.00	313.68	0.0	-21.98	23.75	1.77	N/A	N/A	44.937145	-95.697645	313.68
33	LL	327.00	323.68	-0.9	-22.03	23.92	1.90	N/A	N/A	44.937145	-95.697645	323.82
34	LL	337.00	333.68	1.7	-21.99	23.64	1.65	N/A	N/A	44.937145	-95.697645	333.41
35	LL	347.00	343.68	-1.3	-21.97	23.48	1.52	N/A	N/A	44.937145	-95.697645	343.88
36	LL	357.00	353.67	-3.2	-22.19	23.28	1.09	N/A	N/A	44.937145	-95.697645	354.17
37	LL	367.00	363.67	0.4	-22.33	22.90	0.57	N/A	N/A	44.937145	-95.697645	363.61
38	LL	377.00	373.67	0.8	-22.27	22.16	-0.11	N/A	N/A	44.937145	-95.697645	373.55
39	LL	387.00	383.67	1.4	-22.16	20.98	-1.18	N/A	N/A	N/A	N/A	N/A
40	LL	397.00	393.67	-0.4	-22.11	19.20	-2.91	N/A	N/A	N/A	N/A	N/A

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[\*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	407.00	403.67	-2.1	-22.24	18.93	-3.31	N/A	N/A	N/A	N/A	N/A
42	LL	417.00	413.67	0.5	-22.32	18.12	-4.20	N/A	N/A	N/A	N/A	N/A
43	LL	427.00	423.67	2.2	-22.18	17.00	-5.18	N/A	N/A	N/A	N/A	N/A
44	LL	437.00	433.67	-0.1	-22.08	16.06	-6.02	N/A	N/A	N/A	N/A	N/A
45	LL	447.00	443.67	-2.0	-22.18	15.59	-6.59	N/A	N/A	N/A	N/A	N/A
46	LL	457.00	453.67	2.9	-22.14	16.21	-5.92	N/A	N/A	N/A	N/A	N/A
47	LL	467.00	463.65	8.6	-21.56	15.94	-5.62	N/A	N/A	N/A	N/A	N/A
48	LL	477.00	473.55	19.5	-20.18	12.85	-7.32	N/A	N/A	N/A	N/A	N/A
49	LL	487.00	483.29	27.5	-17.89	12.00	-5.89	N/A	N/A	N/A	N/A	N/A
50	LL	497.00	492.77	40.0	-14.70	9.76	-4.95	N/A	N/A	N/A	N/A	N/A
51	LL	507.00	501.99	44.0	-10.83	7.14	-3.69	N/A	N/A	N/A	N/A	N/A
52	LL	517.00	510.95	55.0	-6.41	4.09	-2.31	N/A	N/A	N/A	N/A	N/A
53	PO	527.00	519.53	65.0	-1.27		2.82	N/A	N/A			

## Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	6.89	33	0	1	1	
2	16.61	21	2	2	3	
3	26.08	24	10	21	33	
4	35.36	36	15	28	66	
5	44.62	28	36	71	115	
6	54.06	44	27	47	85	
7	63.79	28	36	64	110	
8	73.69	25	44	79	130	
9	83.68	27	39	54	80	
10	93.68	31	64	102	140	
11	103.68	29	59	93	145	
12	113.68	27	48	66	100	
13	123.68	29	50	64	85	
14	133.68	29	48	64	85	
15	143.68	27	50	81	125	
16	153.68	31	44	61	85	
17	163.68	45	42	58	85	
18	173.68	34	43	58	75	
19	183.68	29	41	60	75	
20	193.68	34	44	66	80	
21	203.68	68	37	52	80	
22	213.68	38	40	54	72	
23	223.68	32	44	59	75	
24	233.68	30	46	63	80	
25	243.68	37	47	66	90	
26	253.68	43	47	63	80	
27	263.68	41	45	57	75	
28	273.68	34	50	68	90	
29	283.68	24	43	54	62	
30	293.68	39	41	53	69	
31	303.68	39	47	60	80	
32	313.68	32	50	73	90	
33	323.68	33	47	67	90	
34	333.68	32	51	69	90	
35	343.68	24	55	71	90	
36	353.67	42	52	69	100	
37	363.67	31	52	67	80	
38	373.67	33	61	74	85	
39	383.67	34	52	64	85	
40	393.67	34	49	62	75	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	403.67	36	45	58	72	
42	413.67	32	45	62	85	
43	423.67	35	51	71	100	
44	433.67	40	39	48	69	
45	443.67	38	40	50	67	
46	453.67	45	40	50	67	
47	463.65	21	34	44	56	
48	473.55	19	32	42	50	
49	483.29	21	40	56	80	
50	492.77	22	28	41	65	
51	501.99	25	19	24	35	
52	510.95	34	14	19	22	
53	519.53	19	4	6	7	