

DataLog® Drill Report

Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/22/22

Job Last Edited Date 8/17/22 4:47 PM

Customer Information

Company

Address

Contractor Information

Name

Contact

Address

Work Phone

Cell Phone

Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



FalconF5_30188000_Job_00011



Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-25.5%		0' 0"	PO	N/A	0' 0"
1	-42.0%	7' 9"	6' 8"	LL	2 psi	7' 0"
2	-38.0%	12' 11"	15' 11"	LL	5 psi	17' 0"
3	-42.0%	17' 0"	25' 2"	LL	28 psi	27' 0"
4	-32.0%	20' 3"	34' 7"	LL	45 psi	37' 0"
5	-18.0%	22' 6"	44' 4"	LL	69 psi	47' 0"
6	-7.0%	23' 10"	54' 3"	LL	53 psi	57' 0"
7	-0.5%	24' 1"	64' 3"	LL	36 psi	67' 0"
8	-0.1%	24' 1"	74' 2"	LL	59 psi	77' 0"
9	-0.3%	24' 4"	84' 2"	LL	64 psi	87' 0"
10	-0.8%	24' 4"	94' 2"	LL	56 psi	97' 0"
11	-0.2%	24' 3"	104' 2"	LL	55 psi	107' 0"
12	0.5%	23' 6"	114' 2"	LL	53 psi	117' 0"
13	-0.5%	22' 2"	124' 2"	LL	53 psi	127' 0"
14	-0.8%	20' 7"	134' 2"	LL	53 psi	137' 0"
15	-1.0%	19' 6"	144' 2"	LL	55 psi	147' 0"
16	-1.0%	19' 5"	154' 2"	LL	42 psi	157' 0"
17	-1.0%		164' 2"	PO	56 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-1.0%	18' 10"	174' 2"	LL	44 psi	177' 0"
19	-0.8%	18' 7"	184' 2"	LL	53 psi	187' 0"
20	0.3%	18' 9"	194' 2"	LL	58 psi	197' 0"
21	0.8%	19' 0"	204' 2"	LL	53 psi	207' 0"
22	-0.8%	19' 2"	214' 2"	LL	55 psi	217' 0"
23	0.3%	19' 3"	224' 2"	LL	56 psi	227' 0"
24	-0.8%	19' 6"	234' 2"	LL	54 psi	237' 0"
25	-2.4%	20' 0"	244' 2"	LL	49 psi	247' 0"
26	-1.9%	19' 11"	254' 2"	LL	50 psi	257' 0"
27	-1.2%	20' 4"	264' 2"	LL	48 psi	267' 0"
28	0.1%	20' 7"	274' 2"	LL	51 psi	277' 0"
29	-0.7%	20' 8"	284' 2"	LL	60 psi	287' 0"
30	0.3%	20' 7"	294' 2"	LL	60 psi	297' 0"
31	0.0%	20' 6"	304' 2"	LL	57 psi	307' 0"
32	0.0%	20' 2"	314' 2"	LL	46 psi	317' 0"
33	0.2%	20' 4"	324' 2"	LL	48 psi	327' 0"
34	0.7%	20' 1"	334' 2"	LL	52 psi	337' 0"
35	-0.7%	20' 3"	344' 2"	LL	51 psi	347' 0"
36	-0.2%	20' 2"	354' 2"	LL	54 psi	357' 0"
37	-0.2%	20' 2"	364' 2"	LL	62 psi	367' 0"
38	0.0%	20' 1"	374' 2"	LL	66 psi	377' 0"
39	0.3%	19' 11"	384' 2"	LL	69 psi	387' 0"
40	0.0%	19' 9"	394' 2"	LL	60 psi	397' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	-0.8%	20' 0"	404' 2"	LL	57 psi	407' 0"
42	-0.9%	20' 0"	414' 2"	LL	61 psi	417' 0"
43	0.2%	19' 11"	424' 2"	LL	63 psi	427' 0"
44	0.2%	20' 3"	434' 2"	LL	60 psi	437' 0"
45	0.7%	19' 11"	444' 2"	LL	59 psi	447' 0"
46	1.9%	19' 10"	454' 2"	LL	60 psi	457' 0"
47	2.2%	19' 7"	464' 2"	LL	50 psi	467' 0"
48	5.8%	18' 11"	474' 2"	LL	50 psi	477' 0"
49	17.5%	17' 6"	484' 1"	LL	40 psi	487' 0"
50	26.0%	15' 11"	493' 11"	LL	44 psi	497' 0"
51	34.0%	13' 10"	503' 6"	LL	44 psi	507' 0"
52	48.0%	11' 4"	512' 9"	LL	36 psi	517' 0"
53	50.0%	7' 4"	521' 9"	LL	18 psi	527' 0"
54	50.0%	2' 1"	530' 8"	LL	10 psi	537' 0"