

# DataLog® Drill Report

## Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/28/22

Job Last Edited Date 8/18/22 7:07 AM

## Customer Information

Company

Address

## Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


## Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



# FalconF5\_30188000\_Job\_00016



# Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-18.0%		0' 0"	PO	N/A	0' 0"
1	-22.0%	2' 2"	6' 10"	LL	0 psi	7' 0"
2	-34.0%	5' 8"	16' 6"	LL	2 psi	17' 0"
3	-46.0%	11' 0"	25' 9"	LL	10 psi	27' 0"
4	-46.0%	15' 9"	34' 10"	LL	32 psi	37' 0"
5	-46.0%	20' 3"	43' 11"	LL	47 psi	47' 0"
6	-36.0%	23' 10"	53' 3"	LL	59 psi	57' 0"
7	-26.0%	27' 0"	62' 9"	LL	61 psi	67' 0"
8	-19.0%	29' 1"	72' 6"	LL	58 psi	77' 0"
9	-8.8%	30' 6"	82' 5"	LL	46 psi	87' 0"
10	-7.4%	31' 7"	92' 5"	LL	49 psi	97' 0"
11	0.1%	31' 7"	102' 5"	LL	46 psi	107' 0"
12	0.4%	31' 7"	112' 5"	LL	27 psi	117' 0"
13	0.6%	29' 9"	122' 5"	LL	28 psi	127' 0"
14	-0.9%	27' 6"	132' 5"	LL	33 psi	137' 0"
15	-0.4%	25' 8"	142' 5"	LL	35 psi	147' 0"
16	0.1%	24' 6"	152' 5"	LL	36 psi	157' 0"
17	-0.2%	23' 8"	162' 5"	LL	34 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-1.3%	23' 2"	172' 5"	LL	42 psi	177' 0"
19	0.3%	23' 4"	182' 5"	LL	39 psi	187' 0"
20	-0.5%	23' 5"	192' 5"	LL	34 psi	197' 0"
21	-1.0%	23' 7"	202' 5"	LL	35 psi	207' 0"
22	-0.5%	23' 9"	212' 5"	LL	31 psi	217' 0"
23	0.7%	23' 9"	222' 5"	LL	32 psi	227' 0"
24	0.0%	23' 10"	232' 5"	LL	29 psi	237' 0"
25	0.7%	23' 10"	242' 5"	LL	31 psi	247' 0"
26	0.5%	23' 10"	252' 5"	LL	36 psi	257' 0"
27	-0.9%	24' 0"	262' 5"	LL	38 psi	267' 0"
28	-1.9%	24' 1"	272' 5"	LL	31 psi	277' 0"
29	0.8%	24' 1"	282' 5"	LL	37 psi	287' 0"
30	-0.8%	24' 10"	292' 5"	LL	22 psi	297' 0"
31	-1.2%	24' 11"	302' 5"	LL	30 psi	307' 0"
32	-0.1%	24' 9"	312' 5"	LL	35 psi	317' 0"
33	2.0%	24' 11"	322' 5"	LL	38 psi	327' 0"
34	2.0%	24' 4"	332' 5"	LL	34 psi	337' 0"
35	0.8%	24' 4"	342' 5"	LL	34 psi	347' 0"
36	-0.1%	24' 3"	352' 5"	LL	35 psi	357' 0"
37	1.2%	24' 2"	362' 5"	LL	36 psi	367' 0"
38	-0.7%	24' 1"	372' 5"	LL	33 psi	377' 0"
39	0.5%	24' 3"	382' 5"	LL	33 psi	387' 0"
40	1.5%	24' 0"	392' 5"	LL	33 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	1.6%	23' 6"	402' 5"	LL	32 psi	407' 0"
42	-0.1%	23' 3"	412' 5"	LL	25 psi	417' 0"
43	0.9%	22' 9"	422' 5"	LL	23 psi	427' 0"
44	2.4%	22' 2"	432' 5"	LL	23 psi	437' 0"
45	1.7%	22' 0"	442' 4"	LL	18 psi	447' 0"
46	0.2%	22' 2"	452' 4"	LL	21 psi	457' 0"
47	3.2%	21' 9"	462' 4"	LL	21 psi	467' 0"
48	14.0%	21' 6"	472' 4"	LL	30 psi	477' 0"
49	25.0%	20' 0"	482' 2"	LL	39 psi	487' 0"
50	36.0%	17' 2"	491' 9"	LL	41 psi	497' 0"
51	46.0%	14' 9"	501' 0"	LL	35 psi	507' 0"
52	55.0%	11' 5"	509' 11"	LL	34 psi	517' 0"
53	65.0%	7' 11"	518' 6"	LL	18 psi	527' 0"
54	70.0%	2' 1"	526' 9"	LL	6 psi	537' 0"