

# DataLog® Drill Report

## Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/20/22

Job Last Edited Date 8/17/22 5:15 PM

## Customer Information

Company

Address

## Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


## Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



# FalconF5\_30188000\_Job\_00008



# Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-20.5%		0' 0"	PO	N/A	0' 0"
1	-26.0%	2' 7"	6' 10"	LL	0 psi	7' 0"
2	-38.0%	6' 9"	16' 4"	LL	2 psi	17' 0"
3	-40.0%	10' 9"	25' 8"	LL	14 psi	27' 0"
4	-42.0%	15' 10"	34' 11"	LL	30 psi	37' 0"
5	-29.5%	18' 11"	44' 4"	LL	43 psi	47' 0"
6	-20.0%	21' 3"	54' 1"	LL	65 psi	57' 0"
7	-15.5%	22' 11"	63' 11"	LL	56 psi	67' 0"
8	-5.2%	23' 11"	73' 10"	LL	48 psi	77' 0"
9	0.0%	24' 5"	83' 10"	LL	53 psi	87' 0"
10	0.1%	24' 11"	93' 10"	LL	72 psi	97' 0"
11	-0.4%	24' 8"	103' 10"	LL	67 psi	107' 0"
12	0.1%	24' 2"	113' 10"	LL	52 psi	117' 0"
13	0.6%	23' 7"	123' 10"	LL	54 psi	127' 0"
14	-0.9%	22' 2"	133' 10"	LL	57 psi	137' 0"
15	-0.7%	20' 11"	143' 10"	LL	54 psi	147' 0"
16	-1.8%	20' 2"	153' 10"	LL	51 psi	157' 0"
17	-1.3%	19' 8"	163' 10"	LL	55 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-0.7%	19' 11"	173' 10"	LL	55 psi	177' 0"
19	0.6%	20' 3"	183' 10"	LL	58 psi	187' 0"
20	0.6%	20' 3"	193' 10"	LL	37 psi	197' 0"
21	0.0%	20' 3"	203' 10"	LL	58 psi	207' 0"
22	0.5%	20' 8"	213' 10"	LL	62 psi	217' 0"
23	0.2%	20' 7"	223' 10"	LL	53 psi	227' 0"
24	0.7%	20' 9"	233' 10"	LL	45 psi	237' 0"
25	-0.4%	20' 10"	243' 10"	LL	47 psi	247' 0"
26	1.8%	20' 11"	253' 10"	LL	50 psi	257' 0"
27	1.1%	20' 11"	263' 10"	LL	48 psi	267' 0"
28	1.3%	21' 2"	273' 10"	LL	51 psi	277' 0"
29	1.1%	21' 1"	283' 10"	LL	56 psi	287' 0"
30	-1.2%	21' 3"	293' 10"	LL	58 psi	297' 0"
31	0.3%	21' 4"	303' 10"	LL	52 psi	307' 0"
32	0.2%	21' 5"	313' 10"	LL	48 psi	317' 0"
33	-0.2%	21' 2"	323' 10"	LL	47 psi	327' 0"
34	-0.1%	21' 1"	333' 10"	LL	54 psi	337' 0"
35	1.0%	21' 1"	343' 10"	LL	54 psi	347' 0"
36	1.1%	21' 0"	353' 10"	LL	57 psi	357' 0"
37	0.4%	20' 9"	363' 10"	LL	68 psi	367' 0"
38	0.5%	20' 6"	373' 10"	LL	67 psi	377' 0"
39	0.6%	20' 6"	383' 10"	LL	66 psi	387' 0"
40	-0.8%	20' 3"	393' 10"	LL	66 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	1.2%	20' 0"	403' 10"	LL	58 psi	407' 0"
42	-1.1%	19' 9"	413' 10"	LL	56 psi	417' 0"
43	-0.5%	19' 10"	423' 10"	LL	57 psi	427' 0"
44	-0.2%	19' 8"	433' 10"	LL	61 psi	437' 0"
45	0.1%	19' 7"	443' 10"	LL	59 psi	447' 0"
46	-0.3%	19' 7"	453' 10"	LL	66 psi	457' 0"
47	-0.8%	19' 7"	463' 10"	LL	53 psi	467' 0"
48	9.5%	18' 10"	473' 10"	LL	45 psi	477' 0"
49	20.0%	17' 8"	483' 9"	LL	51 psi	487' 0"
50	30.0%	15' 9"	493' 5"	LL	55 psi	497' 0"
51	40.0%	13' 4"	502' 10"	LL	55 psi	507' 0"
52	50.0%	9' 1"	512' 0"	LL	32 psi	517' 0"
53	60.0%	4' 2"	520' 9"	LL	23 psi	527' 0"
54	60.0%		529' 4"	PO	3 psi	537' 0"
55	60.0%		537' 11"	PO	1 psi	547' 0"
56	60.0%		546' 6"	PO	2 psi	557' 0"
57	60.0%	1' 10"	555' 0"	LL	1 psi	567' 0"