



DataLog® Drill Report

Job Information

Job Location:

Client Information:

Contractor Information:

Name:

Contact:

Phone:

Address:

City:

Receiver/Job Information

54 data points collected on unit Serial Number: 30188000 in Job 59 on 08/23/2022. Flags and Pins listed below (if applicable).

All units in charts and tables are Distance in ft, Depth in ft, Pitch in %, and Pressure in PSI.

Reference Elevation is not measured.

Entry Point Relative Depth 0.00. Chart and Table zero are the Reference Elevation.

Exit Terrain not surveyed.

First Rod Length is 5.58


Typical Rod Length is 10.00

Last Rod Length is 10.00


Total number of rods 53

Drill Data

Profile Chart



Pressure Chart



Drill Data Points

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
0	PO	0.00	0.00	-14.5	0.00		0.00	N/A	N/A			
1	LL	5.58	5.50	-19.5	-0.94	1.77	0.83	N/A	N/A	44.937958	-95.696911	5.73
2	LL	15.58	15.21	-30.0	-3.33	4.77	1.43	N/A	N/A	44.937897	-95.696913	16.15
3	LL	25.58	24.65	-40.0	-6.63	8.79	2.16	N/A	N/A	44.937824	-95.696945	26.92
4	LL	35.58	33.91	-42.0	-10.42	13.60	3.18	N/A	N/A	44.937851	-95.696912	37.58
5	LL	45.58	43.32	-30.0	-13.80	17.47	3.67	N/A	N/A	44.937818	-95.696914	46.75
6	LL	55.58	53.04	-18.0	-16.13	18.67	2.54	N/A	N/A	44.937793	-95.696915	55.27
7	LL	65.58	62.95	-10.0	-17.51	20.00	2.49	N/A	N/A	44.937776	-95.696911	64.28
8	LL	75.58	72.93	-2.6	-18.14	19.90	1.76	N/A	N/A	44.937740	-95.696911	73.27
9	LL	85.58	82.93	-0.1	-18.27	20.44	2.17	N/A	N/A	44.937714	-95.696914	82.94
10	LL	95.58	92.93	3.0	-18.13	21.05	2.92	N/A	N/A	44.937706	-95.696866	92.51
11	LL	105.58	102.92	0.6	-17.95	20.96	3.01	N/A	N/A	44.937662	-95.696913	102.84
12	LL	115.58	112.92	2.5	-17.79	20.63	2.84	N/A	N/A	44.937641	-95.696915	112.58
13	LL	125.58	122.92	1.6	-17.59	20.42	2.83	N/A	N/A	44.937610	-95.696903	122.70
14	LL	135.58	132.92	2.3	-17.39	20.08	2.69	N/A	N/A	44.937564	-95.696931	132.61
15	LL	145.58	142.92	-0.3	-17.29	19.02	1.72	N/A	N/A	44.937559	-95.696901	142.96
16	LL	155.58	152.92	1.1	-17.25	18.10	0.84	N/A	N/A	44.937527	-95.696912	152.79
17	LL	165.58	162.92	-0.3	-17.21	17.34	0.13	N/A	N/A	44.937491	-95.696910	162.95
18	LL	175.58	172.92	-0.8	-17.27	17.76	0.49	N/A	N/A	44.937481	-95.696911	173.01
19	LL	185.58	182.92	-1.3	-17.37	17.62	0.25	N/A	N/A	44.937451	-95.696902	183.07
20	LL	195.58	192.92	-0.6	-17.47	17.73	0.26	N/A	N/A	44.937418	-95.696903	192.99
21	LL	205.58	202.92	0.8	-17.46	18.01	0.55	N/A	N/A	44.937388	-95.696896	202.82
22	LL	215.58	212.92	2.6	-17.29	17.87	0.59	N/A	N/A	44.937351	-95.696917	212.61
23	LL	225.58	222.92	-1.5	-17.23	17.88	0.65	N/A	N/A	44.937335	-95.696899	223.10
24	LL	235.58	232.92	0.3	-17.29	17.95	0.66	N/A	N/A	44.937306	-95.696900	232.88
25	LL	245.58	242.92	1.1	-17.22	18.07	0.84	N/A	N/A	44.937263	-95.696834	242.78
26	LL	255.58	252.92	-0.8	-17.21	17.83	0.62	N/A	N/A	44.937251	-95.696943	253.01
27	LL	265.58	262.92	1.0	-17.20	17.41	0.21	N/A	N/A	44.937246	-95.696862	262.80
28	LL	275.58	272.92	0.3	-17.13	17.33	0.20	N/A	N/A	44.937200	-95.696905	272.88
29	LL	285.58	282.92	-0.9	-17.16	17.29	0.13	N/A	N/A	44.937175	-95.696882	283.02
30	LL	295.58	292.92	0.9	-17.16	17.28	0.12	N/A	N/A	44.937145	-95.696895	292.81
31	LL	305.58	302.92	-1.6	-17.20	17.38	0.18	N/A	N/A	44.937118	-95.696905	303.10
32	LL	315.58	312.92	-0.3	-17.29	17.55	0.25	N/A	N/A	44.937089	-95.696900	312.95
33	LL	325.58	322.91	-1.9	-17.40	17.33	-0.08	N/A	N/A	44.937060	-95.696896	323.13
34	LL	335.58	332.91	0.3	-17.48	17.18	-0.30	N/A	N/A	44.937032	-95.696909	332.88
35	LL	345.58	342.91	-0.1	-17.47	17.03	-0.44	N/A	N/A	44.937010	-95.696899	342.93
36	LL	355.58	352.91	-0.2	-17.49	16.85	-0.64	N/A	N/A	44.937030	-95.696863	352.94
37	LL	365.58	362.91	-0.3	-17.51	16.61	-0.90	N/A	N/A	44.936944	-95.696892	362.95
38	LL	375.58	372.91	1.6	-17.45	16.54	-0.91	N/A	N/A	44.936945	-95.696883	372.74
39	LL	385.58	382.91	-2.5	-17.49	16.72	-0.78	N/A	N/A	44.936889	-95.696894	383.19
40	LL	395.58	392.91	-2.0	-17.72	16.69	-1.03	N/A	N/A	44.936867	-95.696880	393.13

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data) - o(override) - f(filled in) - i[*](interpolated)

Rod ID	Type	Bore Len.	X Dist.	Pitch	Rel.Depth	Depth	Rel.Elev.	L/R Offset	Deviation	Latitude	Longitude	GNSS X Dist.
41	LL	405.58	402.91	-0.4	-17.84	16.67	-1.17	N/A	N/A	44.936809	-95.696903	402.95
42	LL	415.58	412.91	-0.6	-17.89	16.52	-1.37	N/A	N/A	44.936813	-95.696895	412.98
43	LL	425.58	422.91	-3.4	-18.09	16.64	-1.45	N/A	N/A	44.936789	-95.696883	423.29
44	LL	435.58	432.90	-3.0	-18.41	16.63	-1.78	N/A	N/A	44.936757	-95.696894	433.24
45	LL	445.58	442.89	-6.2	-18.87	16.94	-1.92	N/A	N/A	44.936751	-95.696823	443.59
46	LL	455.58	452.89	0.7	-19.14	16.91	-2.24	N/A	N/A	44.936710	-95.696844	452.81
47	LL	465.58	462.89	2.2	-19.00	16.92	-2.08	N/A	N/A	44.936667	-95.696892	462.64
48	LL	475.58	472.86	12.0	-18.29	16.61	-1.68	N/A	N/A	44.936693	-95.696935	471.54
49	LL	485.58	482.74	19.5	-16.74	15.43	-1.31	N/A	N/A	44.936634	-95.696899	480.75
50	LL	495.58	492.46	29.5	-14.36	12.65	-1.71	N/A	N/A	44.936603	-95.696895	490.01
51	LL	505.58	501.90	40.0	-11.09	9.05	-2.03	N/A	N/A	44.936581	-95.696891	499.57
52	LL	515.58	511.03	50.0	-6.99	4.18	-2.81	N/A	N/A	44.936549	-95.696891	509.70
53	PO	525.58	519.79	60.0	-2.18		2.00	N/A	N/A			

Pressure Data

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
0	0.00	0	N/A	N/A	N/A	
1	5.50	35	1	2	2	
2	15.21	25	3	3	4	
3	24.65	28	5	8	18	
4	33.91	41	11	23	49	
5	43.32	30	23	51	90	
6	53.04	25	28	58	95	
7	62.95	25	39	72	120	
8	72.93	45	36	62	95	
9	82.93	26	62	94	130	
10	92.93	30	42	66	110	
11	102.92	25	58	96	140	
12	112.92	26	54	87	125	
13	122.92	34	69	110	150	
14	132.92	30	63	104	155	
15	142.92	30	47	77	120	
16	152.92	33	51	68	90	
17	162.92	29	50	78	115	
18	172.92	38	39	62	100	
19	182.92	30	50	78	115	
20	192.92	29	46	73	125	
21	202.92	29	45	73	115	
22	212.92	26	37	54	71	
23	222.92	210	18	30	75	
24	232.92	29	44	62	100	
25	242.92	24	47	73	100	
26	252.92	25	41	64	85	
27	262.92	33	38	61	100	
28	272.92	25	60	96	130	
29	282.92	27	43	73	125	
30	292.92	28	42	58	80	
31	302.92	26	39	58	75	
32	312.92	61	36	63	130	
33	322.91	75	33	48	71	
34	332.91	55	31	46	70	
35	342.91	26	38	66	90	
36	352.91	28	47	74	95	
37	362.91	30	63	103	160	
38	372.91	30	58	95	150	
39	382.91	28	43	61	72	
40	392.91	34	43	58	72	

Pressure Legend...

Rod ID	X Dist.	Num Samples	Avg. Pres.	High Pres.	Max Pres.	Comment
41	402.91	25	41	52	66	
42	412.91	28	48	59	69	
43	422.91	26	49	67	90	
44	432.90	30	66	103	150	
45	442.89	30	56	85	145	
46	452.89	28	38	57	80	
47	462.89	26	56	90	125	
48	472.86	31	32	56	80	
49	482.74	25	54	94	130	
50	492.46	28	45	73	100	
51	501.90	20	27	41	55	
52	511.03	29	16	24	37	
53	519.79	24	4	7	10	