

DataLog® Drill Report

Job Site Information

Name

Address

Work Order #

Serial Number 30188000

Job Created Date 6/26/22

Job Last Edited Date 8/18/22 7:05 AM

Customer Information

Company

Address

Contractor Information

Name

Contact

Address

Work Phone

Cell Phone


Survey Point

Relative Elevation at Entry 0' 0"




Entry: (----, ----)

Exit: (----, ----)



FalconF5_30188000_Job_00014



Drill Data Points Summary

FLP(Front Locate) - LL(Locate Line) - PO(Pitch Only) - BL(No Data)

Removed  Hidden  Added  Edited 

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
0	-19.5%		0' 0"	PO	N/A	0' 0"
1	-27.0%	2' 3"	6' 10"	LL	0 psi	7' 0"
2	-36.0%	6' 7"	16' 4"	LL	1 psi	17' 0"
3	-38.0%	11' 0"	25' 9"	LL	3 psi	27' 0"
4	-36.0%	15' 0"	35' 1"	LL	9 psi	37' 0"
5	-34.0%		44' 7"	PO	38 psi	47' 0"
6	-34.0%	19' 1"	54' 0"	LL	29 psi	57' 0"
7	-19.5%	21' 5"	63' 8"	LL	47 psi	67' 0"
8	-10.5%	23' 2"	73' 7"	LL	42 psi	77' 0"
9	0.3%	23' 8"	83' 7"	LL	39 psi	87' 0"
10	0.3%	23' 7"	93' 7"	LL	54 psi	97' 0"
11	-1.4%	24' 0"	103' 7"	LL	49 psi	107' 0"
12	-0.6%	24' 2"	113' 7"	LL	56 psi	117' 0"
13	-0.3%	24' 2"	123' 7"	LL	60 psi	127' 0"
14	-1.6%	22' 5"	133' 7"	LL	49 psi	137' 0"
15	0.6%	20' 6"	143' 7"	LL	47 psi	147' 0"
16	0.4%	18' 5"	153' 7"	LL	45 psi	157' 0"
17	-1.5%	17' 0"	163' 7"	LL	51 psi	167' 0"



Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
18	-1.0%	16' 2"	173' 7"	LL	53 psi	177' 0"
19	-0.2%	16' 7"	183' 7"	LL	55 psi	187' 0"
20	0.4%	16' 7"	193' 7"	LL	43 psi	197' 0"
21	-0.8%	16' 8"	203' 7"	LL	50 psi	207' 0"
22	-0.1%	17' 0"	213' 7"	LL	52 psi	217' 0"
23	-1.3%	17' 0"	223' 7"	LL	49 psi	227' 0"
24	-0.1%	16' 10"	233' 7"	LL	47 psi	237' 0"
25	1.1%	16' 11"	243' 7"	LL	46 psi	247' 0"
26	-0.5%	16' 10"	253' 7"	LL	53 psi	257' 0"
27	0.4%	17' 0"	263' 7"	LL	51 psi	267' 0"
28	0.5%	17' 2"	273' 7"	LL	59 psi	277' 0"
29	0.1%		283' 7"	PO	55 psi	287' 0"
30	1.4%	16' 11"	293' 7"	LL	55 psi	297' 0"
31	0.9%	16' 11"	303' 7"	LL	53 psi	307' 0"
32	0.7%	16' 10"	313' 7"	LL	50 psi	317' 0"
33	0.6%	16' 8"	323' 7"	LL	36 psi	327' 0"
34	2.0%	16' 6"	333' 7"	LL	38 psi	337' 0"
35	0.2%	16' 3"	343' 7"	LL	45 psi	347' 0"
36	0.1%	16' 4"	353' 7"	LL	49 psi	357' 0"
37	-0.7%	16' 5"	363' 7"	LL	50 psi	367' 0"
38	0.6%	16' 5"	373' 7"	LL	49 psi	377' 0"
39	1.2%	16' 4"	383' 7"	LL	56 psi	387' 0"
40	0.3%	16' 1"	393' 7"	LL	49 psi	397' 0"

Rod ID	Pitch	Depth	X Distance	Reading Type	Pressure Average	Bore Length
41	0.2%	16' 0"	403' 7"	LL	50 psi	407' 0"
42	-2.3%	16' 1"	413' 7"	LL	47 psi	417' 0"
43	-2.9%	16' 1"	423' 7"	LL	50 psi	427' 0"
44	-2.2%	16' 6"	433' 7"	LL	58 psi	437' 0"
45	-0.8%	16' 3"	443' 7"	LL	44 psi	447' 0"
46	0.1%	16' 3"	453' 7"	LL	45 psi	457' 0"
47	-1.7%	16' 3"	463' 7"	LL	46 psi	467' 0"
48	-0.7%	16' 5"	473' 7"	LL	46 psi	477' 0"
49	11.5%	15' 11"	483' 6"	LL	45 psi	487' 0"
50	20.0%	14' 10"	493' 5"	LL	45 psi	497' 0"
51	30.0%		503' 1"	PO	43 psi	507' 0"
52	40.0%	11' 3"	512' 7"	LL	42 psi	517' 0"
53	50.0%	8' 6"	521' 8"	LL	26 psi	527' 0"
54	55.0%	3' 3"	530' 6"	LL	15 psi	537' 0"
55	55.0%	1' 8"	539' 4"	LL	5 psi	547' 0"